

Verify Data In WIN: _____ (Initials/Date)



Advanced
Environmental Laboratories, Inc.

☐ Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE	Analysis Required	E. coli	ENTERO					LABORATORY I.D. #
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: AF315E										
Phone: 813-470-5770		Project Address:										
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-04-23-04										
Sampled By:												
Turn Around Time: ☒ STANDARD ☐ RUSH												
Page: 1 of 1		☐ ADaPT ☐ EQUIS ☐ Other										
SAMPLER ID		SAMPLE DESCRIPTION		Grab	SAMPLING		MATRIX	NO. COUNT	PRE-SER-VATI-ON			
Field ID/WIN					DATE	TIME						
Site Name:												
Field ID/WIN		G1SW0096										
Site Name:		Allen Creek @ Bellaire Road										
Field ID/WIN		G1SW0095										
Site Name:		Mullet Creek Tidal @ Park										
Field ID/WIN		G1SW0051										
Site Name:		Moccasin Creek Tidal										
Field ID/WIN		G1SW0054										
Site Name:		Bishop Creek										
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)												
Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked ☐ Temperature when received _____ (in degrees celcius)												
DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V												
Relinquished by: J. Ashton Date: 4/24/18 Time: 1344 Received by: [Signature] Date: 4/24/18 Time: 1344												
FOR DRINKING WATER USE: PWS ID: _____												

Request Number: RQ-2018-04-23-04

Mullet/Allen/Bishop/Moccasin

Florida Department of Environmental Protection Central Laboratory Submittal Form

Page 1 of 4

last revised Jan 25, 2018

Customer: SW-DIST

Project ID: SMP

Requester: Judy Ashton

Collected By: J. Ashton, B. Presum

Field Report Prepared By: Judy Ashton

Sampling Agency: FDEP

Location		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s) (See pg 2)
Field ID/WIN		☐ Grab	Date 4-24-18 Time 0945	Central	Date Time	
Site Name: Allen Creek @ Bellaire Road		Matrix (type, e.g., Salt/Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine
				5.38	☐ % sat	(mg/L)
		Temp (C) 24.29	pH 6.12	Sample Depth 0.2	☐ ft	Sp. Conductance (umho/cm) 572
		☐ dd	Salinity (ppt) 0.28	Comments		
		☐ dms	E. COLI DROPPED OFF @ AEL			
Location		☒ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID/WIN		☒ Grab	Date 4-24-18 Time 1120	Central	Date Time	
Site Name: Mullet Creek Tidal @ Park		Matrix (type, e.g., Salt/Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine
				5.77	☐ % sat	(mg/L)
		Temp (C) 25.90	pH 6.36	Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 39947
		☐ dd	Salinity (ppt) 25.47	Comments		
		☐ dms	ENTERED DROPPED OFF @ AEL			
Location		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID/WIN		☒ Grab	Date 4-24-18 Time 1040	Central	Date Time	
Site Name: Moccasin Creek Tidal		Matrix (type, e.g., Salt/Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine
				2.57	☐ % sat	(mg/L)
		Temp (C) 25.00	pH 6.94	Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 5398
		☐ dd	Salinity (ppt) 2.89	Comments		
		☐ dms	ENTERED DROPPED OFF @ AEL			
Location		☒ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID/WIN		☒ Grab	Date 4-24-18 Time 1250	Central	Date Time	
Site Name: Bishop Creek		Matrix (type, e.g., Salt/Fresh, etc)		Diss. Oxygen	☐ mg/L	Total Res. Chlorine
				4.96	☐ % sat	(mg/L)
		Temp (C) 25.19	pH 6.62	Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 38630
		☐ dd	Salinity (ppt) 20.57	Comments		
		☐ dms	ENTERED DROPPED OFF @ AEL			

Relinquished By: Ben Fawcett	Date/Time: 4/23/18 1200	Shipping Method: Fed Ex	Number of Coolers Shipped: 3	Received By:	Date/Time:
------------------------------	-------------------------	-------------------------	------------------------------	--------------	------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	PCR-FILTER						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	SWD-AEL-EC						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	1
	W-CARB-AA						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-CT-CI-R						
	W-PCL-SQ-R						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1

Group: B	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: W-PSNP-TQ	BG-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
Group: C	Bottle Type: ALKALINITY TURBIDITY W-F W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: C	Bottle Type: SWD-AELIEN	P-120ML-WC-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
Group: C	Bottle Type: W-PO4F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	2
Group: D	Bottle Type: ALKALINITY TURBIDITY W-F W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: D	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: D	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: D	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1

Group: D	Bottle Type: P-120ML-WC-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	/
	SWD-AEL-EN				
Group: D	Bottle Type: BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	/
	W-E8321-DI				
	W-E8321-MS				
Group: D	Bottle Type: P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	/
	W-NH3				
	W-NO2NO3				
	W-S-A-TP				
	W-TKN				
	W-TOC				
Group: D	Bottle Type: P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	/
	W-PO4-F				