



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2018

Data Qualified?

Yes / No

WIN Station Name: Delany Crk @ 36th Ave

Date: 5/1/18
(mm/dd/yyyy)

WIN/ Field ID: G1SW0046

WBID: 1605

Latitude: 27.91535

(Decimal Degrees)

County: Hillsborough

ORG ID: 21FLTPA

Longitude: -82.39361

Receiving Body of Water: Tampa Bay

RQ-2018-04-23-03

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment		
Judy Ashton				☒	☒	☒	☒	☒	☒ Sample Container	☐ Van Dorn	☐ Pole
Ben Paswater				☒	☒	☒	☒	☒	☐ Carboy	☐ Syringe	
				☒	☒	☒	☒	☒	☐ Dipper	☐ Other	
									Depth Measured with Secchi		
									Equipment ID		
									Collection Method		
									☒ Wading	☐ Canoe/Kayak	
									☐ From Shore	☐ Electric Motor	
									☐ Other	☐ Gasoline Motor	
Water Level: Dry/ Pooled/ Low ☒ Normal / High / Flooded				Meter ID#				Matrix: ☒ Fresh Marine / DI			
Photos: Yes / No		Flow: No Flow / Interstitial / ☒ Flowing / NA		Tide: Rising/ Falling/ Slack/NA		Tide Times: High		Low			
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)	
EST	1145	0.2	0.2	0.2	5.17	60.4	7.45	0.26	535	23.06	
				"5"							
Biological Samples Collected: ☒ None HA SCI RPS Algae ID LVS LVI Other:											
SBIO ID Numbers:		SBIO-ID:		HA-ID:		RPS-ID:		Macrophyte-ID:		LIMS#:	
Parameter Suite		Parameter Methods				Preservation		Lot#		Expiration	
Preserved Nutrients		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4				☒ <2	
Metals		☒ W-ICPMS ☒ W-ICP				☒ Ice ☒ HNO3				☒ <2	
Filtered Nutrients		☒ W-PO4-F ☒ Field Filtered 0.45 um Filter				☒ Ice		9841668			
Chlorophyll		☒ CHLSUITE-W				☒ Ice					
Physical/Aggregate (Fresh)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice					
Physical/Aggregate (Marine)		☐ Alkalinity / W-F / W-TSS / TURBIDITY				☐ Ice					
Macroinvertebrates		☐ MI-FW-QLDC				☐ Formalin					
Periphyton		☐ ALGAE-ID				☐ Ice					
Microbiology		☒ E Coli ☐ F Coli ☐ Enterococci				☒ Ice					
Molecular		☐ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD				☐ Ice					
Tracers		☐ W-SUC-AA-R ☐ W-UHERB-AA ☐ W-AHERB-AA				☐ Ice					
Pesticides		☒ W-PSNP-TQ ☒ W-UHERB-AA ☒ W-AHERB-AA ☒ W-CARB-AA				☒ Ice					
		☒ W-PCL-SQ-R ☒ W-PYR-AA-R ☒ W-GLYPH ☒ W-SUC-AA-R				☐ Other					

Notes: C Kit + E-Coli + Pest/Herb

Field ID/WIN

G1SW0046



Site Name: Delany Creek @ 36th Ave

SMP04302018_FB

Signature: Ben Paswater

Date: 5/1/18

Enter Field Parameters, Verify Station ID In LIMS DMT: SM 05/09/2018

QC Station ID, Field Parameters In LIMS DMT: SM 06/18/2018

(Initials/Date)

5544

(Initials/Date)

Scan/Save Field Sheets SM 06/25/2018

Migrate Data to WIN: SM 06/18/2018

Verify Data In WIN:

(Initials/Date)

(Initials/Date)

(Initials/Date)

Request Number: RQ-2018-04-23-03

Florida Department of Environmental Protection Central Laboratory Submittal Form

Page 1 of 4

last revised Jan 25, 2018

Alafia, Delany, Thirtymile

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: BP

Project ID: SMP

Collected By: BP JA

Sampling Agency: SWROC

Location	Field ID/WIN		G1SW0046		☐ Comp ☒ Grab		Collection (comp begin or grab)		☐ Eastern ☒ Central		Composite end		Bottle Group(s)	
Field	Date		5/1/18		Time		1145		Date		Time		(See pg 2)	
WIN	Matrix (type, e.g., Salt, Fresh, etc)				Diss. Oxygen		5.2 60%		☒ mg/L ☒ % sat		Total Res. Chlorine (mg/L)		C/D	
Site Name:	Delany Creek @ 36th Ave		Temp (C)		23.06		pH		7.45		Sample Depth		0.3	
Latit	☐ dd ☐ dms		Salinity (ppt)				Comments		E. COLI DROPPED AND AEL		☐ ft ☒ m		Sp. Conductance (umho/cm) 535	
Location	Field ID/WIN		G1SW0066		☐ Comp ☒ Grab		Collection (comp begin or grab)		☐ Eastern ☒ Central		Composite end		Bottle Group(s)	
Field	Date		5/1/18		Time		1210		Date		Time		(See pg 2)	
WIN	Matrix (type, e.g., Salt, Fresh, etc)				Diss. Oxygen		11.6 146		☒ mg/L ☒ % sat		Total Res. Chlorine (mg/L)		C/D	
Site Name:	Delany Creek @ Maydell Dr.		Temp (C)		27.1		pH		8.2		Sample Depth		0.3	
Latitu	☐ dd ☐ dms		Salinity (ppt)				Comments		E. COLI DROPPED AND AEL		☐ ft ☒ m		Sp. Conductance (umho/cm) 439	
Location	Field ID				☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central		Composite end		Bottle Group(s)	
Field ID	Date				Time				Date		Time		(See pg 2)	
WIN/STORET #	Matrix (type, e.g., Salt, Fresh, etc)				Diss. Oxygen				☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Latitude	☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)				Comments			
Location	Field ID				☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central		Composite end		Bottle Group(s)	
Field ID	Date				Time				Date		Time		(See pg 2)	
WIN/STORET #	Matrix (type, e.g., Salt, Fresh, etc)				Diss. Oxygen				☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
Latitude	☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)				Comments			

Relinquished By: BP

Date/Time

5/1/18 4pm

Shipping Method

Fed Ex

Number of Coolers Shipped:

Received By:

Date/Time

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	SWD-AEL-EC	<i>DROPPED NOT 2 ALL</i>					
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	1
	W-CARB-AA						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-CT-CI-R						
	W-PCL-SQ-R						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-E8321-DI						
	W-E8321-MS						

Group: B	Bottle Type: W-PSNP-TQ	BG-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
Group: C	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: C	CHLSUITE-W	BP-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: C	PCR-BACR	QPCR-P-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: C	SWD-AEL-EC	P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: C	W-ICP W-ICPMS	P-500ML	# of Bottles: 2	Preservative: HNO3	Enter Number of Bottles Sent to Lab	2
Group: C	W-NH3 W-NO2/NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
Group: C	W-PO4-F	P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	2
Group: D	W-CARB-AA	BG-500ML	# of Bottles: 2	Preservative: CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	2
Group: D	W-CT-CI-R	BG-500ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4

Group: D	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-PCL-SQ-R						
Group: D	Bottle Type:	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	W-E8321-DI						
	W-E8321-MS						
Group: D	Bottle Type:	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-PSNP-TQ						
Group: E	Bottle Type:	QPCR-P-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	PCR-FILTER						
Group: E	Bottle Type:	P-120ML-WC-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2 to AEL
	SWD-AEL-EC	PROBKA W-2 AEL					
Group: E	Bottle Type:	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	W-E8321-DI						
	W-E8321-MS						



Advanced
Environmental Laboratories, Inc.

☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ **Jacksonville:** 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ **Tallahassee:** 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE						LABORATORY I.D. #	
Address: 13051 N. Telecom Pkwy Temple Terrace FL 33637		P.O. Number: AF315E									
Phone: 813-470-5770		Project Address:			Analysis Required	E. COLI					
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-04-23-03									
Sampled By:											
Turn Around Time: ☒ STANDARD ☐ RUSH											
Page: / of /		☐ ADaPT ☐ EQulS ☐ Other									

SAMPLE ID	SAMPLE DESCRIPTION	Grab mp	SAMPLING		MATRIX	NO. COUNT	PRE SER- VATI ON	1	2	3	4	5	6	7	8	9	10	
			DATE	TIME														
Field ID/WIN G2SW0047 	Site Name: Thirty Mile Creek @ Train track Mosaic		5/1/18	945	SW	1												
Field ID/WIN G2SW0046 	Site Name: Thirty Mile Creek @ Nichols Rd			1010	"	1												
Field ID/WIN G2SW0045 	Site Name: Alafia River @ Center Ave			1100	"	1												
Field ID/WIN G1SW0046 	Site Name: Delany Creek @ 36th Ave			1145 1140	"	1												
Field ID/WIN G1SW0066 	Site Name: Delany Creek @ Maydell Dr.			1210	"	1												

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)

DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Relinquished by: Dr. [Signature]	Date: 5/1/18	Time: 1245	Received by: [Signature]	Date: 5/1/18	Time: 1245
---	---------------------	-------------------	---------------------------------	---------------------	-------------------

FOR DRINKING WATER USE:
 PWS ID: _____