

Verify Data In WIN: SM 06/25/2018

Request Number: RQ-2018-02-19-13

Florida Department of Environmental Protection

Central Laboratory Submittal Form

 2 of 3
 Page 1 of 2
 last revised Jan 25, 2018

WOLF SIMS McKay Rice

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☐ Comp ☒ Grab		Collection (comp begin or grab)		Eastern ☒ Central ☐		Composite end		Bottle Group(s)	
Field ID: G1SW0056				Date 2-20-18 Time 1005				Date Time		(See pg 2)	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
Temp (C) 23.27		pH 7.27		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 41073			
Salinity (ppt) 26.35		Comments									
ENTRLO OLOMPED OUT 2 ALL											
Location		☐ Comp ☒ Grab		Collection (comp begin or grab)		Eastern ☒ Central ☐		Composite end		Bottle Group(s)	
Field ID: G1SW0092				Date 2-20-18 Time 1100				Date Time		(See pg 2)	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
Temp (C) 24.55		pH 7.39		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 40981			
Salinity (ppt) 26.43		Comments									
DUP ENTRLO OLOMPED OUT 2 ALL											
Location		☐ Comp ☐ Grab		Collection (comp begin or grab)		Eastern ☐ Central ☐		Composite end		Bottle Group(s)	
Field ID				Date Time				Date Time			
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)			
WIN/STORET #											
Latitude		Longitude		Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab)		Eastern ☐ Central ☐		Composite end		Bottle Group(s)	
Field ID				Date Time				Date Time			
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)			
WIN/STORET #											
Latitude		Longitude		Salinity (ppt)		Comments					
Relinquished By:		Date/Time		Shipping Method		Number of Coolers Shipped:		Received By:		Date/Time	

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-F						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	SWD-AEL-EC						
Group: C	Bottle Type:	P-120ML-WC-THI	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	SWD-AEL-EN						
Group: D	Bottle Type:	QPCR-P-250ML	# of Bottles: 14	Preservative:	ICE	Enter Number of Bottles Sent to Lab	8
	PCR-FILTER						
Group: D	Bottle Type:	BG-500ML	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-E8321-DI						
	W-E8321-MS						



☐	<u>Altamonte Springs:</u> 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
☐	<u>Gainesville:</u> 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐	<u>Jacksonville:</u> 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐	<u>Miramar:</u> 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
☐	<u>Tallahassee:</u> 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒	<u>Tampa:</u> 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP-SW DIST			Project Name: SMP																					
Address: 13051 N. Telecom Pkwy			P.O. Number or Project Number: AF315E																					
			FDEP Facility No:																					
Phone: 813-470-5770			Project Address:																					
FAX:			Special Instructions: RQ2018-02-19-13 ☐ ADaPT ☐ EQuiS ☐ Other																					
Contact: Judy Ashton 813-470-5772																								
Sampled By:																								
Turn Around Time: ☒ STANDARD ☐ RUSH																								
Page: 1 of 1																								
SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING DATE TIME		MATRIX	NO. COUNT	PRESERVATION	BOTTLE SIZE & TYPE	ANALYSIS REQUIRED											LABORATORY I.D. NUMBER				
G1SWD056	SIMMS BRANCH @ PORT KAWAWE	MA	2/20/18	1005	SW	1		ENTERO	E.COLI															
G1SWD092	WOLF BRANCH CANAL @ BOAT LIFT		2/20/18	1047	SW	1																		
G2SWD032	RICE @ BALM RIVERVIEW		2/20/18	1130	SW	1																		
G1SWD094	SANDSBAG DITCH @ 45TH		2/20/18		SW	1																		
G1SWD093	GILBERT FLOWING DITCH @ 45TH		2/20/18	923	SW	1																		
G1SWD092	DUP - WOLF BRANCH		2/20/18	1100	SW	1																		
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S =(H2SO4) N =(HNO3) T = (Sodium Thiosulfate)																								
Received on Ice ☐ Yes ☐ No Temp taken from sample ☐ Temp from blank Where required, pH checked Temperature when received _____ (in degrees celcius)																								
DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V																								
Relinquished by Date Time Received by Date Time														FOR DRINKING WATER USE										
1	J. ASHTON		2-20-18	1207																				
2																								
3																								
4																								
PWS-ID: Contact Person: Supplier of Water: Site-Address:														Phone:										