

Wares, Wares, Mill, Gap, & Nonsense

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 4-2-18 Time 1010		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID/WIN		G2SW0015		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 4.7		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
Field ID		WIN/ST		Temp (C) 20.7		pH 10.0		Sample Depth 0.3		☐ ft ☒ m	
Latitude		☐ dd ☐ dms		Salinity (ppt)		Comments		Sp. Conductance (umho/cm) 959		B/E	
Location		SALT		☒ Comp ☒ Grab		Collection (comp begin or grab) Date 4-2-18 Time 1215		☒ Eastern ☐ Central		Composite end Date Time	
Field ID/WIN		G2SW0029		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 4.9		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
Field ID		WIN/ST		Temp (C) 25.5		pH 7.5		Sample Depth 0.3		☐ ft ☒ m	
Latitude		☐ dd ☐ dms		Salinity (ppt)		Comments		Sp. Conductance (umho/cm) 29051		A/B	
Location				☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN/STORET #				Temp (C)		pH		Sample Depth		☐ ft ☐ m	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location				☒ Comp ☒ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN/STORET #				Temp (C)		pH		Sample Depth		☐ ft ☐ m	
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
------------------	-----------	-----------------	----------------------------	--------------	-----------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	SWD-AEL-EC	E. COLI MOPHS ON 2 ALL					
Group: C	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-F						
	W-TSS						
Group: C	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: C	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						

Group: C	Bottle Type:	P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-TOC					
Group: C	Bottle Type:	P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F					
Group: D	Bottle Type:	P-120ML-WC-THI	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
	SWD-AEL-EN	ENTERED ADDED ON 2 ALL				
Group: E	Bottle Type:	QPCR-P-250ML	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab	6
	PCR-FILTER					
Group: E	Bottle Type:	BG-500ML	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	W-E8321-DI					
	W-E8321-MS					



☐ Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE	Analysis Required	F. coli	ENTERO					LABORATORY I.D. #
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: AF315E										
Phone: 813-470-5770		Project Address:										
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-04-02-12										
Sampled By:												
Turn Around Time: ☒ STANDARD ☐ RUSH												
Page: 2 of 2		☐ ADaPT ☐ EQuIS ☐ Other										

SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING		MATRIX	NO. COUNT	PRE SER VATI ON					
			DATE	TIME								
Field ID/WIN G2SW0029  Site Name: Wares Crk @ 9th Ave			04-02-18	12:15	SW	1						

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge
 Preservation Code: I = ice H = (HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)

DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Relinquished by	Date	Time	Received by	Date	Time
1	04/02/18			04/02/18	

FOR DRINKING WATER USE: PWS ID: _____