



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2018

Data Qualified?

Yes / No

WIN Station Name: Nonsense Cr @ Lingerlodge Rd

Date: 9-5-18
(mm/dd/yyyy)

WIN/ Field ID: G2SW0041

WBID: 1913

Latitude: 27.43012

(Decimal Degrees)

County: Manatee

ORG ID: 21FLTPA

Longitude: -82.47103

Receiving Body of Water: Manatee River

RQ-2018- 09-03-18

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Judy Ashton					☒	☒	☒	☒	☒
Ben Paswater					☒	☒	☒	☒	☒

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☐ Syringe	
☐ Dipper	☐ Other	
Depth Measured with Secchi		
Equipment ID <u>Secchi #1</u>		
Collection Method		
☐ Wading	☐ Canoe/Kayak	
☒ From Shore	☐ Electric Motor	
☐ Other	☐ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded

Meter ID# CHERRY

Matrix: Fresh / Marine / DI

Photos: Yes No Flow: No Flow / Interstitial Flowing / NA

Tide: Rising/ Falling/ Slack NA

Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)
<u>EST</u>	<u>1055</u>	<u>0.9</u>	<u>0.3</u>	<u>0.9</u>	<u>4.40</u>	<u>54.6</u>	<u>7.29</u>	<u>0.20</u>	<u>421.7</u>	<u>26.3</u>
				<u>"S"</u>		<u>J</u>				

Biological Samples Collected: Non HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TRN / W-TOC / W-S-A-TP	☐ Ice ☐ H2SO4			☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 um Filter	☐ Ice			
Chlorophyll	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CLIC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☒ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD	☒ Ice			
Tracers	☒ W-SUC-AA-R ☒ W-UHERB-AA ☒ W-AHERB-AA	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-UHERB-AA ☐ W-AHERB-AA ☐ W-CARB-AA ☐ W-PCL-SQ-R ☐ W-PYR-AA-R ☐ W-GLYPH ☐ W-SUC-AA-R	☐ Ice ☐ Other			

Notes: <u>E-Coli + MT</u>	Field ID/WIN <u>G2SW0041</u> Site Name: <u>Nonsense Cr @ Lingerlodge Rd</u>
---------------------------	--

Signature: Judy Date: 9-5-18

Enter Field Parameters, Verify Station ID in LIMS DMT: SM 9/24/2018 QC Station ID, Field Parameters in LIMS DMT: SM 11/8/2018
(Initials/Date) (Initials/Date)
Scan/Save Field Sheets SM 11/28/2018 Migrate Data to WIN: SM 11/8/2018 Verify Data in WIN: SM 11/27/2018
(Initials/Date) (Initials/Date) (Initials/Date)

Request Number: RQ-2018-09-03-18

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Wares, Wares, Mill, Gap, & Nonsense

Page 1 of 3

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/5/18 Time 1035	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID/WIN	G2SW0015	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 5.70	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Field ID		Temp (C) 26.2	pH 7.31	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 410
WIN/SI	Site Name: Nonsense @ Tara Preserve	☐ dd ☐ dms		Salinity (ppt)		Comments E. COLI DROPPES OFF ALL
Latitude		☐ dd ☐ dms		Salinity (ppt)		Comments E. COLI DROPPES OFF ALL
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/5/18 Time 1040	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN	G2SW0015_DUP	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Field ID		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
WIN	Location: Nonsense @ Tara Preserve	☐ dd ☐ dms		Salinity (ppt)		Comments E. COLI DROPPES OFF ALL
Latitude	WIN ID: G2SW0015	☐ dd ☐ dms		Salinity (ppt)		Comments E. COLI DROPPES OFF ALL
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date 9/5/18 Time 1045	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN	BLANK	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Field ID		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
WIN	Site Name: Field Blank_09/05/2018	☐ dd ☐ dms		Salinity (ppt)		Comments NO E. COLI
Latitude		☐ dd ☐ dms		Salinity (ppt)		Comments NO E. COLI
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/5/18 Time 1055	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN	G2SW0041	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 4.40	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Field ID		Temp (C) 26.3	pH 7.29	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 421.7
WIN	Site Name: Nonsense Cr @ Lingerlodge Rd	☐ dd ☐ dms		Salinity (ppt)		Comments E. COLI DROPPES OFF ALL
Latitude		☐ dd ☐ dms		Salinity (ppt)		Comments E. COLI DROPPES OFF ALL

Relinquished By:	Date/Time: 9/5/18 4pm	Shipping Method: Fed Ex	Number of Coolers Shipped: 2	Received By:	Date/Time:
------------------	-----------------------	-------------------------	------------------------------	--------------	------------

Group: B	Bottle Type: P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
W-S-A-TP W-TKN W-TOC					
Group: B	Bottle Type: P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	
W-PO4-F					
Group: C	Bottle Type: QPCR-P-500ML	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
PCR-FILTER					
Group: C	Bottle Type: P-120ML-WC-THI	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
SWD-AEL-EC					
Group: C	Bottle Type: BG-500ML	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	5
W-E8321-DI W-E8321-MS					



Advanced
Environmental Laboratories, Inc.

☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ **Jacksonville:** 6691 Southpoint Pkwy. • Jacksonville, FL 32218 • 904.363.9350 • Fax 904.363.9354
☐ **Tallahassee:** 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE	Analysis Required	E. COLI	ENTERO						LABORATORY I.D. #
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: B370AE											
Phone: 813-470-5770		Project Address:											
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-09-03-18											
Sampled By:		Turn Around Time: ☒ STANDARD ☐ RUSH		☐ ADaPT ☐ EQUiS ☐ Other									
Page: 1 of 2													

SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING		MATRIX	NO. COUNT	PRE SER VATI ON						
			DATE	TIME									
Field ID/WIN G2SW0015 	Site Name: Nonsense @ Tara Preserve		9/15/18	1035	SW	1							
Field ID: G2SW0015_DUP	Location: Nonsense @ Tara Preserve		9/16/18	1040	SW	1							
WIN ID: G2SW0015													
Field ID/WIN G2SW0041 	Site Name: Nonsense Cr @ Lingerlodge Rd		9/15/18	1055	SW	1							
Field ID/WIN G2SW0040 	Site Name: Mill Creek @ Upper manatee Rvr Rd			1235	SW	1							
Field ID/WIN G2SW0030 	Site Name: Gap Creek @ 45th St			1015	SW	1							

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees Celsius)

ICN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 0A A: 3A M: 3A S: 1V

Relinquished by:	Date: 9/15/18	Time: 1356	Received by:	Date: 9/15/18	Time: 1356
------------------	---------------	------------	--------------	---------------	------------

FOR DRINKING WATER USE:
 PWS ID: _____