

Date of Request: 04-JAN-2018  
 Created By: SPRINKLE\_H On: 04-JAN-2018  
 Modified By: SWANSON\_C On: 29-JAN-2018  
 Customer: SW-DIST  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District: Southwest District  
 Sampling Event: 1443E and 1443F b kit and entero

**Send Coolers To:**

Phone: 813-470-5951  
 FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Matthew Bearden

Program Module Number: 1306  
 Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 26-JAN-2018  
 Biology Request Reviewed By: SWANSON\_C On: 29-JAN-2018  
 Sampling Kit Required: YES Ship on: 09-FEB-2018  
 Sampling Kit Shipped: YES On: 05-FEB-2018  
 Sampling Kit Packed By: REYNOLDS\_T  
 Preservatives Needed: NO  
 Date to Receive Samples: 19-FEB-2018  
 Received By: GREENWOO\_J On: 20-FEB-2018

**Send Final Report To:**

FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Sarah Meyer

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments:

**Bottle Group A (Water) With 2 Samples:**

|                            |                      |                                                                                                              |
|----------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L          | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| ALKALINITY                 | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                  |
| Total Alkalinity           |                      |                                                                                                              |
| TURBIDITY                  | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| Turbidity                  |                      |                                                                                                              |
| W-F                        | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)         |
| Fluoride                   |                      |                                                                                                              |
| W-TSS                      | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                    |
| TSS                        |                      |                                                                                                              |
| Bottle Type: BP-1L         | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                 | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll-a, Corrected   |                      |                                                                                                              |
| Chlorophyll-a, Uncorrected |                      |                                                                                                              |
| Phaeophytin-a              |                      |                                                                                                              |
| Bottle Type: P-500ML       | Number of Bottles: 2 | Preserved With: ICE And H2SO4                                                                                |
| W-NH3                      | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                   |
| Ammonia-N                  |                      |                                                                                                              |
| W-NO2NO3                   | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                           |
| NO2NO3-N                   |                      |                                                                                                              |
| W-S-A-TP                   | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                          |
| Total-P                    |                      |                                                                                                              |
| W-TKN                      | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                             |
| Kjeldahl Nitrogen          |                      |                                                                                                              |
| W-TOC                      | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                               |
| Organic Carbon             |                      |                                                                                                              |
| Bottle Type: P-125ML       | Number of Bottles: 2 | Preserved With: FILTER-ICE                                                                                   |
| W-PO4-F                    | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                     |

**Bottle Group A (Water) With 2 Samples:**

Bottle Type: P-125ML      Number of Bottles: 2      Preserved With: FILTER-ICE  
W-PO4-F      Template: DEFAULT      (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L  
O-Phosphate-P

**Bottle Group B (Water) With 2 Samples:**

Bottle Type:      Number of Bottles: 2      Preserved With: ICE  
SWD-AEL-EN      Template: DEFAULT      (SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow  
Laboratories for SWD  
Enterococci-Membrane Filter