



**Advanced
Environmental Laboratories, Inc.**

Altamonte Springs: 380 Northlake Blvd., Suite 1048 - Altamonte Springs, FL 32701 - 407.937.1594 - Fax 407.937.1597
Gainesville: 4965 SW 41st Blvd. - Gainesville, FL 32608 - 352.377.2340 - Fax 352.935.6639
Jacksonville: 6881 Southpoint Pkwy. - Jacksonville, FL 32216 - 904.363.9350 - Fax 904.363.9354
Miramar: 10200 USA Today Way - Miramar, FL 33025 - 954.889.2288 - Fax 954.889.2281
Tallahassee: 2639 North Monroe Street, Suite D - Tallahassee, FL 32303 - 850.619.6274 - Fax 850.619.6275
Tampa: 9610 Princess Palm Ave. - Tampa, FL 33619 - 813.630.9616 - Fax 813.630.4327

Client Name: FDEP-SW DIST		Project Name: SMP		BOTTLE SIZE & TYPE														
Address: 13051 N. Telecom Pkwy		P.O. Number or Project Number: AF315E		ANALYSIS REQUIRED														
		FDEP Facility No:																
Phone: 813-470-5770		Project Address:																
FAX:		Special Instructions: RQ2018-02-26-12																
Contact: Judy Ashton 813-470-5772																		
Sampled By:				PRESERVATION														
Turn Around Time: ☒ STANDARD ☐ RUSH																		
Page: 1 of 1		☐ ADAPT ☐ EQUIS ☐ Other																

SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING		MATRIX	NO. COUNT	PRESERVATION												
			DATE	TIME															
G2SWD047	THIRTY MILE CRK @ TRAIN TRACKS	N/A	2/28/18	813	SW	1													
G2SWD046	THIRTYMILE CRK @ NICHOLS RD.		2/28/18	1125	SW	1													
G2SWD045	ALAFAIA RIVER @ CENTER RD		2/28/18	1245	SW	1													
G1SWB046	DELANY CRK @ 36 th Ave		2/28/18	1330	SW	1													
G1SWD046	DELANY CRK @ MAYDELL RD.		2/28/18	1350	SW	1													

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = Ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked _____ Temperature when received _____ (in degrees celcius)

DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Relinquished by		Date	Time	Received by		Date	Time
1	Judy Ashton	2/28/18	1425	[Signature]	2/28/18	1425	
2							
3							
4							

FOR DRINKING WATER USE:	
PWS ID: _____	
Contact Person: _____	Phone: _____
Supplier of Water: _____	
Site Address: _____	

Request Number: RQ-2018-02-26-12

Alafia, Delany, Thirtymile

Florida Department of Environmental Protection Central Laboratory Submittal Form

last revised Jan 25, 2018

2 of 5

Page 1 of 4

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location	WIN/Field ID:  G2SW0046	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2-28-18 Time 9:13	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 6.4	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	E
WIN/ST	Thirty Mile Creek @ Nichols Rd	Temp (C) 20.6	pH 7.2	Sample Depth 0.3	Sp. Conductance (umho/cm) 413	
Latitude	☐ dd ☐ dms	Salinity (ppt) -	Comments E. COLI DROPPED OFF D AEL			
Location	WIN/Field ID:  G2SW0047	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2-28-18 Time 11:25	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 6.4	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	E
WIN/STORET	Thirty Mile Crk @ Train Tracks Mosaic	Temp (C) 20.6	pH 7.2	Sample Depth 0.3	Sp. Conductance (umho/cm) 413	
Latitude	☐ dd ☐ dms	Salinity (ppt) -	Comments E. COLI DROPPED OFF D AEL			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #		Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #		Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By: ABJ	Date/Time 03-01-18/10:10
------------------	-----------	-----------------	----------------------------	-------------------------	---------------------------------

From: [Ashton, Judy](#)
To: [Bowden, Magan](#)
Cc: [Musson, Curtis](#); [Paswater, Benjamin](#)
Subject: Revised COC
Date: Monday, March 5, 2018 3:52:00 PM
Attachments: [RO-2018-02-26-12.pdf](#)

Hi Megan,

Can you please revise the Station/WIN IDs and Field IDs on the attached COC as indicated for the two stations that are hi-lited?

Thanks and sorry for the mistake.

Judy

Request Number: RQ-2018-02-26-12

Florida Department of Environmental Protection

1025

Page 1 of 4

Alafia, Delany, Thirtymile

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: Judy Ashton

Project ID: SMP

Collected By: J. Ashton, B. Robinson

Sampling Agency: FDEP

Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date 2-28-18 Time 1245	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID Field ID/WIN G2SW0045	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 7.7	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A/B
WIN/S Site Name: Alafia River @ Center Ave	Temp (C) 24.1	pH 7.7	Sample Depth 0.3	Sp. Conductance (umho/cm) 512	
Latitude ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Comments E. COLI DROPPED OFF D AEL			
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2-28-18 Time 1330	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID WIN/Field ID: G2SW0066 G1SW0066	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 10.7	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C/D
WIN/STORE Delany Creek @ Maydell Dr	Temp (C) 25.8	pH 7.9	Sample Depth 0.3	Sp. Conductance (umho/cm) 404	
Latitude ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Comments E. COLI DROPPED OFF D AEL			
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2-28-18 Time 1330	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID WIN/Field ID: G2SW0046 G1SW0046	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 9.7	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C/D
WIN/STORE Delany Creek @ 36th Ave	Temp (C) 23.1	pH 7.6	Sample Depth 0.3	Sp. Conductance (umho/cm) 491	
Latitude ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Comments E. COLI DROPPED OFF D AEL			
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORE #	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) ☐ dd ☐ dms	Comments		

Relinquished By: J. Ashton	Date/Time 2-28-18 1200	Shipping Method FES LP	Number of Coolers Shipped: 5	Received By:	Date/Time
-------------------------------	---------------------------	---------------------------	---------------------------------	--------------	-----------

REVISED LOC 3-5-18 JA

Request Number: RQ-2018-02-26-12

Alafia, Delany, Thirtymile

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Page 1 of 4

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location	WIN/Field ID:  G2SW0046		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2-28-18 Time 9:13	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID	Thirty Mile Creek @ Nichols Rd		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.4	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/ST			Temp (C) 20.6	pH 7.2	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 413
Latitude	☐ dd ☐ dms	☐ dd ☐ dms	Salinity (ppt)	Comments E. COLI DROPPED OFF D AEL			
Location	WIN/Field ID:  G2SW0047		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2-28-18 Time 11:25	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Thirty Mile Crk @ Train Tracks Mosaic		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.4	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET			Temp (C) 20.6	pH 7.2	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 413
Latitude	☐ dd ☐ dms	☐ dd ☐ dms	Salinity (ppt)	Comments E. COLI DROPPED OFF D AEL			
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #			Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments			
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #			Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
------------------	-----------	-----------------	----------------------------	--------------	-----------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	SWD-AEL-EC <i>SWDPPS W @ AEL</i>						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	CH2ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	1
	W-CARB-AA						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-CT-CI-R W-PCL-SQ-R						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-E8321-DI W-E8321-MS						

Group: B	Bottle Type:	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
W-PSNP-TQ							
Group: C	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS							
Group: C	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
CHLSUITE-W							
Group: C	Bottle Type:	QPCR-P-250ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
PCR-BACR							
Group: C	Bottle Type:	P-120ML-WC-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
SWD-AEL-EC <i>DOORPES OFF @ ALL</i>							
Group: C	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	2
W-ICP W-ICPMS							
Group: C	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC							
Group: C	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
W-PO4-F							
Group: D	Bottle Type:	BG-1L	# of Bottles: 2	Preservative:	CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	2
W-CARB-AA							
Group: D	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	8
W-CT-CI-R							

Group: D	Bottle Type: BG-500ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	8
W-PCL-SQ-R					
Group: D	Bottle Type: BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
W-E8321-DI					
W-E8321-MS					
Group: D	Bottle Type: BG-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	8
W-PSNP-TQ					
Group: E	Bottle Type: QPCR-P-250ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
PCR-FILTER					
Group: E	Bottle Type: P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
SWD-AEL-EC					
<i>dropped with AEL</i>					
Group: E	Bottle Type: BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
W-E8321-DI					
W-E8321-MS					

RQ-2018-02-2642

Log-in Checklist

Shipping Method: FedEx | UPS | HD | Greyhound | _____Date/Time of Receipt: 3-1-18 11:10-10

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
BLUE	1-1C	11		/			
Red	2-4C	10		/			
BLUE	3-1C	14		/			
Red	4-3C	8		/			
Red	2-1C	12		/			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes No

**Sufficient Sample Volume: Yes No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		<u> </u>	W-NP-AA-SF		
W-BNA (-625, -R)		<u> </u>	W-PDQUAT		
W-CARB-AA (-CAB-AA-R)		<u> </u>	W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		<u> </u>
W-PAH (-R)			W-PSNP-TQ		<u> </u>

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: ABO

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA Init:

Coolers Unpacked/Checked by: ABO Date: 3-1-18 NCRs (Y/N)?

Event ID: Alafia, Delany, Thirtymile
SW-DIST-2018-03-01-01 (SMP)
Date Received: 01-MAR-2018 10:10

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Alafia, Delany, Thirtymile

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location	WIN/Field ID:  G2SW0046	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2-28-18 Time 9:13	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 6.4	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	E
WIN/ST	Thirty Mile Creek @ Nichols Rd	Temp (C) 20.6	pH 7.2	Sample Depth 0.3	Sp. Conductance (umho/cm) 413	
Latitude	☐ dd ☐ dms	☐ dd ☐ dms	Salinity (ppt)	Comments E. COLI DROPPED OFF D AEL		
Location	WIN/Field ID:  G2SW0047	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2-28-18 Time 11:25	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 6.4	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	E
WIN/STORET	Thirty Mile Crk @ Train Tracks Mosaic	Temp (C) 20.6	pH 7.2	Sample Depth 0.3	Sp. Conductance (umho/cm) 413	
Latitude	☐ dd ☐ dms	☐ dd ☐ dms	Salinity (ppt)	Comments E. COLI DROPPED OFF D AEL		
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #		Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #		Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By: ABJ	Date/Time 03-01-18/10:10
------------------	-----------	-----------------	----------------------------	---------------------	-----------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	SWD-AEL-EC <i>dropped into AEL</i>						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	1
	W-CARB-AA						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-CT-CI-R W-PCL-SQ-R						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-E8321-DI W-E8321-MS						

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: Judy Ashton

Project ID: SMP

Collected By: J. Ashton, B. PappasSampling Agency: FSPA

Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date <u>2-28-18</u> Time <u>1245</u>	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID G2SW0045	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen <u>7.7</u>	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A/B
WIN/S 	Temp (C) <u>24.1</u>	pH <u>7.7</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>512</u>	
Site Name: Alafia River @ Center Ave	☐ dd ☐ dms	Salinity (ppt)	Comments <u>E. COLI DROPPED OFF 2 AEL</u>		
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>2-28-18</u> Time <u>1330</u>	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID G2SW0066	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen <u>10.7</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C/D
WIN/STORE Delany Creek @ Maydell Dr	Temp (C) <u>25.8</u>	pH <u>7.9</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>404</u>	
Latitude	☐ dd ☐ dms	Salinity (ppt)	Comments <u>E. COLI DROPPED OFF 2 AEL</u>		
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>2-28-18</u> Time <u>1330</u>	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID G2SW0046	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen <u>9.7</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C/D
WIN/ST Delany Creek @ 36th Ave	Temp (C) <u>23.1</u>	pH <u>7.6</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>491</u>	
Latitude	☐ dd ☐ dms	Salinity (ppt)	Comments <u>E. COLI DROPPED OFF 2 AEL</u>		
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORE #	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	

Relinquished By: <u>J. Ashton</u>	Date/Time <u>2-28-18 1200</u>	Shipping Method <u>FES Ex</u>	Number of Coolers Shipped: <u>5</u>	Received By: <u>AB</u>	Date/Time <u>03-01-18 1100</u>
--------------------------------------	----------------------------------	----------------------------------	--	---------------------------	-----------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	SWD-AEL-EC						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	1
	W-CARB-AA						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-CT-CI-R W-PCL-SQ-R						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-E8321-DI W-E8321-MS						

Group: B	Bottle Type: W-PSNP-TQ	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: C	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
Group: C	Bottle Type: PCR-BACR	QPCR-P-250ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: C	Bottle Type: SWD-AEL-EC <i>DROPPED OFF @ ALL</i>	P-120ML-WC-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
Group: C	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 2	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	2
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
Group: C	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
Group: D	Bottle Type: W-CARB-AA	BG-1L	# of Bottles: 2	Preservative:	CH2ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	2
Group: D	Bottle Type: W-CT-CI-R	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	8

Group: D	Bottle Type: BG-500ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	8
W-PCL-SQ-R					
Group: D	Bottle Type: BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
W-E8321-DI					
W-E8321-MS					
Group: D	Bottle Type: BG-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	8
W-PSNP-TQ					
Group: E	Bottle Type: QPCR-P-250ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
PCR-FILTER					
Group: E	Bottle Type: P-120ML-WC-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
SWD-AEL-EC					
<i>DROPPED W/ AEL</i>					
Group: E	Bottle Type: BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
W-E8321-DI					
W-E8321-MS					



Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
Jacksonville: 6881 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
Tampa: 9810 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

[illegible]

Date of Request: 09-JAN-2018
 Created By: ASHTON_J On: 09-JAN-2018
 Modified By: SWANSON_C On: 12-FEB-2018
 Customer: SW-DIST
 Project: SMP
 Division:
 District: Southwest District
 Sampling Event: Alafia, Delany, Thirtymile

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Judy Ashton

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 09-FEB-2018
 Biology Request Reviewed By: SWANSON_C On: 12-FEB-2018
 Sampling Kit Required: YES Ship on: 16-FEB-2018
 Sampling Kit Shipped: YES On: 14-FEB-2018
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 27-FEB-2018
 Received By: SHAIK_A On: 01-MAR-2018

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Judy Ashton

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit With Metals
 Group B: Pesticides

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic Cadmium Copper Lead Silver		

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: CH2CICOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS

Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM

Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm

Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE
PCR-BACR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction

Bottle Type:	Number of Bottles: 2	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Calcium
 Chromium
 Iron
 Magnesium
 Nickel
 Potassium
 Sodium
 Zinc

Bottle Group C (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Arsenic
Cadmium
Copper
Lead
Silver

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 2 Samples:

Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: CH2ClCOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS

Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM

Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Bottle Group E (Water) With 2 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis

Bottle Type:	Number of Bottles: 2	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD

Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template: SUCRALOSE	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.




36 TLHA

FL-US
TLH

32399

FedEx
TRK# 1907 7785 2030
0221

THU - 01 MAR 10:30A
PRIORITY OVERNIGHT



RMA:

DEPT:

REF: (850) 245-8085
INV: PO

AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

SHIP DATE: 12 FEB 18
ACTWGT: 35.00 LB
CAD: 100182098/NE13980

552.11/1220 DCCAS




36 TLHA

FL-US
TLH

32399

FedEx
TRK# 1907 6899 7353
0221
THU - 01 MAR 10:30A
PRIORITY OVERNIGHT



RMA:

DEPT:

REF: (850) 245-8085
INV: PO

AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

SHIP DATE: 12 FEB 18
ACTWGT: 35.00 LB
CAD: 100182098/NE13980

552.11/1220 DCCAS

FLD 553032 28 FEB 18 MCFA 546C1/0775/6C8A

ACTWGT: 39.00 LB
CAD: 100182098/NET13980


FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY
TEMPLE TERRACE, FL 33637
UNITED STATES US

TO AMZAD SHAIK

FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
REF: (650) 245-8085
INM: PO

DEPT:

RMA:




32399
FL-US
TLH

THU - 01 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

FedEx
TRK# 7907 6899 7364
0221




TO AMZAD SHAIK

FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
REF: (650) 245-8085
INM: PO

DEPT:

RMA:



552110000DCAS

CAD: 100182098/NET13980


FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY
TEMPLE TERRACE, FL 33637
UNITED STATES US

TO AMZAD SHAIK

FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
REF: (650) 245-8085
INM: PO

DEPT:

RMA:



32399
FL-US
TLH

RETURNS MON-FRI
THU - 01 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

FedEx
TRK# 7907 7078 9772
0221




THU - 01 MAR 10:30A
PRIORITY OVERNIGHT

FedEx
TRK# 7907 7785 2029
0221

32399
FL-US
TLH

36 TLHA



FID 553032 28TFB18 MCFA 546C1/07F5/ECBA