

10

100

last revised Jan 25, 2018

10

17

2/13

[illegible]



Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639

Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354

Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281

Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name:		FDEP SW Dist	Project Name:		SMP
Address:		13051 N. Telecom Pkwy. Temple Terrace FL 33637	P.O. Number:		AF315E
Phone:		813-470-5770	Project Address:		
Contact:		Judy Ashton 813-470-5772	Special Instructions:		
Sampled By:			RO-2018-02-26-13		
Turn Around Time:		☒ STANDARD ☐ RUSH	Analysis Required		E. COLI ENTERO
Page: 1 of 2		☐ ADAPT ☐ EQUIS ☐ OTHER			
SAMPLER ID		SAMPLE DESCRIPTION		Grab or Composite DATE TIME	
Field ID#WIN		G1SW0096		MATRIX	NO. COUNT
Site Name:		Allen Creek @ Belleair Rd		15N	1
Field ID#WIN		G1SW0096		1000	1
Site Name:		Allen Creek @ Belleair Rd DUP		1010	1
Field ID#WIN		BLANK		1120	1
Site Name:		FIELD BLANK		1120	1
Field ID#WIN		G1SW0095		1110	1
Site Name:		Mullet Creek Tidal at Park		1300	1
Field ID#WIN		G1SW0054		1300	1
Site Name:		Bishop Crk @ 590 Bridge		1300	1
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge		Preservation Code: J = Ice H=(HCl) S =(H2SO4) N =(HNO3) T =(Sodium Thiosulfate)			
Received on ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank		Where required, pH checked			
DCN: AD-51 Form last revised 04/20/2015		Revised by: Date: Time:			
Relinquished by: Date: Time:		FOR DRINKING WATER USE:			
PWS ID:					

REVISED 6-20-18 JA

Request Number: RQ-2018-02-26-13

Florida Department of Environmental Protection

Page 1 of 5
last revised Jan 25, 2018

Mullet/Moccasin/Moccasin

Bishop

Customer: SW-DIST

Project ID: SMP

Central Laboratory Submittal Form

Requester: Judy Ashton

Collected By: J. Ashton

Field Report Prepared By: Judy Ashton

Sampling Agency: FDEP

Location	Field ID:	Matrix (type, e.g., Salt, Fresh, etc)	Temp (C)	pH	Salinity (ppt)	Collection (comp begin or grab)	Diss. Oxygen	Sample Depth	Sp. Conductance	Total Res. Chlorine	Bottle Group(s)
Field ID:	G1SW0096		17.44	6.65	0.28	3-8-18 1000	7.20	0.3	581		A16
Site Name:	Allen Creek @ Belleair Rd										
Latitude	BELLEAIR										
Field ID:	G1SW0095		20.10	7.29	18.40	3-8-18 1110	0.75	0.3	30808		
Site Name:	Mullet Creek Tidal at Park										
Latitude											
Field ID:	G1SW0054		19.14	7.02	15.55	3-8-18 1330	3.41	0.3			
Site Name:	Bishop Crk @ 590 Bridge										
Latitude											
Field ID:	G1SW0051		20.02	7.18	12.26	3-8-18 20164	0.3	0.3			
Site Name:	Moccasin Creek Tidal										
Latitude											

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
	3/6/18 1700	Fed Ex	5		

REVISED SHEET 2 of 5 6-20-18 JA