

Log-in Checklist

RQ-2018-03-12-20

Shipping Method: FedEx | UPS | HD | Greyhound | _____

Date/Time of Receipt: 3-13-18/1748

Cooler ID	Cooler Temperature*	No. Sample Containers In Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No	Yes	No		
Det	1.6C	9		/			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes / No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes / No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No / If yes, is it intact? Yes No

**Caps on tight? Yes / No **Containers intact? Yes / No

**Sufficient Sample Volume: Yes / No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		<u> </u>	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes No NA / Init: AB

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA / Init:

Coolers Unpacked/Checked by: ABJ Date: 3-13-18 NCRs (Y/N)?

Event ID: Baker w/D&B NCR #

SW-DIST-2018-03-13-01 (SMP)

Date Received: 13-MAR-2018 09:48

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

Baker w/D&B

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: Judy Ashton

Project ID: SMP

Collected By: J. Ashton, B. Paswater

Sampling Agency: FDEP

Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) (See pg 2) A
Field ID/WIN G2SW0012		☒ Grab	Date 3-12-18	Time 1200	Central	Date	Time	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L	Total Res. Chlorine			
		8.1		☐ % sat	(mg/L)			
Temp (C) 19.4		pH 7.6		Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 296		
Site Name: Baker Creek		☐ dd Salinity (ppt)		Comments E. COLI DROPPED OUT 2 ALL				
☐ dms		☐ dms						
Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) (See pg 2) A
Field ID/WIN G2SW0012		☒ Grab	Date 3-12-18	Time 1205	Central	Date	Time	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L	Total Res. Chlorine			
		8.1		☐ % sat	(mg/L)			
Temp (C) 19.4		pH 7.6		Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 296		
Site Name: Baker Creek DUP		☐ dd Salinity (ppt)		Comments E. COLI DROPPED OUT 2 ALL				
☐ dms		☐ dms						
Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) (See pg 2) A
Field ID/WIN G2SW0012		☐ Grab	Date 3-12-18	Time 1225	Central	Date	Time	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L	Total Res. Chlorine			
		BLANK		☐ % sat	(mg/L)			
Temp (C)		pH		Sample Depth	☐ ft	Sp. Conductance (umho/cm)		
Site Name: Baker Creek BLANK		☐ dd Salinity (ppt)		Comments D.I. E. COLI DROPPED OUT 2 ALL				
☐ dms		☐ dms						
Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) (See pg 2) A
Field ID		☐ Grab	Date	Time	Central	Date	Time	
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L	Total Res. Chlorine			
				☐ % sat	(mg/L)			
Temp (C)		pH		Sample Depth	☐ ft	Sp. Conductance (umho/cm)		
WIN/STORET #		☐ dd Salinity (ppt)		Comments				
☐ dms		☐ dms						
Latitude		Longitude						

Relinquished By: J. Ashton

Date/Time 3-12-18 1700

Shipping Method FED Ex

Number of Coolers Shipped: 1

Received By: ABJ

Date/Time 03-13-18 19:48

Group: A Bottle Type: QPCR-P-250ML # of Bottles: 6 Preservative: ICE Enter Number of Bottles Sent to Lab 4

PCR-FILTER

Group: A Bottle Type: BG-500ML # of Bottles: 3 Preservative: ICE Enter Number of Bottles Sent to Lab 3

W-E8321-DI

W-E8321-MS

Group A

120ML

SENT TO LAB

3

SND-AEL-EL

DROPPES VIK 2 AEL



Advanced
Environmental Laboratories, Inc.

☐ Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
☐ Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE	Analysis Required	PRESERVATION	LABORATORY I.D. #
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: AF315E					
Phone: 813-470-5770		Project Address:					
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-03-12-20					
Sampled By:							
Turn Around Time: ☒ STANDARD ☐ RUSH							
Page: 1 of 1		☐ ADaPT ☐ EQulS ☐ Other					
SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING DATE TIME	MATRIX	NO. COUNT		
Field ID/WIN	G2SW0012		3-12-18 1200	SW	1		
Site Name:	Baker Creek						
Field ID/WIN	G2SW0012		3-12-18 1210	"	1		
Site Name:	Baker Creek DUP						
Field ID/WIN	G2SW0012		3-12-18 1225	"	1		
Site Name:	Baker Creek BLANK						

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)

DCN AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J 9A G LT-1 LT-2 T 10A A 3A M 3A S 1V

Relinquished by:	Date	Time	Received by:	Date	Time
1					

FOR DRINKING WATER USE:

PWS ID: _____

Printed: 3/13/2018 13:38:02

Page 1 of 1

Date of Request: 06-FEB-2018
Created By: ASHTON_J On: 06-FEB-2018
Modified By: SWANSON_C On: 20-FEB-2018
Customer: SW-DIST
Project: SMP
Division:
District: Southwest District
Sampling Event: Baker w/D&B

Send Coolers To:

Phone: 813-632-7600
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

Program Module Number:

Priority: 3
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 19-FEB-2018
Biology Request Reviewed By: SWANSON_C On: 20-FEB-2018
Sampling Kit Required: NO Ship on:
Sampling Kit Shipped:
Sampling Kit Packed By:
Preservatives Needed: NO
Date to Receive Samples: 15-MAR-2018
Received By: SHAIK_A On: 13-MAR-2018

Send Final Report To:

FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments:**Bottle Group A (Water) With 3 Samples:**

Bottle Type: QPCR-P-250ML Number of Bottles: 6 Preserved With: ICE
PCR-FILTER Template: DEFAULT (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML Number of Bottles: 3 Preserved With: ICE
W-E8321-DI Template: SUCRALOSE (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS Template: (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN ID: MCFA (813) 632-7600
JUDY ASHTON
FL DEP SOUTHWEST DISTRICT
13051 NORTH TELECOM PARKWAY
TEMPLE TERRACE, FL 33637
UNITED STATES US

SHIP DATE: 02/MAR/10
ACTWGT: 10.00 LB
CAD: 100182099/NET3980

TO **AMZAD SHAIK**
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

(850) 245-8085


REF:

INV:

PO:

DEPT:

RMA:



RETURNS MON-FRI

FedEx


TRK#
0221

7907 8905 9106

TUE - 13 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FID 981491 12MAR18 MCFA 546C1/07F5/0C8A

55210750005