

Date of Request: 13-MAR-2018
 Created By: WENNER_P On: 13-MAR-2018
 Modified By: WATTS_J On: 14-MAR-2018
 Customer: SW-DIST
 Project: DISCRTNARY
 Division: DEP Southwest District
 District: Southwest District
 Sampling Event: Southern Comfort Mobile Home Package Plant Sampling

Send Coolers To:

Phone: 813-470-5921
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Peter Wenner

Program Module Number: 0100
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 14-MAR-2018
 Biology Request Reviewed By: WATTS_J On: 14-MAR-2018
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 13-MAR-2018
 Received By: SHAIK_A On: 14-MAR-2018

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Peter Wenner

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Suite A: Effluent Samples
 Suite B: Field Blanks

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE
 BOD-INHB Template: DEFAULT (SM 5210 B) BOD, nitrogen-inhibited (=CBOD)
 Biochemical Oxygen Demand-5 Day,N-Inhib
 Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE
 SW-BEA-FC Template: DEFAULT (SM 9222 D) Fecal coliforms by membrane filter method by Benchmark EnviroAnalytical Overflow
 Lab for SWD
 Fecal Coliforms-Membrane Filter
 Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 Ammonia-N
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 NO2NO3-N
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
 Kjeldahl Nitrogen
 Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE
 W-TSS Template: DEFAULT (SM 2540 D-97) Total Suspended Solids in aqueous matrices
 TSS

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 Ammonia-N
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 NO2NO3-N
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
 Kjeldahl Nitrogen