

Date of Request: 03-JAN-2018  
 Created By: ASHTON\_J On: 03-JAN-2018  
 Modified By: SWANSON\_C On: 26-FEB-2018  
 Customer: SW-DIST  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District: Southwest District  
 Sampling Event: Kit A North Lakes

**Send Coolers To:**

Phone: 813-632-7600  
 FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Judy Ashton

Program Module Number:  
 Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 26-FEB-2018  
 Biology Request Reviewed By: SWANSON\_C On: 26-FEB-2018  
 Sampling Kit Required: YES Ship on: 08-MAR-2018  
 Sampling Kit Shipped: YES On: 05-MAR-2018  
 Sampling Kit Packed By: REAVES\_S  
 Preservatives Needed: NO  
 Date to Receive Samples: 19-MAR-2018  
 Received By: REAVES\_S On: 21-MAR-2018

**Send Final Report To:**

FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Judy Ashton

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: North Lakes

**Bottle Group A (Water) With 5 Samples:**

|                                   |                      |                                                                                                                       |
|-----------------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L                 | Number of Bottles: 5 | Preserved With: ICE                                                                                                   |
| ALKALINITY                        | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                           |
| Total Alkalinity                  |                      |                                                                                                                       |
| TURBIDITY                         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                                    |
| Turbidity                         |                      |                                                                                                                       |
| W-CL-IC                           | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                     |
| Chloride                          |                      |                                                                                                                       |
| W-COLOR                           | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                             |
| Color (true)                      |                      |                                                                                                                       |
| W-F                               | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)                  |
| Fluoride                          |                      |                                                                                                                       |
| W-SO4-IC                          | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                                      |
| Sulfate                           |                      |                                                                                                                       |
| W-TDS                             | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                             |
| TDS                               |                      |                                                                                                                       |
| W-TSS                             | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                             |
| TSS                               |                      |                                                                                                                       |
| Bottle Type: BP-1L                | Number of Bottles: 5 | Preserved With: ICE                                                                                                   |
| CHLSUITE-W                        | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry          |
| Chlorophyll-a, Corrected          |                      |                                                                                                                       |
| Chlorophyll-a, Uncorrected        |                      |                                                                                                                       |
| Phaeophytin-a                     |                      |                                                                                                                       |
| Bottle Type:                      | Number of Bottles: 5 | Preserved With: ICE                                                                                                   |
| SWD-AEL-EC                        | Template: DEFAULT    | (EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD |
| *Escherichia coli-Membrane Filter |                      |                                                                                                                       |
| Bottle Type: P-500ML              | Number of Bottles: 5 | Preserved With: ICE And H2SO4                                                                                         |
| W-NH3                             | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                            |

**Bottle Group A (Water) With 5 Samples:**

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 5 | Preserved With: ICE And H2SO4                                                            |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                               |
| Ammonia-N            |                      |                                                                                          |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                       |
| NO2NO3-N             |                      |                                                                                          |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                      |
| Total-P              |                      |                                                                                          |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                         |
| Kjeldahl Nitrogen    |                      |                                                                                          |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                           |
| Organic Carbon       |                      |                                                                                          |
| Bottle Type: P-125ML | Number of Bottles: 5 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |
| O-Phosphate-P        |                      |                                                                                          |

\* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.