

Biological Analysis Report

SW-DIST-2018-04-03-04

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Advanced Environmental Laboratories - Tampa
9610 Princess Palm Avenue
Tampa, Florida 33619
DOH Accreditation E84589

Event Description: **Wares, Wares, Mill, Gap, & Nonsense**
Request ID: **RQ-2018-04-02-12**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Ben Paswater

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Puja Jasrotia, Ph.D. - Molecular Biology
Cheryl Swanson - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 07-JUN-2018 09:02



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: AlgalBio, Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: MILL CREEK @ UPPER MANATEE RVR RD

Collection Date/Time: 04/02/2018 12:55

Field ID: G2SW0040

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980272	SM 10200 H (mod.)	Chlorophyll-a, Corrected	9.8		ug/L	P343265	
		Phaeophytin-a	4.6		ug/L	P343265	
		Chlorophyll-a, Uncorrected	13		ug/L	P343265	

Sample Location: MILL CREEK @ UPPER MANATEE RVR RD

Collection Date/Time: 04/02/2018 12:55

Field ID: G2SW0040

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980281	SM 9230 C	Enterococci-Membrane Filter	60	B	cfu/100 mL		

Sample Location: MILL CREEK @ UPPER MANATEE RVR RD

Collection Date/Time: 04/02/2018 12:55

Field ID: G2SW0040

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980274	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Sample Location: NONSENSE CR @ LINGERLODGE RD

Collection Date/Time: 04/02/2018 10:20

Field ID: G2SW0041

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980277	EPA 1603	Escherichia coli-Membrane Filter**	36	B	cfu/100 mL		

Sample Location: NONSENSE CR @ LINGERLODGE RD

Collection Date/Time: 04/02/2018 10:20

Field ID: G2SW0041

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980275	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Sample Location: WARES CRK @ 36TH AVE

Collection Date/Time: 04/02/2018 11:25

Field ID: G2SW0031

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980273	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.1		ug/L	P343265	
		Phaeophytin-a	1.5		ug/L	P343265	
		Chlorophyll-a, Uncorrected	5.2		ug/L	P343265	

Sample Location: WARES CRK @ 36TH AVE

Collection Date/Time: 04/02/2018 11:25

Field ID: G2SW0031

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980282	EPA 1603	Escherichia coli-Membrane Filter**	212		cfu/100 mL		

Sample Location: WARES CRK @ 36TH AVE

Collection Date/Time: 04/02/2018 11:25

Field ID: G2SW0031

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Field ID: G2SW0031

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980257	SOP-AB05	Dominant sample taxon**	Chlorophyceae				

Ref. Method and Comment:
 SOP-AB05: The co-dominant taxa were Cladophora sp. and Spirogyra sp.

Sample Location: GAP CRK @45TH ST

Collection Date/Time: 04/02/2018 09:35

Field ID: G2SW0030

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980270	SM 10200 H (mod.)	Chlorophyll-a, Corrected	13		ug/L	P343265	
		Phaeophytin-a	2.1		ug/L	P343265	
		Chlorophyll-a, Uncorrected	15		ug/L	P343265	

Sample Location: GAP CRK @45TH ST

Collection Date/Time: 04/02/2018 09:35

Field ID: G2SW0030

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980278	EPA 1603	Escherichia coli-Membrane Filter**	148		cfu/100 mL		

Sample Location: NONSENSE @ TARA PRESERVE

Collection Date/Time: 04/02/2018 10:10

Field ID: G2SW0015

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980279	EPA 1603	Escherichia coli-Membrane Filter**	148		cfu/100 mL		

Sample Location: NONSENSE @ TARA PRESERVE

Collection Date/Time: 04/02/2018 10:10

Field ID: G2SW0015

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980276	SOP-PCR-1.0	HF183-qPCR**	37	T	GEU/100 mL	P344842	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Sample Location: WARES CRK @ 9TH AVE

Collection Date/Time: 04/02/2018 12:15

Field ID: G2SW0029

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980271	SM 10200 H (mod.)	Chlorophyll-a, Corrected	32		ug/L	P343265	
		Phaeophytin-a	2.6		ug/L	P343265	
		Chlorophyll-a, Uncorrected	35		ug/L	P343265	

Sample Location: WARES CRK @ 9TH AVE

Collection Date/Time: 04/02/2018 12:15

Field ID: G2SW0029

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1980280	SM 9230 C	Enterococci-Membrane Filter	270		cfu/100 mL		

Quality Assurance Report Method Blank Results

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P343265

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P344842

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P343265

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	107		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P344842

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	120	104	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P344842

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1978108	HF183-qPCR	79.3		P	50 - 175
1980236	HF183-qPCR	78.4		P	50 - 175
1980237	HF183-qPCR	91.2		P	50 - 175
1980276	HF183-qPCR	109		P	50 - 175
1981021	HF183-qPCR	107		P	50 - 175
1981614	HF183-qPCR	95.0		P	50 - 175
1981615	HF183-qPCR	93.9		P	50 - 175
1981701	HF183-qPCR	98.1		P	50 - 175
1981702	HF183-qPCR	106		P	50 - 175
1986512	HF183-qPCR	123		P	50 - 175
1991711	HF183-qPCR	106		P	50 - 175
1991712	HF183-qPCR	101	101	P/P	50 - 175

Quality Assurance Report Precision

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P343265

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1980049	Chlorophyll-a, Corrected	1.39	Sample	P	0 - 25
1980049	Chlorophyll-a, Uncorrected	1.86	Sample	P	0 - 25
1980049	Phaeophytin-a	2.39	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P344842

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1991712	HF183-qPCR	0.390	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1980276
Field Sample ID: G2SW0015

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	123	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision
				LCS	SMP	MS	
SM 10200 H (mod.)	Chlorophyll-a, Corrected	107			1.39		
	Chlorophyll-a, Uncorrected				1.86		
	Phaeophytin-a				2.39		
SOP-PCR-1.0	HF183-qPCR	104	120	123 79.3 106 101			0.390

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 1603 / E84589	Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD	1980277, 1980278, 1980279, 1980282
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	1980270, 1980271, 1980272, 1980273
SM 9230 C / E84589	Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD	1980280, 1980281
SOP-AB05 / E31780	Qualitative assessment of algal taxa present without counts	1980257
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	1980276
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	1980274, 1980275, 1980276

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 1603	04/02/2018	04/02/2018 17:15		04/03/2018 16:45	AEL - Tampa	1980277, 1980278, 1980279, 1980282
SM 10200 H (mod.)	04/03/2018	04/03/2018 13:06	Mariam Hanna	04/09/2018 15:25	Jennifer Mihalic	1980270, 1980271, 1980272, 1980273
SM 9230 C	04/02/2018	04/02/2018 15:00		04/03/2018 13:00	AEL - Tampa	1980280, 1980281
SOP-AB05	04/03/2018			04/03/2018 15:05	Isaura Lorenzo-Perez	1980257
SOP-PCR-1.0	04/03/2018	04/03/2018 14:10	Sarah Menz	05/15/2018 12:52	Sarah Menz	1980276
SOP-PCR-4.0	04/03/2018	04/03/2018 14:10	Angela Smith	05/14/2018 15:47	Puja Jasrotia	1980274, 1980275, 1980276