

RQ: S: 2018-04-16-08

Log-in Checklist

Login Station ID: #2Shipping Method: FedEx | UPS | HD | Greyhound | FedexDate/Time of Receipt: 4-17-18/1015

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1.5	11(3)		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included?

Yes ☒No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☒

No ☐Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐

No ☒If yes, is it intact? Yes ☐No ☐

**Caps on tight? Yes ☒

No ☐

**Containers intact? Yes ☒

No ☐

**Sufficient Sample Volume: Yes ☒

No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.						
Analysis	Yes	No	Analysis	Yes	No	
W-1,4 DIOX		☒	W-PC-AA-SF			
W-E8321-DI, -MS, -21			W-NP-AA-SF			
W-BNA (-625, -R)			W-PDQUAT			
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R			
W-U2060-MS			W-TR-TQ			
W-PCB-R			W-CT-CI-R			
W-PAH (-R)			W-PSNP-TQ			

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☐

No ☐NA ☒Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐

No ☐NA ☒Init: SR

Coolers Unpacked/Checked by: SR

Date: 4-16-18/41718NCRs (Y/N)? NEvent ID: SW-DLST-2018-04-17-0102NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10-30-18
pH Paper 0 – 13 Lot #	222516 EXP:8-15-19
Chlorine Test Strips Lot #	091417V EXP:09/21

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Baker Creek w/D&B

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: Judy Ashton

Project ID: SMP

Collected By: J. Ashton B. Piskunov

Sampling Agency: F&EP

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 4-16-18 Time 1125		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID G2SW0012		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 5.4		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A	
WIN/S		Temp (C) 20.6		pH 6.8		Sample Depth 0.3		☐ ft ☒ m			
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments E. COLI DROPPED OFF @ AEL	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	

Relinquished By: Judy Ashton	Date/Time: 4-16-18 1700	Shipping Method: Fed Ex	Number of Coolers Shipped: 2	Received By: BR	Date/Time: 4-17-18 1015
------------------------------	-------------------------	-------------------------	------------------------------	-----------------	-------------------------

Group: A	Bottle Type: QPCR-P-500ML	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
PCR-FILTER					
Group: A	Bottle Type: P-120ML-WC-THI	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	<u>1</u>
SWD-AEL-EC					
Group: A	Bottle Type: BG-500ML	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	<u>1</u>
W-E8321-DI					
W-E8321-MS					



☐	<u>Gainesville:</u> 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐	<u>Jacksonville:</u> 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐	<u>Tallahassee:</u> 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒	<u>Tampa:</u> 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name:		FDEP SW Dist.		Project Name:		SMP					
Address:		13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number:		AF315E					
Phone:		813-470-5770		Project Address:							
Contact:		Judy Ashton 813-470-5772		Special Instructions: RQ-2018-04-16-08							
Sampled By:											
Turn Around Time:		☒ STANDARD ☐ RUSH									
Page:		1 of 1		☐ ADaPT ☐ EQuls ☐ Other		Analysis Required					
SAMPLE ID	SAMPLE DESCRIPTION			Grab Comp	SAMPLING DATE	TIME	MATRIX	NO. COUNT	PRESERVE VOLUME	BOTTLE SIZE & TYPE	LABORATORY I.D. #
Field ID/WIN	G2SW0012									E. coli	
Site Name:	Baker Creek @ Thonotosassa Rd				4-16-18	1125	SW	1	ice		
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)											
Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)											
DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V											
Relinquished by: Date: Time: Received by: Date: Time:											
FOR DRINKING WATER USE:											
PWS ID:											

Date of Request: 06-FEB-2018
Created By: ASHTON_J On: 06-FEB-2018
Modified By: WATTS_J On: 28-MAR-2018
Customer: SW-DIST
Project: SMP
Division:
District: Southwest District
Sampling Event: Baker Creek w/D&B

Send Coolers To:

Phone: 813-632-7600
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

Send Final Report To:

FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

Program Module Number:
Priority: 3
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 28-MAR-2018
Biology Request Reviewed By: SWANSON_C On: 28-MAR-2018
Sampling Kit Required: YES Ship on: 06-APR-2018
Sampling Kit Shipped: YES On: 06-APR-2018
Sampling Kit Packed By: SHAIK_A
Preservatives Needed: NO
Date to Receive Samples: 16-APR-2018
Received By:

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments:

Bottle Group A (Water) With 3 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 3	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: SWD-AEL-EC	Number of Bottles: 3	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD
Bottle Type: BG-500ML	Number of Bottles: 3	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Align FedEx Pouch Here

ORIGIN ID: MCFA (813) 470-5951
MATTHEW BEARDEN
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY

TEMPLE TERRACE, FL 33637
UNITED STATES US

SHIP DATE: 02APR18
ACTWGT: 10.00 LB
CAD: 100162098/NET3980

TO **AMZAD SHAIK**
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399

(850) 245-8085

REF:

INV:
PO:

DEPT:

RMA:



FedEx
Express



552119132/DCA5

FedEx

TRK#
0221 7908 0044 5554

RETURNS MON-FRI
TUE - 17 APR 10:30A
PRIORITY OVERNIGHT 9

36 TLHA

32399
FL-US
TLH



FTD 5198506 16APR18 MCFA 546C1/9132/0C8A