

Shipping Method: FedEx UPS | HD | Greyhound | _____ Date/Time of Receipt: 04/24/2018 / 10:15

Cooler ID	Cooler Temperature*	No. Sample Containers In Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
BLUE	1.6C	14		/			
RED	2.1C	11		/			
RED	1.4C	12		/			
RED	1.8C	13		/			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No / Date _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No X If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes X No _____ **Containers intact? Yes X No _____

**Sufficient Sample Volume: Yes X No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes X No / NA _____ Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No / NA / Init: ABS

Coolers Unpacked/Checked by: ABS

Date: 04/24/2018

NCRs (Y/N)? 80

Event ID: Cockroach & Lil Manatee
SW-DIST-2018-04-24-02 (SMP)

NCR # 6994

Date Received: 24-APR-2018 10:15

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken
1986929 GISW0089	NH ₃ -NO ₂ -NO ₃ -TD	>2	Re-Tested @ 4-24-18
1986965 GISW0089	ICP-ICPMS	>2	4-28
1986964			
JA 6/01/2018			

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	
BLANK	W-E82177		✓				

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_08_2018
pH Paper 0.0 – 3.0 Lot #	280515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	282516 EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/30/21

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: BP, DH

Project ID: SMP

Collected By: Ben Paswater, Dylan Horning

Sampling Agency: FDEP SW ROE

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/23/18 Time 0900	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID/WIN G1SW0089 		Matrix (type, e.g., Salt, Fresh, etc) Salt		Diss. Oxygen 2.66 38	☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
Site Name: Cockroach Bay at Boat Ramp		Temp (C) 24.5	pH 7.6	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 46346
☐ dd ☐ dms		Salinity (ppt) 30.1	Comments ENTERED + FC DROPPED W/ 2 AEL			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/23/18 Time 0910	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID: G1SW0089_DUP 		Matrix (type, e.g., Salt, Fresh, etc) Salt		Diss. Oxygen 2.66 38	☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
Location: Cockroach Bay at Boat Ramp_DUP		Temp (C) 24.5	pH 7.6	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 46346
WIN ID: G1SW0089 		☐ dd ☐ dms	Salinity (ppt) 30.1	Comments ENTERED + FC DROPPED W/ 2 AEL		
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/23/18 Time 1050	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN BLANK 		Matrix (type, e.g., Salt, Fresh, etc) Salt		Diss. Oxygen 3.87 54	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Site Name: BLANK_04232018		Temp (C) 25.0	pH 7.8	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 43774
☐ dd ☐ dms		Salinity (ppt) 26.22	Comments ENTERED + FC DROPPED W/ 2 AEL			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/23/18 Time 1000	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN G1SW0091 		Matrix (type, e.g., Salt, Fresh, etc) Salt		Diss. Oxygen 3.87 54	☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
Site Name: Piney Pt Creek @ County Line Rd		Temp (C) 25.0	pH 7.8	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 43774
☐ dd ☐ dms		Salinity (ppt)	Comments ENTERED + FC DROPPED W/ 2 AEL			

Relinquished By: Ben Paswater	Date/Time: 4/23/18 4pm	Shipping Method: Fed Ex	Number of Coolers Shipped:	Received By: [Signature]	Date/Time: 4-24-18 10:15
-------------------------------	------------------------	-------------------------	----------------------------	--------------------------	--------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SWD-AEL-EC					
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab _____
	W-ICP W-ICPMS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab _____
	W-CARB-AA					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-CT-CL-R W-POL-SQ-R					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-E8321-DI W-E8321-MS					

Cockroach & Lil Manatee

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 4/23/18 Time 1030		Eastern Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID/WIN G2SW0037		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☒ % sat		Total Res. Chlorine (mg/L)		A/B	
Field ID WIN/E		Temp (C) 23.4		pH 8.6		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 380	
Site Name: Little Manatee River at SP Boat Ramp		☐ dd ☐ dms		Salinity (ppt)		Comments E. COLI DROPPES INTO AEL					
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 4/23/18 Time 0920		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID/WIN G1SW0090		Matrix (type, e.g., Salt, Fresh, etc) Salt		Diss. Oxygen 66.6 3.82 54		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		C/D	
Field ID WIN		Temp (C) 25.0		pH 7.8		Sample Depth 0.3		☐ ft ☒ m		Sp. Conductance (umho/cm) 43774	
Site Name: Cockroach Bay at Dockage		☐ dd ☐ dms		Salinity (ppt) 28.2		Comments ENTERED + PLUTE DROPPED INTO AEL					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central		Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m		Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
				ATB	4-24-18/10-15

Nitric 734 1010
exp 12/1/18Sulfuric SA 7275010
10/2/18

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	SWD-AEL-EC						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	1
	W-CARB-AA						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-CT-CI-R						
	W-PCL-SQ-R						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-E8321-DI						
	W-E8321-MS						

Group: B	Bottle Type: W-PSNP-TQ	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: C	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: C	CHLSUITE-W	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Group: C	SWD-AEL-EN SWD-AEL-FC	P-120ML-WC-THI	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	6
Group: C	W-ICP W-ICPMS	P-500ML	# of Bottles: 2	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	4
Group: C	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
Group: C	W-PO4-F	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	4
Group: D	W-CARB-AA	BG-500ML	# of Bottles: 2	Preservative:	CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	3
Group: D	W-CT-CI-R W-PCL-SQ-R	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4

Group: D	Bottle Type: BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
	W-E8321-DI				
	W-E8321-MS				
Group: D	Bottle Type: BG-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
	W-PSNP-TQ				
Group: E	Bottle Type: QPCR-P-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
	PCR-FILTER				
Group: E	Bottle Type: P-120ML-WC-THI	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
	SWD-AEL-EN				
Group: E	Bottle Type: BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
	W-E8321-DI				
	W-E8321-MS				




Advanced
Environmental Laboratories



Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.66
Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.3
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274
Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Contains: 1:1 Sulfuric Acid
Lot No.: SA7275010
Expires: 10/02/18
See Safety Data Sheet (SDS)



Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE	Analysis Required	ENTERO	FECAL	ENTERO	E. COLI	LABORATORY
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: AF315E								
Phone: 813-470-5770		Project Address:								
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-								
Sampled By:		Turn Around Time: ☒ STANDARD ☐ RUSH		☐ ADaPT ☐ EQUiS ☐ Other						
Page: 1 of 2										

Field ID/WIN

G1SW0089



Site Name: Cockroach Bay at Boat Ramp

Field ID:



G1SW0089_DUP

Location:

Cockroach Bay at Boat Ramp_DUP

WIN ID:



G1SW0089

Field ID/WIN

G1SW0090



Site Name:

Cockroach Bay at Dockage

Field ID/WIN

G1SW0091



Site Name:

Piney Pt Creek @ County Line Rd

Field ID/WIN

G2SW0037



Site Name:

Little Manatee River at SP Boat Ramp

DATE	TIME	MATRIX	NO. COUNT	PRE SER. VATION	ENTERO	FECAL	ENTERO	E. COLI	LABORATORY
4-23-18	9:00	SW	2		2				
4-23-18	9:10	"	2		2				
4-23-18	09:20	"	2		2				
4-23-18	10:00	"	1				1		
4-23-18	10:30	"	1					1	

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge

Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank

☐ Where required, pH checked

Temperature when received _____ (in degrees celsius)

DCN: AD-051 Form last revised 04/30/2015

Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Relinquished by:	Date:	Time:	Received by:	Date:	Time:

FOR DRINKING WATER USE
PWS ID: _____

Date of Request: 09-JAN-2018
 Created By: ASHTON_J On: 09-JAN-2018
 Modified By: SWANSON_C On: 30-MAR-2018
 Customer: SW-DIST
 Project: SMP
 Division:
 District: Southwest District
 Sampling Event: Cockroach & Lil Manatee

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Judy Ashton

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 28-MAR-2018
 Biology Request Reviewed By: SWANSON_C On: 30-MAR-2018
 Sampling Kit Required: YES Ship on: 13-APR-2018
 Sampling Kit Shipped: YES On: 09-APR-2018
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 23-APR-2018
 Received By: SHAIK_A On: 24-APR-2018

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Judy Ashton

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater w/metals
 Group B: Pesticides

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic Cadmium Copper Lead Silver		

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: CH2CICOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 4	Preserved With: ICE
SWD-AEL-EN	Template: DEFAULT	(SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD
SWD-AEL-FC	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method by Advanced Environmental Overflow Laboratories for SWD
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium Iron Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic Cadmium Copper Lead		

Bottle Group C (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Nickel
Silver

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 2 Samples:


Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: CH2ClCOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Bottle Group E (Water) With 1 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EN	Template: DEFAULT	(SM 9230 C) Enterococci by membrane filter method by Advanced Environmental Overflow Laboratories for SWD
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

FTD 393767 23APR18 MCFA 546C1/9132/8C8A




36 TLHA

32399
FL-US
TLH

TRK# 7908 0113 7565
FedEx

TUE - 24 APR 10:30A
PRIORITY OVERNIGHT



RMA:

DEPT:


10 AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
REF: (850) 245-8085
RMA: PO INV

SHIP DATE: 04APR18
ACTWGT: 15.00 LB
CAD: 100182098/NET13980

ORIGIN ID MCFA (813) 470-5772
BEN PASKWIER
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY
TEMPLE TERRACE FL 33637
UNITED STATES US

552119132/DCAS

FTD 393767 23APR18 MCFA 546C1/9132/8C8A




36 TLHA

32399
FL-US
TLH

TRK# 7908 0113 7554
FedEx

TUE - 24 APR 10:30A
PRIORITY OVERNIGHT



RMA:

DEPT:

10 AMZAD SHAIK
FL DEP
FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD
TALLAHASSEE FL 32399
REF: (850) 245-8085
RMA: PO INV

ORIGIN ID MCFA (813) 470-5772
BEN PASKWIER
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY
TEMPLE TERRACE FL 33637
UNITED STATES US

SHIP DATE: 04APR18
ACTWGT: 15.00 LB
CAD: 100182098/NET13980

[illegible]

8121 9136 1297

0128498132

2. Your Internal Billing Reference

3 To Recipient's Name

SAMPLE RECEIVING

Company, FLORIDA DEP/CHEMISTRY SECTION

Address 2240 BLAIRSTONE RD

We enclose a bill for goods or for the use of our services.

Address

Use this box for the kind of service or for the description of your shipping address.

City TALLAHASSEE

State FL Zip 91003

Phone 910 245-8085

Room 840 245-8085

Day/Afternoon Room

Hold Weekday
Check section address
filled in on form

Hold Saturday
Check section address
filled in on form

Hold
Check section address
filled in on form

Hold
Check section address
filled in on form



8104 1402 5070

0124452251

☐ Postmaster: No Postage Necessary Regular Delivery (ART) service		☐ Postmaster: No Postage Necessary Priority Delivery (ART) service	
5 Packaging • Enclosed return label (RTN)			
☐ FedEx Envelopes®	☐ FedEx Pak®	☐ FedEx Box	☐ FedEx Tube
☒ Other			
6 Special Handling and Delivery Signature Options (Post may reject. See the FedEx Service Guide)			
Saturday Delivery ART available for FedEx Standard Overnight® FedEx Priority Mail® and FedEx Express® Service		Indirect Signature For one or more addresses at a recipient's address, someone at a designated address may sign for delivery for residential deliveries only.	
No Signature Required Package may be left without obtaining a signature for delivery.		Direct Signature Signature is required for delivery.	
Does this shipment contain dangerous goods? One box must be checked.			
☒ No Yes ☐ After certified shipping instructions are received.	☐ Yes Yes ☐ Dangerous Declaration not required.	☐ Dry Ice Dry Ice, 6 LBS (2.7 kg) _____ kg	
Restrictions apply for dangerous goods — see the current FedEx Service Guide.			
7 Payment Bill to:			
Sender ☐ Bill to Sender ☒ Recipient	Enter FedEx Account No. or Credit Card No. below:		
☐ Third Party ☐ Credit Card ☐ Cash/Check	Obtain resp. Acct. No. ☐		
Total Packages Weight 50 25.2 lbs	Card Card No. _____		

☐ FedEx Envelope*	☐ FedEx Pak*	☐ FedEx Box	☐ FedEx Tube	☒ Other
--	-------------------------------------	------------------------------------	-------------------------------------	---

6 Special Handling and Delivery Signature Options *Free copy only. See the FedEx Service Guide.*

☐ Signature Required Package may be left unattended. Requires a signature for delivery.	☐ Direct Signature Requires recipient's address. May not be delivery.	☐ Indirect Signature To be a signature of recipient. Address may not be delivery. Recipiental address only.
---	---	--

Does this shipment contain dangerous goods?

☐ No Yes Signature Required	☐ Yes Signature Required Not Required
---	---

One box must be checked.

☐ Day Ice Dry Ice 1 day 1865	☐ Cargo Aircraft Only
---	---

Refrigerants (CFCs) for dangerous goods - see the current FedEx Service Guide.

7 Payment *Bill to*

☐ Sender
First Name _____
Last Name _____

☒ Recipient

☐ Third Party

☐ Credit Card

☐ Cash/Credit

Overnight ☐
Airtel No. _____

Total Packages Total Weight

60 lbs.

Order Ref. No. _____

Please attach a label to each box containing a higher value. See the current fields Service Guide for details.

Doc# 9715 • Tel: (01) 38 • 67356-7711 Mod# • PORTO 2013.A. SYN

6777