

RQ- 2018-04-30-05

Log-in Checklist

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound | _____Date/Time of Receipt: 05/01/2018 / 09:55

Cooler ID	Cooler Temperature*	No. Sample Containers In Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No	Yes	No		
Reel	2.4C	15		/			
Reel	2.9C	10		//			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____ Date 5-1-18

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No X If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes X No _____ **Containers intact? Yes X No _____

**Sufficient Sample Volume: Yes X No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No _____ NA _____ Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA X Init: ABS

Coolers Unpacked/Checked by: ABS Date: 05/01/2018

NCRs (Y/N)? _____

Event ID: English, Turkey, Poley, Mustang
SW-DIST-2018-05-01-01 (SMP)

NCR # _____

Date Received: 01-MAY-2018 09:55

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____
no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

English, Turkey, Poley, Mustang

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: BP

Project ID: SMP

Collected By: BP, James Parnell

Sampling Agency: SW ROC

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/30/18 Time 1130	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID/WIN	G2SW0026	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.90	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Field		Temp (C) 20.09		pH 7.60	Sample Depth 1.3	Sp. Conductance (umho/cm) 256
WIN		Salinity (ppt) ☐ dd ☐ dms		Comments		
Site Name: Mustang Ranch Crk @ Hopewell						
Latitude						
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/30/18 Time 1105	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN	G2SW0050	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 10.57	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Field		Temp (C) 22.68		pH 7.82	Sample Depth 1.5	Sp. Conductance (umho/cm) 223
WIN		Salinity (ppt) ☐ dd ☐ dms		Comments		
Site Name: Mustang Ranch Crk @ CR 39						
Latitude						
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/30/18 Time 1310	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN	G2SW0006	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 8.94	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Field		Temp (C) 21.19		pH 7.67	Sample Depth 1.3	Sp. Conductance (umho/cm) 382
WIN/ST		Salinity (ppt) ☐ dd ☐ dms		Comments		
Site Name: English Creek above SR 60						
Latitude						
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/30/18 Time 1345	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN	G2SW0048	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 11.02	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Field		Temp (C) 22.54		pH 7.97	Sample Depth 1.3	Sp. Conductance (umho/cm) 381
WIN/ST		Salinity (ppt) ☐ dd ☐ dms		Comments		
Site Name: English Creek @ Old Mulberry Rd						
Latitude						

Relinquished By:	Date/Time: 4/30/18 4pm	Shipping Method: FedEx	Number of Coolers Shipped: 2	Received By:	Date/Time: 05/01/18 9:55
------------------	------------------------	------------------------	------------------------------	--------------	--------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	8
	PCR-FILTER						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	8 → to AEL
	SWD-AEL-EC						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	8
	W-E8321-DI						
	W-E8321-MS						

English, Turkey, Poley, Mustang

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: BP

Project ID: SMP

Collected By: BP

Sampling Agency:

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/30/18 Time 900	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID/WIN	G2SW0051	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.8	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Site Name:	Turkey Creek @ SR60	Temp (C) 21.9	pH 7.8	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 825
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/30/18 Time 1030	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN	G2SW0025	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 8.3	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Site Name:	Turkey Creek @ Sydney Rd	Temp (C) 20.2	pH 7.40	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 276
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/30/18 Time 1420	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN	G2SW0049	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 8.53	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Site Name:	Poley Creek @ SR 60	Temp (C) 21.37	pH 7.83	Sample Depth .3	☐ ft ☒ m	Sp. Conductance (umho/cm) 356
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/30/18 Time 1400	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID/WIN	G2SW0014	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.59	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Site Name:	Poley Creek @ Shepard Rd	Temp (C) 21.58	pH 7.80	Sample Depth .3	☐ ft ☒ m	Sp. Conductance (umho/cm) 340
☐ dd ☐ dms		Salinity (ppt)	Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
				BP	05-01-18/9:55

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	QPCR-P-500ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SWD-AEL-EC					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-E8321-DI					
	W-E8321-MS					



Advanced
Environmental Laboratories, Inc.

☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ **Jacksonville:** 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ **Tallahassee:** 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE						LABORATORY I.D. #	
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: AF315E									
Phone: 813-470-5770		Project Address:			Analysis Required	E. COLI					
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-04-30-05									
Sampled By:											
Turn Around Time: ☒ STANDARD ☐ RUSH		☐ ADaPT ☐ EQuIS ☐ Other									
Page: 2 of 2											

SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING		MATRIX	NO. COUNT	PRE SER. VATION					
			DATE	TIME								
Field ID/WIN G2SW0051 	Site Name: Turkey Creek @ SR60		4/30/18	900	SW	1		✓				
Field ID/WIN G2SW0025 	Site Name: Turkey Creek @ Sydnev Rd		1	1030	"	1		✓				
Field ID/WIN G2SW0049 	Site Name: Poley Creek @ SR 60		1	1420	"	1		✓				
Field ID/WIN G2SW0014 	Site Name: Poley Creek @ Shepard Rd		1	1400	"	1		✓				
G2SW0051_DUP			✓	905	"	1		✓				

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☒ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)

DCN: AD-051 Form last revised 04/30/2015

Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Relinquished by:		Date:	Time:	Received by:		Date:	Time:
1		4/30/18	1540	[Signature]		4/30/18	1540

FOR DRINKING WATER USE:

PWS ID: _____



Advanced
Environmental Laboratories, Inc.

☐ **Gainesville:** 4865 SW 41st Blvd • Gainesville, FL 32608 • 352.377.2349 • Fax 352.385.6639
☐ **Jacksonville:** 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ **Tallahassee:** 2839 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE						LABORATORY I.D. #		
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: AF315E										
Phone: 813-470-5770		Project Address:			Analysis Required	E. COLI						
Contact: Judy Ashton 813-470-5772		Special Instructions:										
Sampled By:		RQ-2018-04-30-05		PRE SER- VATI ON	ICE							
Turn Around Time: ☒ STANDARD ☐ RUSH						☐ ADaPT ☐ EQUiS ☐ Other						
Page: 1 of 2												
SAMPLE ID	SAMPLE DESCRIPTION	Grab Como	SAMPLING		MATRIX	NO. COUNT						
			DATE	TIME								
Field ID/WIN G2SW0026 	Site Name: Mustang Ranch Crk @ Hopewell		4/30/18	1130	SW	1		✓				
Field ID/WIN G2SW0050 	Site Name: Mustang Ranch Crk @ CR 39			1105	"	1		✓				
Field ID/WIN G2SW0006 	Site Name: English Creek above SR 60			1310	"	1		✓				
Field ID/WIN G2SW0048 	Site Name: English Creek @ Old Mulberry Rd			1345	"	1		✓				

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge **Preservation Code:** I = ice H = (HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)

Received on Ice ☒ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)

DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V

Relinquished by:		Date:	Time:	Received by:		Date:	Time:
1		4/30/18	1555	[Signature]		4/30/18	1600

FOR DRINKING WATER USE:

PWS ID: _____

Date of Request: 23-JAN-2018
 Created By: PASWATER_B On: 23-JAN-2018
 Modified By: SWANSON_C On: 06-APR-2018
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: English, Turkey, Poley, Mustang

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-APR-2018
 Biology Request Reviewed By: SWANSON_C On: 06-APR-2018
 Sampling Kit Required: YES Ship on: 20-APR-2018
 Sampling Kit Shipped: YES On: 18-APR-2018
 Sampling Kit Packed By: GREENWOOD_J
 Preservatives Needed: NO
 Date to Receive Samples: 30-APR-2018
 Received By: SHAIK_A On: 01-MAY-2018

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: English, Turkey, Poley, Mustang

A - 2 chla/chem
 B - 8 micro, M/T

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H₂SO₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 8 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 8	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type:	Number of Bottles: 8	Preserved With: ICE

Bottle Group B (Water) With 8 Samples:

Bottle Type:	Number of Bottles: 8	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD
Bottle Type: BG-500ML	Number of Bottles: 8	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.


ORIGIN ID: TLHA (813) 632-7800
JUDY ASHTON
FL DEP SOUTHWEST DISTRICT
13051 NORTH TELECOM PARKWAY
TEMPLE TERRACE, FL 33637
UNITED STATES US

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8077

RMA: 011 1118 011



3171010102001 01


FedEx
TRK# 4385 5028 2822
0221

36 TLHA

32399
FL-US
TLH

TUE - 01 MAY 10:30A
PRIORITY OVERNIGHT

FTD 981491 30APR18 MCFA 546C2/782B/8C8A



Postmaster: Please do not open this box.


ORIGIN ID: TLHA (407) 897-4180
MICHAEL LINGER
SHIP DATE: 18APR18
ACTWGT: 35.00 LB MAN
CAD: 0448970/CAFE3111

TO JOHN WATTS
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8077

RMA: 011 1118 011



3171010102001 01

FedEx
TRK# 4385 5028 3873
0221

36 TLHA

32399
FL-US
TLH

TUE - 01 MAY 10:30A
PRIORITY OVERNIGHT

FTD 9837366 30APR18 ORLA 546C2/782B/8C8A

