

RQ-2018-05-07-06 **Log-in Checklist**

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound | _____ Date/Time of Receipt: 05/09/2018 / 09:45

Cooler ID	Cooler Temperature*	No. Sample Containers In Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No				
Red	2.4C	6		/			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No ✓ Date 5-9-18

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes _____ No X If yes, is it intact? Yes _____ No _____

****Caps on tight?** Yes X No _____ ****Containers intact?** Yes X No _____

****Sufficient Sample Volume:** Yes X No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		<u>✓</u>	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes _____ No _____ NA ✓ Init: ABS

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes _____ No _____ NA ✓ Init: ABS

Coolers Unpacked/Checked by: ABS Date: 05/09/2018 NCRs (Y/N)? _____

Event ID: Rattlesnake, Braden, Cedar NCR # _____
SW-DIST-2018-05-09-01 (SMP)
 Date Received: 09-MAY-2018 09:45

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Rattlesnake, Braden, Cedar

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location	Field ID/WIN G2SW0016  Site Name: Braden River @ Linker Lodge	☐ Comp ☒ Grab Date 5-8-18 Time 1010	☒ Eastern ☐ Central Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) A
	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
	Temp (C) 25.07	pH 6.98	Sample Depth 0.3	☐ ft ☒ m Sp. Conductance (umho/cm) 757
	☐ dd ☐ dms Salinity (ppt) 0.37	Comments E. COLI DROPPED OUT @ ALL		
Location	Field ID/WIN G2SW0044  Site Name: Braden River @ Cypress Bend	☐ Comp ☒ Grab Date 5-8-18 Time 1030	☒ Eastern ☐ Central Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) A
	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
	Temp (C) 26.84	pH 6.99	Sample Depth 0.3	☐ ft ☒ m Sp. Conductance (umho/cm) 813
	☐ dd ☐ dms Salinity (ppt) 0.40	Comments E. COLI DROPPED OUT @ ALL		
Location	Field ID/WIN G2SW0042  Site Name: Cedar Creek Near end of WBID	☐ Comp ☒ Grab Date 5-8-18 Time 1055	☒ Eastern ☐ Central Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) A
	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
	Temp (C) 22.66	pH 6.59	Sample Depth 0.2	☐ ft ☒ m Sp. Conductance (umho/cm) 773
	☐ dd ☐ dms Salinity (ppt) 0.38	Comments E. COLI DROPPED OUT @ ALL		
Location	Field ID/WIN G2SW0018  Site Name: Cedar Creek @ Saddlehorn	☐ Comp ☐ Grab Date _____ Time _____	☐ Eastern ☐ Central Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) A
	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
	Temp (C)	pH	Sample Depth	☐ ft ☐ m Sp. Conductance (umho/cm)
	☐ dd ☐ dms Salinity (ppt)	Comments E. COLI DROPPED OUT @ ALL		

Relinquished By: Judy Ashton	Date/Time 5-8-18 1100	Shipping Method FED EX	Number of Coolers Shipped: 1	Received By: APB	Date/Time 5-9-18 1945
--	---------------------------------	----------------------------------	--	----------------------------	---------------------------------

Group: A	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
Group: A	Bottle Type: SWD-AEL-EC	P-120ML-WC-THI	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
Group: A	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3



Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
Tampa: 9810 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE		LABORATORY I.D. #	
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number: AF315E					
Phone: 813-470-5770		Project Address:					
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-05-07-06					
Sampled By:							
Turn Around Time: ☒ STANDARD ☐ RUSH							
Page: 1 of 2		☐ ADAPT ☐ EQUIS ☐ Other		Analysis Required			
SAMPLE ID		SAMPLE DESCRIPTION		Grab Comp			
				DATE		TIME	
Field IDWIN		G2SW0016		5-8-16		1010	
Site Name: Braden River @ Linker Lodge						SW 1	
Field IDWIN		G2SW0044		5-8-16		1030	
Site Name: Braden River @ Cypress Bend						1	
Field IDWIN		G2SW0042		5-8-16		1055	
Site Name: Cedar Creek Near end of WBID						1	
Field IDWIN		G2SW0018		5-8-16		0	
Site Name: Cedar Creek @ Saddlehorn						0	

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge

Received on ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank

Relinquished by: Date: Time: Received by: Date: Time:

DCN AD-051 Form last revised 04/30/2015

Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: IV

Where required, pH checked

Preservation Code: I = ice H = (HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate) (in degrees Celsius)

PWS ID: FOR DRINKING WATER USE:

Printed: 5/9/2018 15:16:44

Page 1 of 1

Date of Request: 16-JAN-2018
Created By: PASWATER_B On: 16-JAN-2018
Modified By: SWANSON_C On: 19-APR-2018
Customer: SW-DIST
Project: SMP
Division: Division of Environmental Assessment and Restoration
District: Southwest District
Sampling Event: Rattlesnake, Braden, Cedar

Send Coolers To:

Phone: 813-632-7600
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Ben Paswater

Program Module Number:
Priority: 3
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 17-APR-2018
Biology Request Reviewed By: SWANSON_C On: 19-APR-2018
Sampling Kit Required: YES Ship on: 27-APR-2018
Sampling Kit Shipped: YES On: 23-APR-2018
Sampling Kit Packed By: REYNOLDS_T
Preservatives Needed: NO
Date to Receive Samples: 07-MAY-2018
Received By: SHAIK_A On: 09-MAY-2018

Send Final Report To:

FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Ben Paswater

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments: Rattlesnake, Braden, Cedar
only bacteria

Bottle Group A (Water) With 7 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 7	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: SWD-AEL-EC	Number of Bottles: 7	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD
Bottle Type: BG-500ML	Number of Bottles: 7	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN ID: MCEA (813) 470-5772
PENNSYLVANIA
FEDERAL DISTRICT
13051 N. TELECOM PKWY
TEMPLE TERRACE, FL 33637
UNITED STATES US

SHIP DATE: 09APR18
ACTWST: 10 00 LB
CNO: 1007 020581 NET 13980

TO: AMZAD SHAIK

FL DEP

FL DEP CHEMISTRY SECTION

2600 BLAIR STONE RD

TALLAHASSEE FL 32399


(850) 245-8085

REF:

INV:

DEPT:

RMA:



FedEx

WED - 09 MAY 10:30A


TRK# 7908 0360 6768

PRIORITY OVERNIGHT

36 TLHA

32399

FL-US
TLH



FID: 586517 08MAY18 MCTA 54622/7828/PC2A

Post # 166207.115 RRDR EXP 12/18

552J1/9132/DCA5