



Advanced Environmental Laboratories, Inc
9610 Princess Palm Ave Tampa, FL 33619
Payments: P.O. Box 551580 Jacksonville, FL 32255-1580
Phone: (813)630-9616
Fax: (813)630-4327

June 13, 2018

Francis Moore
FDEP-Bureau of Labs-Bio Section -Twin Towers Lab Complex A
Rm 216 MS 6515
2600 Blair Stone Rd.
Tallahassee, FL 32399

RE: Workorder: T1809084 SMP

Dear Francis Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Tuesday, May 29, 2018. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Heidi Parker'.

Heidi Parker - Project Manager
HParker@AELLab.com

Enclosures

Report ID: 558479 - 836578

Page 1 of 7

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



SAMPLE SUMMARY

Workorder: T1809084 SMP

Lab ID	Sample ID	Matrix	Date Collected	Date Received
T1809084001	G1SW0089	Water	5/29/2018 09:25	5/29/2018 12:10
T1809084002	G1SW0090	Water	5/29/2018 09:50	5/29/2018 12:10
T1809084003	G1SW0091	Water	5/29/2018 10:20	5/29/2018 12:10

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS

Workorder: T1809084 SMP

Lab ID: **T1809084001**
Sample ID: **G1SW0089**

Date Received: 05/29/18 12:10 Matrix: Water
Date Collected: 05/29/18 09:25

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Fecal Coliform MF,SM9222D,Water			Analytical Method: SM 9222D					
Coliform Fecal	4	1,B	#/100 mL	4	4	4	5/29/2018 16:45	T
Analysis Desc: Enterococcus,9230C,Water			Analytical Method: SM 9230 C (MF)					
Enterococcus	4	U,2	#/100 mL	4	4	4	5/29/2018 16:55	T

Lab ID: **T1809084002**
Sample ID: **G1SW0090**

Date Received: 05/29/18 12:10 Matrix: Water
Date Collected: 05/29/18 09:50

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Fecal Coliform MF,SM9222D,Water			Analytical Method: SM 9222D					
Coliform Fecal	32	1,B	#/100 mL	4	4	4	5/29/2018 16:45	T
Analysis Desc: Enterococcus,9230C,Water			Analytical Method: SM 9230 C (MF)					
Enterococcus	4	B,2	#/100 mL	4	4	4	5/29/2018 16:55	T

Lab ID: **T1809084003**
Sample ID: **G1SW0091**

Date Received: 05/29/18 12:10 Matrix: Water
Date Collected: 05/29/18 10:20

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Enterococcus,9230C,Water			Analytical Method: SM 9230 C (MF)					
Enterococcus	740	B,2	#/100 mL	10	10	10	5/29/2018 16:55	T

Report ID: 558479 - 836578

Page 3 of 7

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS QUALIFIERS

Workorder: T1809084 SMP

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- B Results based upon colony counts outside the acceptable range.
- [2] Incubator- 5/29/18 16:55- 5/30/18 15:00
- [1] Incubator - 5/29/18 16:45- 5/30/18 15:00

LAB QUALIFIERS

- T DOH Certification #E84589(AEL-T)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA

Workorder: T1809084 SMP

QC Batch: MICt/1776 Analysis Method: SM 9230 C (MF)
QC Batch Method: SM 9230 C (MF) Prepared:
Associated Lab Samples: T1809084001, T1809084002, T1809084003

METHOD BLANK: 2739566

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology Enterococcus	#/100 mL	1	1 U

QC Batch: MICt/1777 Analysis Method: SM 9222D
QC Batch Method: SM 9222D Prepared:
Associated Lab Samples: T1809084001, T1809084002

METHOD BLANK: 2739577

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology Coliform Fecal	#/100 mL	1	1 U

METHOD BLANK: 2739583

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology Coliform Fecal	#/100 mL	1	1 U

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: T1809084 SMP

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
T1809084001	G1SW0089			SM 9230 C (MF)	MICt/1776
T1809084002	G1SW0090			SM 9230 C (MF)	MICt/1776
T1809084003	G1SW0091			SM 9230 C (MF)	MICt/1776
T1809084001	G1SW0089			SM 9222D	MICt/1777
T1809084002	G1SW0090			SM 9222D	MICt/1777

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.





☐	Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639	77
☐	Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354	
☐	Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275	
☒	Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327	

ТХО 9084

Wednesday, June 13, 2018 12:53:05 PM
Page 7 of 7