



Advanced Environmental Laboratories, Inc
9610 Princess Palm Ave Tampa, FL 33619
Payments: P.O. Box 551580 Jacksonville, FL 32255-1580
Phone: (813)630-9616
Fax: (813)630-4327

June 26, 2018

Francis Moore
FDEP-Bureau of Labs-Bio Section -Twin Towers Lab Complex A
Rm 216 MS 6515
2600 Blair Stone Rd.
Tallahassee, FL 32399

RE: Workorder: T1809514 SMP

Dear Francis Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Tuesday, June 05, 2018. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Heidi Parker'.

Heidi Parker - Project Manager
HParker@AELLab.com

Enclosures

Report ID: 559906 - 856930

Page 1 of 7

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



SAMPLE SUMMARY

Workorder: T1809514 SMP

Lab ID	Sample ID	Matrix	Date Collected	Date Received
T1809514001	G4SW0092	Water	6/5/2018 10:40	6/5/2018 14:45

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS

Workorder: T1809514 SMP

Lab ID: **T1809514001**

Date Received: 06/05/18 14:45 Matrix: Water

Sample ID: **G4SW0092**

Date Collected: 06/05/18 10:40

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	60	1,B	#/100 mL	4	4	4	6/5/2018 16:20	T

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS QUALIFIERS

Workorder: T1809514 SMP

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- [1] Incubator 1-6/5/18 16:20-18:30 Incubator 2- 6/5/18 18:30-6/6/18 14:30
- B Results based upon colony counts outside the acceptable range.

LAB QUALIFIERS

- T DOH Certification #E84589(AEL-T)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA

Workorder: T1809514 SMP

QC Batch:	MICt/1807	Analysis Method:	EPA 1603
QC Batch Method:	EPA 1603	Prepared:	
Associated Lab Samples:	T1809514001		

METHOD BLANK: 2743941

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology			
E. Coli	#/100 mL	1	1 U

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: T1809514 SMP

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
T1809514001	G4SW0092			EPA 1603	MICt/1807

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.





☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639

☐ **Jacksonville:** 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354

☐ **Tallahassee:** 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275

☒ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

T1809514