

Biological Analysis Report

SW-DIST-2018-06-06-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Advanced Environmental Laboratories - Tampa
9610 Princess Palm Avenue
Tampa, Florida 33619
DOH Accreditation E84589

Event Description: **Mattress**
Request ID: **RQ-2018-06-04-11**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy.ashton@dep.state.fl.us

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Puja Jasrotia, Ph.D. - Molecular Biology
Cheryl Swanson - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 20-JUL-2018 13:56



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Microbiology, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Blackwater Creek @ CR39

Collection Date/Time: 06/05/2018 09:40

Field ID: G2SW0064

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1998076	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	52.0	Q	MPN/100 mL	P346681	
1998080	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Sample Location: Blackwater Creek in Co. Park

Collection Date/Time: 06/05/2018 09:10

Field ID: G2SW0065

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1998077	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	36.4	Q	MPN/100 mL	P346681	
1998081	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Sample Location: Hills River @ Ft. Foster

Collection Date/Time: 06/05/2018 14:00

Field ID: G2SW0063

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1998068	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.1		ug/L	P346954	
		Phaeophytin-a	3.7		ug/L	P346954	
		Chlorophyll-a, Uncorrected	6.5		ug/L	P346954	
1998072	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	72.4	AQ	MPN/100 mL	P346681	

Sample Location: Hills River in State Park

Collection Date/Time: 06/05/2018 13:20

Field ID: G2SW0062

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1998069	SM 10200 H (mod.)	Chlorophyll-a, Corrected	5.1		ug/L	P346954	
		Phaeophytin-a	5.2		ug/L	P346954	
		Chlorophyll-a, Uncorrected	8.4		ug/L	P346954	
1998073	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	70.3	Q	MPN/100 mL	P346681	

Sample Location: Mattress Drain

Collection Date/Time: 06/05/2018 10:40

Field ID: G4SW0092

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1998070	SM 10200 H (mod.)	Chlorophyll-a, Corrected	39	A	ug/L	P346954	
		Phaeophytin-a	5.9	A	ug/L	P346954	
		Chlorophyll-a, Uncorrected	44	A	ug/L	P346954	
1998082	EPA 1603	Escherichia coli-Membrane Filter**	60	B	cfu/100 mL		

Sample Location: New River @ 54

Collection Date/Time: 06/05/2018 12:15

Field ID: G2SW0011

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1998071	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.4		ug/L	P346954	
		Phaeophytin-a	0.50	I	ug/L	P346954	
		Chlorophyll-a, Uncorrected	3.8		ug/L	P346954	

Sample Location: New River @ 54

Collection Date/Time: 06/05/2018 12:15

Field ID: G2SW0011

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1998074	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	52.0	Q	MPN/100 mL	P346681	
1998078	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Sample Location: New River @ Morris Bridge Rd

Collection Date/Time: 06/05/2018 12:40

Field ID: G2SW0061

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1998075	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	131.4	Q	MPN/100 mL	P346681	
1998079	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P346954

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SM 9223 Quanti-Tray

Batch ID: P346681

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P346954

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	92.7		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)

Batch ID: P346954

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1998070	Chlorophyll-a, Corrected	3.29	Sample	P	0 - 25
1998070	Chlorophyll-a, Uncorrected	2.88	Sample	P	0 - 25
1998070	Phaeophytin-a	1.84	Sample	P	0 - 25

Reference Method: SM 9223 Quanti-Tray

Batch ID: P346681

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
-----------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: SM 9223 Quanti-Tray
Batch ID: P346681

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1997955	Escherichia Coli-Quanti-Tray	25.4	Sample	P	0 - 80
1998072	Escherichia Coli-Quanti-Tray	44.6	Sample	P	0 - 80

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	92.7			3.29	
	Chlorophyll-a, Uncorrected				2.88	
	Phaeophytin-a				1.84	
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray				25.4	44.6

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 1603 / E84589	Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD	1998082
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	1998068, 1998069, 1998070, 1998071
SM 9223 Quanti-Tray / E31780	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	1998072, 1998073, 1998074, 1998075, 1998076, 1998077
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	1998078, 1998079, 1998080, 1998081

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 1603	06/05/2018	06/05/2018 16:20		06/06/2018 14:30	AEL - Tampa	1998082
SM 10200 H (mod.)	06/06/2018	06/06/2018 16:35	Mariam Hanna	06/14/2018 08:30	Carina A. Tull	1998068, 1998069, 1998070, 1998071
SM 9223 Quanti-Tray	06/06/2018	06/06/2018 16:45	Edwin Gonzalez-Soto	06/07/2018 12:50	Jennifer Mihalic	1998072, 1998073, 1998074, 1998075, 1998076, 1998077
SOP-PCR-4.0	06/06/2018	06/06/2018 16:40	Angela Smith	06/25/2018 16:15	Puja Jasrotia	1998078, 1998079, 1998080, 1998081