

Chemical Analysis Report

SW-DIST-2018-06-27-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **LVI Lakes**
Request ID: **RQ-2018-06-25-02**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Ben Paswater

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 18-JUL-2018 11:10



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: White Trout Lake @ Center

Collection Date/Time: 06/26/2018 10:40

Field ID: G1SW0104

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2003448	EPA 180.1 Rev. 2.0	Turbidity	2.4	A	NTU	P347625	
	EPA 300.0 Rev. 2.1	Chloride	32	A	mg Cl/L	P347791	
		Sulfate	23	A	mg SO4/L	P347792	
	SM 2120 B	Color (true)	17	A	PCU	P347604	
	SM 2320 B-97	Total Alkalinity	37		mg CaCO3/L	P347808	
	SM 2540 C-97	TDS	142	A	mg/L	P347910	
	SM 2540 D-97	TSS	3	IA	mg/L	P347905	
	SM 4500 F-C-97	Fluoride	0.10		mg F/L	P347812	
2003452	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P347940	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.84		mg N/L	P348026	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P347684	
	EPA 365.1 Rev. 2.0	Total-P	0.013		mg P/L	P347837	
	SM 5310 B-00	Organic Carbon	7.5		mg C/L	P348189	
2003456	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P347614	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Lake Ellen

Collection Date/Time: 06/26/2018 12:35

Field ID: G1SW0074

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2003449	EPA 180.1 Rev. 2.0	Turbidity	2.0		NTU	P347625	
	EPA 300.0 Rev. 2.1	Chloride	36		mg Cl/L	P347791	
		Sulfate	11		mg SO4/L	P347792	
	SM 2120 B	Color (true)	27	A	PCU	P347605	
	SM 2320 B-97	Total Alkalinity	51		mg CaCO3/L	P347808	
	SM 2540 C-97	TDS	146	A	mg/L	P347911	
	SM 2540 D-97	TSS	3	IA	mg/L	P347906	
	SM 4500 F-C-97	Fluoride	0.087	I	mg F/L	P347812	
2003453	EPA 350.1 Rev. 2.0	Ammonia-N	0.011		mg N/L	P348264	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.72		mg N/L	P348072	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P347685	
	EPA 365.1 Rev. 2.0	Total-P	0.017		mg P/L	P347837	
	SM 5310 B-00	Organic Carbon	10		mg C/L	P348189	
2003457	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P347614	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: The result was confirmed on 07/11/2018.

Sample Location: Lake Ellen

Collection Date/Time: 06/26/2018 12:40

Field ID: G1SW0074_DUP

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2003450	EPA 180.1 Rev. 2.0	Turbidity	1.8		NTU	P347625	
	EPA 300.0 Rev. 2.1	Chloride	37		mg Cl/L	P347791	
		Sulfate	12		mg SO4/L	P347792	
	SM 2120 B	Color (true)	27		PCU	P347605	
	SM 2320 B-97	Total Alkalinity	51		mg CaCO3/L	P347808	
	SM 2540 C-97	TDS	147		mg/L	P347911	
	SM 2540 D-97	TSS	3	I	mg/L	P347906	
	SM 4500 F-C-97	Fluoride	0.087	I	mg F/L	P347812	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P348264	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.71		mg N/L	P348072	
2003454	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P347685	
	EPA 365.1 Rev. 2.0	Total-P	0.015		mg P/L	P347837	
	SM 5310 B-00	Organic Carbon	10		mg C/L	P348189	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.004	U	mg P/L	P347614	
	dissolved						

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: The result was confirmed on 07/11/2018.

Sample Location: Field Blank_06/26/2018

Collection Date/Time: 06/26/2018 12:50

Field ID: BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2003451	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P347625	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P347791	
		Sulfate	0.20	U	mg SO4/L	P347792	
	SM 2120 B	Color (true)	2.5	U	PCU	P347605	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P348056	
	SM 2540 C-97	TDS	15	U	mg/L	P347908	
	SM 2540 D-97	TSS	2	U	mg/L	P347903	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P347812	
2003455	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P347941	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P348072	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P347684	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P347838	
	SM 5310 B-00	Organic Carbon	0.50	U	mg C/L	P348189	
2003459	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P347614	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P347625

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P347791

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P347792

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P347940

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P347941

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P348264

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348026

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348072

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P347684

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P347685

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P347837

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P347838

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P347614

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P347604

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B
Batch ID: P347605

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P347808

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2320 B-97
Batch ID: P348056

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P347908

Component	Result	Code	Units
TDS	15	U	mg/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2540 C-97
Batch ID: P347910

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P347911

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P347903

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P347905

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P347906

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P347812

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P348189

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P347791

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P347792

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P347940

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	96.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P347941

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P348264

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	104		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348026

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	107		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348072

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	94.9		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P347684

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P347685

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P347837

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	94.6		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P347838

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	93.0		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P347614

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.9		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P347604

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	100		P	85 - 115

Reference Method: SM 2120 B
Batch ID: P347605

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P347808

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	98 - 107

Reference Method: SM 2320 B-97
Batch ID: P348056

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P347812

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.2		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P348189

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P347791

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003262	Chloride	103		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P347792

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003262	Sulfate	102		P	90 - 110
2003448	Sulfate	97.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P347940

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003281	Ammonia-N	96.3	98.0	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P347941

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003490	Ammonia-N	96.8	98.4	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P348264

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003453	Ammonia-N	98.9	97.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348026

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003452	Kjeldahl Nitrogen	97.2	94.8	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348072

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003453	Kjeldahl Nitrogen	97.9	92.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P347684

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003294	NO2NO3-N	98.1	98.1	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P347685

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003482	NO2NO3-N	99.5	99.5	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P347837

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003431	Total-P	97.5	94.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P347838

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003536	Total-P	93.9	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P347614

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003456	O-Phosphate-P	94.5	96.2	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P347812

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003212	Fluoride	96.3	97.4	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P348189

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2003452	Organic Carbon	99.5	101	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P347625

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003448	Turbidity	2.86	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P347791

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003448	Chloride	2.60	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P347792

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003448	Sulfate	2.69	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P347940

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003281	Ammonia-N	1.66	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P347941

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003490	Ammonia-N	1.61	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P348264

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003453	Ammonia-N	1.64	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348026

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003452	Kjeldahl Nitrogen	1.48	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348072

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003453	Kjeldahl Nitrogen	3.34	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P347684

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003294	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P347685

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003482	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P347837

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003431	Total-P	2.33	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P347838

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003536	Total-P	8.19	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P347614

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003456	O-Phosphate-P	1.78	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P347604

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003448	Color (true)	2.75	Sample	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P347605

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003449	Color (true)	0.00744	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P347808

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003212	Total Alkalinity	0.951	Sample	P	0 - 1.6

Quality Assurance Report Precision

Reference Method: SM 2320 B-97
Batch ID: P348056

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003535	Total Alkalinity	0.241	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
Batch ID: P347908

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003280	TDS	3.68	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P347910

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003448	TDS	6.36	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P347911

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003449	TDS	6.85	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P347812

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003212	Fluoride	0.988	Spike	P	0 - 3.5

Reference Method: SM 5310 B-00
Batch ID: P348189

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2003452	Organic Carbon	1.38	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A84847

Included Lab Sample IDs: 2003448, 2003449, 2003450, 2003451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	94.2	98.8	P/P	90 - 110
Chloride	98.8	97.3	P/P	90 - 110
Sulfate	100	98.9	P/P	90 - 110
Sulfate	95.4	100	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A84873

Included Lab Sample IDs: 2003448, 2003449, 2003450, 2003451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	98.9	P/P	90 - 115
Color (true)	98.9	103	P/P	90 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A84876

Included Lab Sample IDs: 2003456, 2003457, 2003458, 2003459

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	101	P/P	90 - 110
O-Phosphate-P	101	98.7	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A84882

Included Lab Sample IDs: 2003448, 2003449, 2003450, 2003451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	98.5	99.0	P/P	95 - 105

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A84911

Included Lab Sample IDs: 2003452, 2003453, 2003454, 2003455

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.5	100	P/P	90 - 110
NO2NO3-N	99.5	99.5	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A84959

Included Lab Sample IDs: 2003448, 2003449, 2003450

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A84959

Included Lab Sample IDs: 2003448, 2003449, 2003450, 2003451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.5	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A85013

Included Lab Sample IDs: 2003452, 2003455

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	101	P/P	90 - 110
Ammonia-N	99.6	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A85037

Included Lab Sample IDs: 2003452, 2003453, 2003454, 2003455

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.2	99.5	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A85074

Included Lab Sample IDs: 2003451

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A85090

Included Lab Sample IDs: 2003452

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	106	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A85123

Included Lab Sample IDs: 2003453, 2003454, 2003455

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	96.8	P/P	90 - 110
Kjeldahl Nitrogen	98.2	101	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A85128

Included Lab Sample IDs: 2003452, 2003453, 2003454, 2003455

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.1	96.0	P/P	90 - 110
Organic Carbon	96.1	96.1	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A85152

Included Lab Sample IDs: 2003453, 2003454

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 180.1 Rev. 2.0	Turbidity				2.86	
EPA 300.0 Rev. 2.1	Chloride	100	103		2.60	
	Sulfate	100	97.9 102		2.69	
EPA 350.1 Rev. 2.0	Ammonia-N	96.9	96.3 98.0			1.66
	Ammonia-N	97.6	96.8 98.4			1.61
	Ammonia-N	104	98.9 97.0			1.64
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	107	97.2 94.8			1.48
	Kjeldahl Nitrogen	94.9	97.9 92.7			3.34
EPA 353.2 Rev. 2.0	NO2NO3-N	100	98.1 98.1			0.0
	NO2NO3-N	100	99.5 99.5			0.0
EPA 365.1 Rev. 2.0	Total-P	94.6	97.5 94.7			2.33
	Total-P	93.0	93.9 102			8.19
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.9	94.5 96.2			1.78
SM 2120 B	Color (true)	100			2.75	
	Color (true)	101			0.0074	
SM 2320 B-97	Total Alkalinity	103			0.951	
	Total Alkalinity	102			0.241	
SM 2540 C-97	TDS				3.68	
	TDS				6.36	
	TDS				6.85	
SM 4500 F-C-97	Fluoride	98.2	96.3 97.4			0.988
SM 5310 B-00	Organic Carbon	96.4	99.5 101			1.38

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2003448, 2003449, 2003450, 2003451
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2003448, 2003449, 2003450, 2003451
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2003448, 2003449, 2003450, 2003451
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2003452, 2003453, 2003454, 2003455
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2003452, 2003453, 2003454, 2003455
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2003452, 2003453, 2003454, 2003455
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2003452, 2003453, 2003454, 2003455
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2003456, 2003457, 2003458, 2003459
SM 2120 B / E31780	True Color measured at 450 nm	2003448, 2003449, 2003450, 2003451
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	2003448, 2003449, 2003450, 2003451
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2003448, 2003449, 2003450, 2003451
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2003448, 2003449, 2003450, 2003451
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2003448, 2003449, 2003450, 2003451
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2003452, 2003453, 2003454, 2003455

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	06/27/2018			06/27/2018 17:02	William L. Brown IV	2003448, 2003449, 2003450, 2003451
EPA 300.0 Rev. 2.1	06/27/2018			06/28/2018 14:25	Lipi Saha	2003448
	06/27/2018			06/28/2018 17:12	Lipi Saha	2003449
	06/27/2018			06/28/2018 17:24	Lipi Saha	2003450
	06/27/2018			06/28/2018 17:36	Lipi Saha	2003451
EPA 350.1 Rev. 2.0	06/27/2018			07/03/2018 14:29	Julia Storbeck	2003452
	06/27/2018			07/03/2018 14:52	Julia Storbeck	2003455
	06/27/2018			07/11/2018 14:16	Ping Hua	2003453
	06/27/2018			07/11/2018 14:21	Ping Hua	2003454
EPA 351.2 Rev. 2.0	06/27/2018	07/06/2018 14:45	Adrian Shelby	07/09/2018 14:53	Joseph Suarez	2003452
	06/27/2018	07/09/2018 12:47	Tanya Welborn	07/10/2018 13:43	Joseph Suarez	2003453
	06/27/2018	07/09/2018 12:47	Tanya Welborn	07/10/2018 13:50	Joseph Suarez	2003454
	06/27/2018	07/09/2018 12:47	Tanya Welborn	07/10/2018 13:52	Joseph Suarez	2003455
EPA 353.2 Rev. 2.0	06/27/2018			06/28/2018 12:57	Lauren Bottorf	2003455
	06/27/2018			06/28/2018 13:04	Lauren Bottorf	2003452
	06/27/2018			06/28/2018 13:18	Lauren Bottorf	2003453
	06/27/2018			06/28/2018 13:19	Lauren Bottorf	2003454
EPA 365.1 Rev. 2.0	06/27/2018	07/02/2018 12:00	Sima Feizi	07/03/2018 12:20	Beverly Y. Sanders	2003452
	06/27/2018	07/02/2018 12:00	Sima Feizi	07/03/2018 12:21	Beverly Y. Sanders	2003453
	06/27/2018	07/02/2018 12:00	Sima Feizi	07/03/2018 12:22	Beverly Y. Sanders	2003454
	06/27/2018	07/02/2018 12:00	Sima Feizi	07/03/2018 12:24	Beverly Y. Sanders	2003455
EPA 365.1 Rev. 2.0 dissolved	06/27/2018			06/27/2018 14:40	Megan Treadwell	2003456
	06/27/2018			06/27/2018 14:57	Megan Treadwell	2003457
	06/27/2018			06/27/2018 14:58	Megan Treadwell	2003458
	06/27/2018			06/27/2018 14:59	Megan Treadwell	2003459
SM 2120 B	06/27/2018			06/27/2018 14:47	Tanya Welborn	2003448
	06/27/2018			06/27/2018 14:52	Tanya Welborn	2003449
	06/27/2018			06/27/2018 14:53	Tanya Welborn	2003450, 2003451
SM 2320 B-97	06/27/2018			07/01/2018 02:01	Dale L. Simmons	2003448
	06/27/2018			07/01/2018 02:11	Dale L. Simmons	2003449
	06/27/2018			07/01/2018 02:21	Dale L. Simmons	2003450
	06/27/2018			07/03/2018 11:57	Dale L. Simmons	2003451
SM 2540 C-97	06/27/2018			06/28/2018 15:21	Yijie Li	2003448, 2003449, 2003450, 2003451
SM 2540 D-97	06/27/2018			06/28/2018 15:21	Yijie Li	2003448, 2003449, 2003450, 2003451
SM 4500 F-C-97	06/27/2018			07/01/2018 02:01	Dale L. Simmons	2003448
	06/27/2018			07/01/2018 02:11	Dale L. Simmons	2003449
	06/27/2018			07/01/2018 02:21	Dale L. Simmons	2003450
	06/27/2018			07/01/2018 02:35	Dale L. Simmons	2003451
SM 5310 B-00	06/27/2018			07/09/2018 17:12	Megan Treadwell	2003452
	06/27/2018			07/09/2018 18:15	Megan Treadwell	2003453

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 5310 B-00	06/27/2018			07/09/2018 20:16	Megan Treadwell	2003454
	06/27/2018			07/09/2018 20:30	Megan Treadwell	2003455