

Chemical Analysis Report

SW-DIST-2018-07-10-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Lakes: Neff, Tooke, Thomas**

Request ID: **RQ-2018-07-09-03**

Customer: **SW-DIST**

Project ID: **SMP**

Send Reports to:


FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Ben Paswater

For additional information please contact

Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 27-JUL-2018 16:14



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Neff Center

Collection Date/Time: 07/09/2018 11:30

Field ID: G4SW0087

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2005886	EPA 180.1 Rev. 2.0	Turbidity	2.6	A	NTU	P348181	
	EPA 300.0 Rev. 2.1	Chloride	8.4		mg Cl/L	P348539	
		Sulfate	2.1		mg SO4/L	P348545	
	SM 2120 B	Color (true)	260		PCU	P348170	
	SM 2320 B-97	Total Alkalinity	15		mg CaCO3/L	P348404	
	SM 2540 C-97	TDS	94		mg/L	P348553	
	SM 2540 D-97	TSS	4	I	mg/L	P348559	
	SM 4500 F-C-97	Fluoride	0.063	I	mg F/L	P348408	
2005889	EPA 350.1 Rev. 2.0	Ammonia-N	0.009		mg N/L	P348699	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.3		mg N/L	P348380	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P348257	
	EPA 365.1 Rev. 2.0	Total-P	0.092		mg P/L	P348302	
	SM 5310 B-00	Organic Carbon	25		mg C/L	P348385	
2005892	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.030		mg P/L	P348228	MS

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Tooke Lake North

Collection Date/Time: 07/09/2018 10:30

Field ID: G5SW0122

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2005887	EPA 180.1 Rev. 2.0	Turbidity	2.1		NTU	P348181	
	EPA 300.0 Rev. 2.1	Chloride	6.7		mg Cl/L	P348539	
		Sulfate	4.9		mg SO4/L	P348545	
	SM 2120 B	Color (true)	15		PCU	P348170	
	SM 2320 B-97	Total Alkalinity	6.1		mg CaCO3/L	P348404	
	SM 2540 C-97	TDS	41		mg/L	P348553	
	SM 2540 D-97	TSS	3	I	mg/L	P348559	
	SM 4500 F-C-97	Fluoride	0.045	I	mg F/L	P348408	
2005890	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P348699	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.88	J	mg N/L	P348380	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P348257	
	EPA 365.1 Rev. 2.0	Total-P	0.010		mg P/L	P348302	
	SM 5310 B-00	Organic Carbon	8.5		mg C/L	P348385	
2005893	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	UJ	mg P/L	P348228	MS

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Refer to the narrative for an explanation of QC Codes.

EPA 365.1 Rev. 2.0 dissolved: O-Phosphate-P: Refer to the narrative for an explanation of QC Codes.

Sample Location: Field Blank_07/09/2018

Collection Date/Time: 07/09/2018 08:30

Field ID: BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2005888	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P348181	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P348539	
		Sulfate	0.20	U	mg SO4/L	P348545	
	SM 2120 B	Color (true)	2.5	U	PCU	P348170	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P348404	
	SM 2540 C-97	TDS	15	U	mg/L	P348551	
	SM 2540 D-97	TSS	2	U	mg/L	P348557	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P348408	
2005891	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P348699	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P348380	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P348257	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P348302	
	SM 5310 B-00	Organic Carbon	0.50	U	mg C/L	P348385	
2005894	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P348228	MS

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P348181

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348539

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348545

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P348699

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348380

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348257

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348302

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P348228

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P348170

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report

Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P348404

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P348551

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P348553

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P348557

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P348559

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P348408

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P348385

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348539

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	95.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348545

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	95.3		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P348699

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	106		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348380

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	95.1		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348257

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348302

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	93.8		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P348228

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	93.0		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P348170

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.1		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P348404

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	98 - 107

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P348408

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.0		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P348385

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.0		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348539

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2005886	Chloride	91.5	98.1	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348545

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2005886	Sulfate	90.7	97.0	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P348699

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2005840	Ammonia-N	101	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348380

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2005890	Kjeldahl Nitrogen	87.9	86.8	F/F	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348257

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2005924	NO2NO3-N	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348302

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2005822	Total-P	92.0	96.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P348228

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2005893	O-Phosphate-P	86.3	87.8	F/F	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P348408

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2005922	Fluoride	97.5	96.3	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P348385

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2005843	Organic Carbon	99.2	99.7	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P348181

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005886	Turbidity	2.72	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348539

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005886	Chloride	5.39	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P348545

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005886	Sulfate	6.22	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P348699

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005840	Ammonia-N	0.739	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P348380

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005890	Kjeldahl Nitrogen	0.722	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P348257

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005924	NO2NO3-N	0.457	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P348302

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005822	Total-P	4.48	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P348228

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005893	O-Phosphate-P	1.72	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B
 Batch ID: P348170

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005922	Color (true)	0.00809	Sample	P	0 - 20

Reference Method: SM 2320 B-97
 Batch ID: P348404

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005922	Total Alkalinity	1.01	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
 Batch ID: P348551

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005283	TDS	3.75	Sample	P	0 - 10

Reference Method: SM 2540 C-97
 Batch ID: P348553

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005409	TDS	3.00	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
 Batch ID: P348408

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005922	Fluoride	0.998	Spike	P	0 - 3.5

Reference Method: SM 5310 B-00
 Batch ID: P348385

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2005843	Organic Carbon	0.432	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B

Run ID: A85119

Included Lab Sample IDs: 2005886, 2005887, 2005888

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	102	P/P	90 - 115
Color (true)	99.9	100	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A85120

Included Lab Sample IDs: 2005886, 2005887, 2005888

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	99.5	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A85137

Included Lab Sample IDs: 2005892, 2005893, 2005894

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	92.8	91.6	P/P	90 - 110
O-Phosphate-P	93.7	92.8	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A85150

Included Lab Sample IDs: 2005889, 2005890, 2005891

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A85187

Included Lab Sample IDs: 2005886, 2005887, 2005888

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	98.2	98.8	P/P	90 - 110
Sulfate	96.2	96.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A85198

Included Lab Sample IDs: 2005889

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	108	110	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A85202

Included Lab Sample IDs: 2005889, 2005890, 2005891

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	100	99.9	P/P	90 - 110
Organic Carbon	99.9	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A85206

Included Lab Sample IDs: 2005890, 2005891

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	97.8	100	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A85217

Included Lab Sample IDs: 2005886, 2005887, 2005888

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	104	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A85217

Included Lab Sample IDs: 2005886, 2005887, 2005888

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A85285

Included Lab Sample IDs: 2005889, 2005890, 2005891

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	94.9	96.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A85318

Included Lab Sample IDs: 2005889, 2005890, 2005891

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	103	102	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					2.72	
EPA 300.0 Rev. 2.1	Chloride	95.7	91.5	98.1			5.39
	Sulfate	95.3	90.7	97.0			6.22
EPA 350.1 Rev. 2.0	Ammonia-N	106	101	102			0.739
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	95.1	87.9	86.8			0.722
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	102	101				0.457
EPA 365.1 Rev. 2.0	Total-P	93.8	92.0	96.4			4.48
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	93.0	86.3	87.8			1.72
SM 2120 B	Color (true)	99.1				0.0080	
SM 2320 B-97	Total Alkalinity	103				1.01	
SM 2540 C-97	TDS					3.75	
	TDS					3.00	
SM 4500 F-C-97	Fluoride	98.0	97.5	96.3			0.998
SM 5310 B-00	Organic Carbon	99.0	99.2	99.7			0.432

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2005886, 2005887, 2005888
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2005886, 2005887, 2005888
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2005886, 2005887, 2005888
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2005889, 2005890, 2005891
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2005889, 2005890, 2005891
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2005889, 2005890, 2005891
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2005889, 2005890, 2005891
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2005892, 2005893, 2005894
SM 2120 B / E31780	True Color measured at 450 nm	2005886, 2005887, 2005888
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2005886, 2005887, 2005888
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2005886, 2005887, 2005888
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2005886, 2005887, 2005888
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2005886, 2005887, 2005888
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2005889, 2005890, 2005891

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	07/10/2018			07/10/2018 17:42	William L. Brown IV	2005886, 2005887, 2005888
EPA 300.0 Rev. 2.1	07/10/2018			07/13/2018 03:24	Lipi Saha	2005886
	07/10/2018			07/13/2018 04:23	Lipi Saha	2005887
	07/10/2018			07/13/2018 04:35	Lipi Saha	2005888
EPA 350.1 Rev. 2.0	07/10/2018			07/17/2018 14:19	Ping Hua	2005889
	07/10/2018			07/17/2018 14:22	Ping Hua	2005890
	07/10/2018			07/17/2018 14:27	Ping Hua	2005891
EPA 351.2 Rev. 2.0	07/10/2018	07/13/2018 09:00	Adrian Shelby	07/18/2018 00:36	Joseph Suarez	2005889
	07/10/2018	07/13/2018 09:00	Adrian Shelby	07/18/2018 00:38	Joseph Suarez	2005890
	07/10/2018	07/13/2018 09:00	Adrian Shelby	07/18/2018 00:43	Joseph Suarez	2005891
EPA 353.2 Rev. 2.0	07/10/2018			07/11/2018 13:50	Lauren Bottorf	2005891
	07/10/2018			07/11/2018 13:54	Lauren Bottorf	2005889
	07/10/2018			07/11/2018 13:55	Lauren Bottorf	2005890
EPA 365.1 Rev. 2.0	07/10/2018	07/12/2018 11:10	Sima Feizi	07/13/2018 08:53	Beverly Y. Sanders	2005889
	07/10/2018	07/12/2018 11:10	Sima Feizi	07/13/2018 11:25	Beverly Y. Sanders	2005890
	07/10/2018	07/12/2018 11:10	Sima Feizi	07/13/2018 11:26	Beverly Y. Sanders	2005891
EPA 365.1 Rev. 2.0 dissolved	07/10/2018			07/10/2018 22:39	Anthony C. Onicha	2005893
	07/10/2018			07/10/2018 22:48	Anthony C. Onicha	2005892
	07/10/2018			07/10/2018 22:50	Anthony C. Onicha	2005894
SM 2120 B	07/10/2018			07/10/2018 17:15	Tanya Welborn	2005887
	07/10/2018			07/10/2018 17:16	Tanya Welborn	2005888
	07/10/2018			07/10/2018 17:43	Tanya Welborn	2005886
SM 2320 B-97	07/10/2018			07/13/2018 06:42	Dale L. Simmons	2005886
	07/10/2018			07/13/2018 06:52	Dale L. Simmons	2005887
	07/10/2018			07/13/2018 07:05	Dale L. Simmons	2005888
SM 2540 C-97	07/10/2018			07/11/2018 14:46	Yijie Li	2005886, 2005887, 2005888
SM 2540 D-97	07/10/2018			07/11/2018 14:46	Yijie Li	2005886, 2005887, 2005888
SM 4500 F-C-97	07/10/2018			07/13/2018 06:42	Dale L. Simmons	2005886
	07/10/2018			07/13/2018 06:52	Dale L. Simmons	2005887
	07/10/2018			07/13/2018 07:05	Dale L. Simmons	2005888
SM 5310 B-00	07/10/2018			07/12/2018 14:00	Megan Treadwell	2005889
	07/10/2018			07/12/2018 14:44	Megan Treadwell	2005890
	07/10/2018			07/12/2018 15:23	Megan Treadwell	2005891