

Log-in Checklist

RQ-2018-07-09-05

Login Station ID: # 3

Shipping Method: FedEx UPS | HD | Greyhound |

Date/Time of Receipt: 07/13/2018 / 10:00

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		*Intact?		Tracking # (fill out only if waybill copy is damaged)
			Present?		Yes	No	
Red	1.3C	6					

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes X No **Containers intact? Yes X No

**Sufficient Sample Volume: Yes X No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: ABS

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes X No NA Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: ABS

Coolers Unpacked/Checked by: ABS Date: 07/13/2018 NCRs (Y/N)?

Event ID: Reference Lake- Rosalie NCR #

— SW-DIST-2018-07-13-03 (LAKESREF)

Date Received: 13-JUL-2018 10:00

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	8062 EXP:2020/12

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Reference Lake- Rosalie

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: Judy Ashton

Project ID: LAKESREF

Collected By: Judy Ashton

Sampling Agency: FDEP

Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s) (See pg 2)
Field ID/WIN TP12051L		☒ Grab	Date	Time	Central	Date	Time	
WIN		Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen		☒ mg/L	Total Res. Chlorine
Site Name: Lake Rosalie 27560038124113		Temp (C) 33.70			pH 7.88		☒ % sat	(mg/L)
Latitude		Sample Depth 0.3			☐ ft		Sp. Conductance	
		☐ dd			☒ m		(umho/cm) 120	
		☐ dms			Comments			
		Salinity (ppt) 0.05						

Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s)
Field ID		☐ Grab	Date	Time	Central	Date	Time	
WIN/STORET #		Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen		☐ mg/L	Total Res. Chlorine
		Temp (C)			pH		☐ % sat	(mg/L)
Latitude		Sample Depth			☐ ft		Sp. Conductance	
		☐ dd			☐ m		(umho/cm)	
		☐ dms			Comments			
		Salinity (ppt)						

Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s)
Field ID		☐ Grab	Date	Time	Central	Date	Time	
WIN/STORET #		Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen		☐ mg/L	Total Res. Chlorine
		Temp (C)			pH		☐ % sat	(mg/L)
Latitude		Sample Depth			☐ ft		Sp. Conductance	
		☐ dd			☐ m		(umho/cm)	
		☐ dms			Comments			
		Salinity (ppt)						

Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s)
Field ID		☐ Grab	Date	Time	Central	Date	Time	
WIN/STORET #		Matrix (type, e.g., Salt, Fresh, etc)			Diss. Oxygen		☐ mg/L	Total Res. Chlorine
		Temp (C)			pH		☐ % sat	(mg/L)
Latitude		Sample Depth			☐ ft		Sp. Conductance	
		☐ dd			☐ m		(umho/cm)	
		☐ dms			Comments			
		Salinity (ppt)						

Relinquished By: Judy Ashton	Date/Time: 7-12-18 1700	Shipping Method: FDEP	Number of Coolers Shipped: 1	Received By: [Signature]	Date/Time: 07-13-18 1100
------------------------------	-------------------------	-----------------------	------------------------------	--------------------------	--------------------------

Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	W-BR-IC						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	Lugols	Enter Number of Bottles Sent to Lab	1
	DTY-QN-C						
	PKD-QN-C						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						

Date of Request: 23-JAN-2018
 Created By: ASHTON_J On: 23-JAN-2018
 Modified By: SWANSON_C On: 14-JUN-2018
 Customer: SW-DIST
 Project: LAKESREF
 Division:
 District: Southwest District
 Sampling Event: Reference Lake- Rosalie

Send Coolers To:

Phone: 813-470-5772
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Judy Ashton

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 13-JUN-2018
 Biology Request Reviewed By: SWANSON_C On: 14-JUN-2018
 Sampling Kit Required: YES Ship on: 29-JUN-2018
 Sampling Kit Shipped: YES On: 11-JUL-2018
 Sampling Kit Packed By: RODRIGUE_G
 Preservatives Needed: NO
 Date to Receive Samples: 12-JUL-2018
 Received By: SHAIK_A On: 13-JUL-2018

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Judy Ashton

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: Lugols
DTY-QN-C	Template: DEFAULT	(SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
PKD-QN-C	Template: DEFAULT	(SOP-AB05) No. of wet taxa of quantitative phytoplankton sample.
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

ORIGIN ID: TLHA (813) 632-7600
JUDY ASHTON
FL DEP SOUTHWEST DISTRICT
13051 NORTH TELECOM PARKWAY
TEMPLE TERRACE, FL 33637
UNITED STATES US

SHIP DATE: 05JUL18
ACTWT: 10.00 LB TAN
CAD: 0446970/CAFE3210

TO JOHN WATTS


FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 246-8077
THU
PST

DEPT:

RMA: III III III



FedEx
Express



1101116042001

RETURNS MON - FRI

FID 981491 12JUL18 MCR 546C2/6532/0C8A

addl



36 TLHA

32399
FL-US
TLH

FRI - 13 JUL 10:30A
PRIORITY OVERNIGHT

FedEx
RMA
4385 5031 1362
2221

Part 1 155148-434 RIT EXP 03/19

551C2/8532/1041