



Advanced Environmental Laboratories, Inc
9610 Princess Palm Ave Tampa, FL 33619
Payments: P.O. Box 551580 Jacksonville, FL 32255-1580
Phone: (813)630-9616
Fax: (813)630-4327

August 22, 2018

Francis Moore
FDEP-Bureau of Labs-Bio Section -Twin Towers Lab Complex A
Rm 216 MS 6515
2600 Blair Stone Rd.
Tallahassee, FL 32399

RE: Workorder: T1813097 SMP

Dear Francis Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Monday, August 06, 2018. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Heidi Parker'.

Heidi Parker - Project Manager
HParker@AELLab.com

Enclosures

Report ID: 572037 - 1208464

Page 1 of 7

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



SAMPLE SUMMARY

Workorder: T1813097 SMP

Lab ID	Sample ID	Matrix	Date Collected	Date Received
T1813097001	G2SW0060	Water	8/6/2018 11:08	8/6/2018 12:40
T1813097002	G2SW0060-DUP	Water	8/6/2018 11:10	8/6/2018 12:40

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS

Workorder: T1813097 SMP

Lab ID: **T1813097001**

Date Received: 08/06/18 12:40 Matrix: Water

Sample ID: **G2SW0060**

Date Collected: 08/06/18 11:08

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	4	U,1	#/100 mL	4	4	4	8/6/2018 16:20	T

Lab ID: **T1813097002**

Date Received: 08/06/18 12:40 Matrix: Water

Sample ID: **G2SW0060-DUP**

Date Collected: 08/06/18 11:10

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	4	U,1	#/100 mL	4	4	4	8/6/2018 16:20	T

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS QUALIFIERS

Workorder: T1813097 SMP

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- [1] Incubator 1- 8/6/18 16:20-18:20 Incubator 2- 8/6/18 18:20- 8/7/18 15:30

LAB QUALIFIERS

- T DOH Certification #E84589(AEL-T)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA

Workorder: T1813097 SMP

QC Batch:	MICt/2103	Analysis Method:	EPA 1603
QC Batch Method:	EPA 1603	Prepared:	
Associated Lab Samples:	T1813097001, T1813097002		

METHOD BLANK: 2802994

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology			
E. Coli	#/100 mL	1	1 U

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: T1813097 SMP

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
T1813097001	G2SW0060			EPA 1603	MICt/2103
T1813097002	G2SW0060-DUP			EPA 1603	MICt/2103

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.





☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6699

Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354

Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275

☒ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

781397

[illegible]