

RQ-2018-09-03-03

Log-in Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | GreyhoundDate/Time of Receipt: 9-14-18/9125

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
1.2			2		☒			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☐ No ☐ Date

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ☒ No ☐ Init: SR

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.						
Analysis	Yes	No	Analysis	Yes	No	
W-1,4 DIOX		☒	W-PC-AA-SF			
W-E8321-DI, -MS, -21			W-NP-AA-SF			
W-BNA (-625, -R)			W-PDQUAT			
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R			
W-U2060-MS			W-TR-TQ			
W-PCB-R			W-CT-CI-R			
W-PAH (-R)			W-PSNP-TQ			

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples: pH ≤ 2.0?** Yes ☐ No ☐ NA ☒ Init: SR

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☐ NA ☒ Init: SR

Coolers Unpacked/Checked by: SR Date: 9-14-18

NCRs (Y/N)? N

Event ID: SW-DIST-2018-09-14-01

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10-30-18
pH Paper 0 – 13 Lot #	222516 EXP:08-15-19
Chlorine Test Strips Lot #	7226 EXP: 07/2020

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Pinellas County LR7-Mckay Creek

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By:

N. Dickrell

Project ID: SMP


Collected By:

M. Montecarlo

Sampling Agency:

PINELLAS CO.

Location	Field ID/WIN G5SW0145		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 09/13/18 Time 1403	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)	
Field			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.33 98.4	☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)	A	
WIN	Site Name: Mckay Creek @ Bluff Dr. (PC27-11)		Temp (C) 30.80		pH 7.69	Sample Depth 0.19	☐ ft ☒ m		Sp. Conductance (umho/cm) 425
Latitude	☐ dd ☐ dms		☐ dd ☐ dms		Comments E. COLI COLLECTED & ANALYZED BY PINELLAS				
Location			☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)	
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STORET #			Temp (C)		pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms		Longitude		☐ dd ☐ dms	Salinity (ppt)			
Location			☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)	
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STORET #			Temp (C)		pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms		Longitude		☐ dd ☐ dms	Salinity (ppt)			
Location			☐ Comp ☐ Grab		Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)	
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
WIN/STORET #			Temp (C)		pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms		Longitude		☐ dd ☐ dms	Salinity (ppt)			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
	9/13/18	FES 40	1	SR	9.14.18/9:25

Ref:	Date: 21Aug18	SHIPPING:	0.00
Dep:	Wgt: 15.00 LBS	SPECIAL:	0.00
	DV:	HANDLING:	0.00
		TOTAL:	0.00

Svcs: PRIORITY OVERNIGHT Master 4385 5032 6799
 TRACK: 4385 5032 6803

Group: A Bottle Type: QPCR-P-500ML # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1
PCR-FILTER

Group: A Bottle Type: BG-500ML # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab 1
W-E8321-DI
W-E8321-MS

Printed: 9/14/2018 9:39:22 AM

Page 1 of 1

Date of Request: 16-MAY-2018
Created By: ASHTON_J On: 16-MAY-2018
Modified By: SWANSON_C On: 17-AUG-2018
Customer: SW-DIST
Project: SMP
Division:
District: Southwest District
Sampling Event: Pinellas County LR7-Mckay Creek

Send Coolers To:

Phone: 813-632-7600
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

Program Module Number:

Priority: 3
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 15-AUG-2018
Biology Request Reviewed By: SWANSON_C On: 17-AUG-2018
Sampling Kit Required: YES Ship on: 24-AUG-2018
Sampling Kit Shipped: YES On: 22-AUG-2018
Sampling Kit Packed By: RODRIGUE_G
Preservatives Needed: NO
Date to Receive Samples: 06-SEP-2018
Received By:

Send Final Report To:

FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments: Pinellas County to collect & Analyze E.coli

Bottle Group A (Water) With 1 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Do Not Lift Using This Tag

ORIGIN ID: TLHA (813) 470-5951
MATTHEW BEARDEN
FL DEP SOUTHWEST DISTRICT
13051 N TELECOM PKWY

SHIP DATE: 21AUG18
ACTWGT: 15.00 LB MAN
CAD: 0446970/CAFE3210

TEMPLE TERRACE, FL 336370926
UNITED STATES US

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 245-8077

REF:

INU:

DEPT:

RMA: ||| ||| |||



FedEx
Express



FedEx

TRK# 4385 5032 6803
0221

FRI - 14 SEP 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399

FL-US

TLH



#1873970 09/13 552J1/F78C/DCAS

551C1/3309/104C

155297-435 BRD EXP 08/19