



Advanced Environmental Laboratories, Inc
9610 Princess Palm Ave Tampa, FL 33619
Payments: P.O. Box 551580 Jacksonville, FL 32255-1580
Phone: (813)630-9616
Fax: (813)630-4327

October 22, 2018

Francis Moore
FDEP-Bureau of Labs-Bio Section -Twin Towers Lab Complex A
Rm 216 MS 6515
2600 Blair Stone Rd.
Tallahassee, FL 32399

RE: Workorder: T1816337 SMP

Dear Francis Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Monday, September 24, 2018. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Heidi Parker'.

Heidi Parker - Project Manager
HParker@AELLab.com

Enclosures

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



SAMPLE SUMMARY

Workorder: T1816337 SMP

Lab ID	Sample ID	Matrix	Date Collected	Date Received
T1816337001	G2SW0060	Water	9/24/2018 10:15	9/24/2018 13:05
T1816337002	G2SW0060 Dup	Water	9/24/2018 10:20	9/24/2018 13:05
T1816337003	G2SW0057	Water	9/24/2018 11:15	9/24/2018 13:05
T1816337004	G2SW0058	Water	9/24/2018 11:30	9/24/2018 13:05
T1816337005	G2SW0059	Water	9/24/2018 11:25	9/24/2018 13:05

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS

Workorder: T1816337 SMP

Lab ID: **T1816337001**

Date Received: 09/24/18 13:05 Matrix: Water

Sample ID: **G2SW0060**

Date Collected: 09/24/18 10:15

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	640	1	#/100 mL	10	10	10	9/24/2018 15:15	T

Lab ID: **T1816337002**

Date Received: 09/24/18 13:05 Matrix: Water

Sample ID: **G2SW0060 Dup**

Date Collected: 09/24/18 10:20

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	660	1	#/100 mL	10	10	10	9/24/2018 15:15	T

Lab ID: **T1816337003**

Date Received: 09/24/18 13:05 Matrix: Water

Sample ID: **G2SW0057**

Date Collected: 09/24/18 11:15

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	1520	1,B	#/100 mL	10	10	10	9/24/2018 15:15	T

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS

Workorder: T1816337 SMP

Lab ID: **T1816337004**

Date Received: 09/24/18 13:05 Matrix: Water

Sample ID: **G2SW0058**

Date Collected: 09/24/18 11:30

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	770	1	#/100 mL	10	10	10	9/24/2018 15:15	T

Lab ID: **T1816337005**

Date Received: 09/24/18 13:05 Matrix: Water

Sample ID: **G2SW0059**

Date Collected: 09/24/18 11:25

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	4900	1	#/100 mL	100	100	100	9/24/2018 15:15	T

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS QUALIFIERS

Workorder: T1816337 SMP

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- B Results based upon colony counts outside the acceptable range.
- [1] Incubator 1- 9/24/18 15:15- 17:45 Incubator 2- 9/24/18 17:45- 9/25/18 14:45

LAB QUALIFIERS

- T DOH Certification #E84589(AEL-T)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA

Workorder: T1816337 SMP

QC Batch: MICt/2357 Analysis Method: EPA 1603
QC Batch Method: EPA 1603 Prepared:
Associated Lab Samples: T1816337001, T1816337002, T1816337003, T1816337004, T1816337005

METHOD BLANK: 2855194

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology E. Coli	#/100 mL	1	1 U

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: T1816337 SMP

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
T1816337001	G2SW0060			EPA 1603	MICt/2357
T1816337002	G2SW0060 Dup			EPA 1603	MICt/2357
T1816337003	G2SW0057			EPA 1603	MICt/2357
T1816337004	G2SW0058			EPA 1603	MICt/2357
T1816337005	G2SW0059			EPA 1603	MICt/2357

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.





Advanced
Environmental Laboratories, Inc.

Gainesville: 4905 SW 41st Blvd • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
Jacksonville: 6661 Southpoint Pkwy • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

71816337

Client Name: FDEP SW Dist.		Project Name: SMP		BOTTLE SIZE & TYPE		LABORATORY I.D. #	
Address: 13061 N. Telecom Pkwy, Temple Terrace FL 33637		P.O. Number: B370AE					
Phone: 813-470-5770		Project Address:					
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-09-24-03					
Turn Around Time: ☒ STANDARD ☐ RUSH		Analysis Required: E. COLI					
Page: 1 of 1		☐ ADAPT ☐ EQUIS ☐ Other					
SAMPLE ID	SAMPLE DESCRIPTION	Grab Camp	SAMPLING DATE	TIME	MATRIX	NO. COUNT	PRE SER. VATION
Field IDWIN	G2SW0060		9-24-18	1015	SW	1	1cc
Site Name: Scott Lake @ South Central							
Field ID:	G2SW0060						
Location:	Scott Lake_DUP						
WIN ID:							
Field IDWIN	G2SW0057		9-24-18	1020	SW	1	1
Site Name: Lake Bonnet North							
Field IDWIN	G2SW0058		9-24-18	1115	SW	1	1
Site Name: Lake Bonnet SW							
Field IDWIN	G2SW0059		9-24-18	1130	SW	1	1
Site Name: Lake Bonnet SE							
Field IDWIN	G2SW0059		9-24-18	1125	SW	1	1
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge							
Received on ice ☒ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank							
DCN: AD-051 Form last revised 04/30/2015							
Relinquished by: J. Ashton Date: 9-24-18 Time: 1:30 PM							
Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V							
PWS ID:							
FOR DRINKING WATER USE:							