

November 20, 2018

Francis Moore
FDEP-Bureau of Labs-Bio Section -Twin Towers Lab Complex A
Rm 216 MS 6515
2600 Blair Stone Rd.
Tallahassee, FL 32399

RE: Workorder: T1818551 SMP

Dear Francis Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Monday, October 29, 2018. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Heidi Parker - Project Manager
HParker@AELLab.com

Enclosures

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



SAMPLE SUMMARY

Workorder: T1818551 SMP

Lab ID	Sample ID	Matrix	Date Collected	Date Received
T1818551001	G4SW0092	Water	10/29/2018 12:45	10/29/2018 15:45

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS

Workorder: T1818551 SMP

Lab ID: **T1818551001**

Date Received: 10/29/18 15:45 Matrix: Water

Sample ID: **G4SW0092**

Date Collected: 10/29/18 12:45

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	184	1	#/100 mL	4	4	4	10/29/2018 16:15	T

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS QUALIFIERS

Workorder: T1818551 SMP

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- [1] Incubator 1- 10/29/18 16:15- 17:45 Incubator 2- 10/29/18 17:45- 10/30/18 14:45

LAB QUALIFIERS

- T DOH Certification #E84589(AEL-T)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA

Workorder: T1818551 SMP

QC Batch:	MICt/2556	Analysis Method:	EPA 1603
QC Batch Method:	EPA 1603	Prepared:	
Associated Lab Samples:	T1818551001		

METHOD BLANK: 2903476

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology			
E. Coli	#/100 mL	1	1 U

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: T1818551 SMP

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
T1818551001	G4SW0092			EPA 1603	MICt/2556

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.





☐	<u>Gainesville:</u> 4900 SW 47th Blvd. • Gainesville, FL 32608 • 352.371.7349 • Fax 352.395.6639
☐	<u>Jacksonville:</u> 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐	<u>Tallahassee:</u> 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☒	<u>Tampa:</u> 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327 7818501

Client Name:		FDEP SW Dist.		Project Name:		SMP		BOTTLE SIZE & TYPE							LABORATORY I.D. #		
Address:		13051 N. Telecom Pkwy. Temple Terrace FL 33637		P.O. Number:		B370AE											
Phone:		813-470-5770		Project Address:						Analysis Required	E-Coli						
Contact:		Judy Ashton 813-470-5772		Special Instructions: RQ-2018-10-29-78		☐ ADaPT ☐ EQuIS ☐ Other											
Sampled By:																	
Turn Around Time:		☒ STANDARD ☐ RUSH															
Page:		1 of 1						PRE-SER-VATI-ON	ICE								
SAMPLE ID	SAMPLE DESCRIPTION			Grab Comp	SAMPLING DATE TIME		MATRIX			NO. COUNT							
Field ID/WIN G4SW0092 					10-29-18	1245	SW	1									
Site Name: Mattress Drain @ Rockeridge rd																	
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)																	
Received on Ice ☒ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked Temperature when received _____ (in degrees celcius)																	
DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V																	
Relinquished by: _____ Date: _____ Time: _____ Received by: _____ Date: _____ Time: _____																	
FOR DRINKING WATER USE: _____ PWS ID: _____																	