

October 23, 2018

Francis Moore
FDEP-Bureau of Labs-Bio Section -Twin Towers Lab Complex A
Rm 216 MS 6515
2600 Blair Stone Rd.
Tallahassee, FL 32399

RE: Workorder: T1817169 SMP

Dear Francis Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Monday, October 08, 2018. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Heidi Parker - Project Manager
HParker@AELLab.com

Enclosures

Report ID: 584943 - 1516882

Page 1 of 7

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



SAMPLE SUMMARY

Workorder: T1817169 SMP

Lab ID	Sample ID	Matrix	Date Collected	Date Received
T1817169001	G2SW0024	Water	10/8/2018 10:10	10/8/2018 14:15
T1817169002	G2SW0039	Water	10/8/2018 10:45	10/8/2018 14:15
T1817169003	G2SW0039 Dup	Water	10/8/2018 11:00	10/8/2018 14:15

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS

Workorder: T1817169 SMP

Lab ID: **T1817169001** Date Received: 10/08/18 14:15 Matrix: Water
Sample ID: **G2SW0024** Date Collected: 10/08/18 10:10

Sample Description: Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	240	,2	#/100 mL	4	4	4	10/8/2018 16:00	T

Lab ID: **T1817169002** Date Received: 10/08/18 14:15 Matrix: Water
Sample ID: **G2SW0039** Date Collected: 10/08/18 10:45

Sample Description: Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	400	2	#/100 mL	10	10	10	10/8/2018 16:00	T

Lab ID: **T1817169003** Date Received: 10/08/18 14:15 Matrix: Water
Sample ID: **G2SW0039 Dup** Date Collected: 10/08/18 11:00

Sample Description: Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	620	2	#/100 mL	10	10	10	10/8/2018 16:00	T

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS QUALIFIERS

Workorder: T1817169 SMP

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
-
- [2] Incubator 1- 10/8/18 16:00- 17:30 Incubator 2-10/8/18 17:30- 10/9/18 14:30

LAB QUALIFIERS

- T DOH Certification #E84589(AEL-T)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA

Workorder: T1817169 SMP

QC Batch:	MICt/2422	Analysis Method:	EPA 1603
QC Batch Method:	EPA 1603	Prepared:	
Associated Lab Samples:	T1817169001, T1817169002, T1817169003		

METHOD BLANK: 2869147

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology			
E. Coli	#/100 mL	1	1 U

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: T1817169 SMP

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
T1817169001	G2SW0024			EPA 1603	MICt/2422
T1817169002	G2SW0039			EPA 1603	MICt/2422
T1817169003	G2SW0039 Dup			EPA 1603	MICt/2422

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.





☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639

☐ **Jacksonville:** 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354

☒ **Tallahassee:** 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275

☐ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.		Project Name: SMP		Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327																																			
Address: 13051 N. Telecom Pkwy, Temple Terrace FL 33637		P.O. Number: B370AE		BOTTLE SIZE & TYPE <table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																																			
Phone: 813-470-5770		Project Address:																																					
Contact: Judy Ashton 813-470-5772		Special Instructions: RQ-2018-10-08-10																																					
Sampled By:																																							
Turn Around Time: ☒ STANDARD ☐ RUSH		☐ ADaPT ☐ EQulS ☐ Other		Analysis Required <table border="1" style="width: 100%; height: 100px;"> <tr><td>E-G1</td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>										E-G1																									
E-G1																																							
Page: of																																							
SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING DATE	TIME	MATRIX	NO. COUNT	PRE SER. VATT OR	LABORATORY I.D. #																															
Field ID/WIN																																							
	G2SW0024		10/8/18	1010	SW	1		<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															
Site Name:	Gilley Crk @ Stricklands																																						
Field ID/WIN	G2SW0039			1045	SW	1		<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															
Site Name:	Gilley Creek downstream																																						
Field ID:	G2SW0039			1100	SW	1		<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															
Location:	Gilley Creek Downstream																																						
WIN ID:	G2SW0039 DVP							<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															
								<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															
								<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															
								<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															
								<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															
								<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															
								<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															
								<table border="1" style="width: 100%; height: 100px;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </</td></tr></table>																												</			
		</																																					