

Chemical Analysis Report

SE-DIST-2018-08-01-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP- South Lakes**

Request ID: **RQ-2018-02-26-26**

Customer: **SE-DIST**

Project ID: **SMP**

Send Reports to:


FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact

Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 27-AUG-2018 11:07

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first few letters of the last name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals, Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: OKEEHREELEE PARK RAMP

Collection Date/Time: 07/31/2018 12:55

Field ID: G3SE0015

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2012207	EPA 180.1 Rev. 2.0	Turbidity	0.55		NTU	P349508	
	EPA 300.0 Rev. 2.1	Chloride	16		mg Cl/L	P349624	
		Sulfate	0.20	U	mg SO4/L	P349627	
		Color (true)	9.7		PCU	P349504	
	SM 2320 B-97	Total Alkalinity	58		mg CaCO3/L	P349653	
	SM 2540 C-97	TDS	95		mg/L	P349797	
	SM 2540 D-97	TSS	2	I	mg/L	P349952	
	SM 4500 F-C-97	Fluoride	0.089	I	mg F/L	P349656	
2012208	EPA 350.1 Rev. 2.0	Ammonia-N	0.023		mg N/L	P349685	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.65		mg N/L	P349539	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.006	I	mg N/L	P349615	
	EPA 365.1 Rev. 2.0	Total-P	0.008		mg P/L	P349562	
	SM 5310 B-00	Organic Carbon	7.3		mg C/L	P349733	
2012209	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P349501	
2012229	EPA 200.7 Rev. 4.4	Calcium	23.0		mg/L	P349576	
		Iron	45	I	ug/L	P349576	
		Magnesium	1.68		mg/L	P349576	
		Potassium	0.78	I	mg/L	P349576	
		Sodium	9.4		mg/L	P349576	
		Zinc	5.0	U	ug/L	P349576	
	EPA 200.8 Rev. 5.4	Arsenic	0.94		ug/L	P349576	
		Cadmium	0.020	U	ug/L	P349576	
		Chromium	0.40	U	ug/L	P349576	
		Copper	0.20	U	ug/L	P349576	
		Lead	0.050	U	ug/L	P349576	
		Nickel	0.20	U	ug/L	P349576	
		Silver	0.010	U	ug/L	P349576	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: LAKE CLARKE @ PINE TREE

Collection Date/Time: 07/31/2018 13:15

Field ID: G3SE0001

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2012210	EPA 180.1 Rev. 2.0	Turbidity	3.7		NTU	P349508	
	EPA 300.0 Rev. 2.1	Chloride	37		mg Cl/L	P349624	
		Sulfate	17		mg SO4/L	P349627	
	SM 2120 B	Color (true)	51		PCU	P349504	
	SM 2320 B-97	Total Alkalinity	142		mg CaCO3/L	P349653	
	SM 2540 C-97	TDS	261	A	mg/L	P349798	
	SM 2540 D-97	TSS	7	IA	mg/L	P349953	
	SM 4500 F-C-97	Fluoride	0.11		mg F/L	P349656	
2012211	EPA 350.1 Rev. 2.0	Ammonia-N	0.013		mg N/L	P349685	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P349539	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.079		mg N/L	P349615	
	EPA 365.1 Rev. 2.0	Total-P	0.074		mg P/L	P349563	
	SM 5310 B-00	Organic Carbon	12		mg C/L	P349733	
2012212	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.018		mg P/L	P349501	
2012227	EPA 8321B	2,4-D	0.29		ug/L	P349361	MS
		Sucralose**	0.71		ug/L	P349535	
		Bentazon	0.078		ug/L	P349361	
		MCP	0.0024	I	ug/L	P349361	
		Triclopyr**	0.0040	U	ug/L	P349361	
		Imidacloprid	0.067		ug/L	P349361	
		Diuron	0.056		ug/L	P349361	
		Pyraclostrobin**	0.0020	U	ug/L	P349361	
		Primidone**	0.0040	U	ug/L	P349361	
		Linuron	0.0040	U	ug/L	P349361	
		Acetaminophen**	0.0080	U	ug/L	P349361	
		Fenuron	0.016	U	ug/L	P349361	
		Imazapyr**	0.10		ug/L	P349361	
		Carbamazepine**	0.0025	I	ug/L	P349361	
		Fluridone**	0.17		ug/L	P349361	
		Hydrocodone**	8.0E-04	U	ug/L	P349361	
2012230	EPA 200.7 Rev. 4.4	Calcium	62.6		mg/L	P349576	
		Iron	95	I	ug/L	P349576	
		Magnesium	3.74		mg/L	P349576	
		Potassium	4.1		mg/L	P349576	
		Sodium	23.7		mg/L	P349576	
	EPA 200.8 Rev. 5.4	Zinc	5.0	U	ug/L	P349576	
		Arsenic	2.39		ug/L	P349576	
		Cadmium	0.020	U	ug/L	P349576	
		Chromium	0.54	I	ug/L	P349576	
		Copper	1.90		ug/L	P349576	
		Lead	0.20	I	ug/L	P349576	
		Nickel	0.33	I	ug/L	P349576	
		Silver	0.010	U	ug/L	P349576	

Field ID: G3SE0001

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Ref. Method and Comment:
EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.
SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: CLEAR LAKE @ OKEECHOBEE

Collection Date/Time: 07/31/2018 13:40

Field ID: G3SE0002

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2012216	EPA 180.1 Rev. 2.0	Turbidity	1.6		NTU	P349508	
	EPA 300.0 Rev. 2.1	Chloride	46		mg Cl/L	P349624	
		Sulfate	23		mg SO4/L	P349627	
		Color (true)	21		PCU	P349504	
	SM 2320 B-97	Total Alkalinity	93	A	mg CaCO3/L	P349653	
	SM 2540 C-97	TDS	215		mg/L	P349798	
	SM 2540 D-97	TSS	2	I	mg/L	P349953	
	SM 4500 F-C-97	Fluoride	0.12		mg F/L	P349656	
2012217	EPA 350.1 Rev. 2.0	Ammonia-N	0.016		mg N/L	P349685	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.78		mg N/L	P349540	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.005	I	mg N/L	P349615	
	EPA 365.1 Rev. 2.0	Total-P	0.014		mg P/L	P349563	
	SM 5310 B-00	Organic Carbon	10		mg C/L	P349733	
2012218	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P349501	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: LAKE MANGONIA NORTH

Collection Date/Time: 07/31/2018 14:10

Field ID: G3SE0030

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2012213	EPA 180.1 Rev. 2.0	Turbidity	7.7		NTU	P349508	
	EPA 300.0 Rev. 2.1	Chloride	38		mg Cl/L	P349624	
		Sulfate	16		mg SO4/L	P349627	
		Color (true)	29		PCU	P349504	
	SM 2120 B	Total Alkalinity	91		mg CaCO3/L	P349653	
	SM 2540 C-97	TDS	185		mg/L	P349798	
	SM 2540 D-97	TSS	22		mg/L	P349953	
	SM 4500 F-C-97	Fluoride	0.13		mg F/L	P349656	
2012214	EPA 350.1 Rev. 2.0	Ammonia-N	0.008		mg N/L	P349685	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.92		mg N/L	P349540	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P349615	
	EPA 365.1 Rev. 2.0	Total-P	0.060		mg P/L	P349563	
	SM 5310 B-00	Organic Carbon	11		mg C/L	P349733	
2012215	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P349501	
2012228	EPA 8321B	2,4-D	0.033		ug/L	P349361	MS
		Sucralose**	0.049		ug/L	P349535	
		Bentazon	0.0081		ug/L	P349361	
		MCP	0.0020	U	ug/L	P349361	
		Triclopyr**	0.0040	U	ug/L	P349361	
		Imidacloprid	0.0020	U	ug/L	P349361	
		Diuron	0.0020	U	ug/L	P349361	
		Pyraclostrobin**	0.0020	U	ug/L	P349361	
		Primidone**	0.0040	U	ug/L	P349361	
		Linuron	0.0040	U	ug/L	P349361	
		Acetaminophen**	0.0080	U	ug/L	P349361	
		Fenuron	0.016	U	ug/L	P349361	
		Imazapyr**	0.26		ug/L	P349361	
		Carbamazepine**	8.0E-04	U	ug/L	P349361	
		Fluridone**	0.0063		ug/L	P349361	
		Hydrocodone**	8.0E-04	U	ug/L	P349361	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P349508

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P349576

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P349576

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.20	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.20	U	ug/L
Silver	0.010	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349624

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349627

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349685

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349539

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349540

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P349615

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349562

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349563

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P349501

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P349361

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
Acetaminophen	0.0080	U	ug/L
Bentazon	8.0E-04	U	ug/L
Carbamazepine	8.0E-04	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.016	U	ug/L
Fluridone	4.0E-04	U	ug/L
Hydrocodone	8.0E-04	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
MCPP	0.0020	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Reference Method: EPA 8321B
Batch ID: P349535

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2120 B
Batch ID: P349504

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P349653

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P349797

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P349798

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P349952

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P349953

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P349656

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P349733

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P349576

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	102		P	85 - 115
Iron	105		P	85 - 115
Magnesium	110		P	85 - 115
Potassium	103		P	85 - 115
Sodium	97.6		P	85 - 115
Zinc	103		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P349576

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	99.3		P	85 - 115
Cadmium	101		P	85 - 115
Chromium	93.5		P	85 - 115
Copper	96.3		P	85 - 115
Lead	95.3		P	85 - 115
Nickel	98.2		P	85 - 115
Silver	97.6		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349624

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	107		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349627

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	106		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349685

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349539

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349540

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P349615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349562

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.3		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349563

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.4		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P349501

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.1		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P349361

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	126		P	40 - 150
Acetaminophen	85.6		P	30 - 150
Bentazon	88.1		P	30 - 150
Carbamazepine	115		P	40 - 150
Diuron	90.5		P	40 - 150
Fenuron	105		P	40 - 150
Fluridone	105		P	40 - 150
Hydrocodone	98.0		P	40 - 150
Imazapyr	108		P	40 - 150
Imidacloprid	98.7		P	40 - 160
Linuron	80.2		P	40 - 150
MCPP	126		P	40 - 150
Primidone	115		P	40 - 150
Pyraclostrobin	86.9		P	40 - 150
Triclopyr	133		P	40 - 150

Reference Method: EPA 8321B
Batch ID: P349535

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	114		P	40 - 150

Reference Method: SM 2120 B
Batch ID: P349504

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.2		P	85 - 115

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 2320 B-97
Batch ID: P349653

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	104		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P349656

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.2		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P349733

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.1		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P349576

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012229	Calcium	106		P	80 - 120
2012229	Iron	107		P	80 - 120
2012229	Magnesium	111		P	80 - 120
2012229	Potassium	105		P	80 - 120
2012229	Sodium	101		P	80 - 120
2012229	Zinc	105		P	80 - 120
2012690	Calcium	105		P	80 - 120
2012690	Iron	110	109	P/P	80 - 120
2012690	Magnesium	114	114	P/P	80 - 120
2012690	Potassium	106	106	P/P	80 - 120
2012690	Sodium	101		P	80 - 120
2012690	Zinc	107	108	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P349576

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012229	Arsenic	102		P	80 - 120
2012229	Cadmium	103		P	80 - 120
2012229	Chromium	95.7		P	80 - 120
2012229	Copper	98.8		P	80 - 120
2012229	Lead	98.2		P	80 - 120
2012229	Nickel	101		P	80 - 120
2012229	Silver	99.0		P	80 - 120
2012690	Arsenic	99.4	104	P/P	80 - 120
2012690	Cadmium	98.8	102	P/P	80 - 120
2012690	Chromium	94.1	97.1	P/P	80 - 120
2012690	Copper	93.8	98.4	P/P	80 - 120
2012690	Lead	94.3	97.8	P/P	80 - 120
2012690	Nickel	96.1	100	P/P	80 - 120
2012690	Silver	96.2	98.8	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349624

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012260	Chloride	105		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349627

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012179	Sulfate	110		P	90 - 110
2012260	Sulfate	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349685

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012208	Ammonia-N	98.2	102	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349539

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012164	Kjeldahl Nitrogen	93.9	98.4	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349540

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012264	Kjeldahl Nitrogen	99.2	98.6	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P349615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012161	NO2NO3-N	99.8	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349562

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012208	Total-P	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349563

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012217	Total-P	98.4	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P349501

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012159	O-Phosphate-P	96.4	97.0	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P349361

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2011588	2,4-D	124	153	P/F	40 - 150
2011588	Acetaminophen	81.1	88.4	P/P	30 - 150
2011588	Bentazon	46.6	45.3	P/P	30 - 150
2011588	Carbamazepine	71.8	68.5	P/P	40 - 150
2011588	Diuron	60.6	47.7	P/P	40 - 150
2011588	Fenuron	87.3	85.3	P/P	40 - 150
2011588	Fluridone	93.2	74.2	P/P	40 - 150
2011588	Hydrocodone	81.9	81.0	P/P	40 - 150
2011588	Imazapyr	101	88.9	P/P	40 - 150
2011588	Imidacloprid	134	149	P/P	40 - 160
2011588	Linuron	48.6	59.1	P/P	40 - 150
2011588	MCPP	121	119	P/P	40 - 150
2011588	Primidone	87.6	82.0	P/P	40 - 150
2011588	Pyraclostrobin	75.3	75.1	P/P	40 - 150
2011588	Triclopyr	121	121	P/P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P349535

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2011995	Sucralose	111	109	P/P	40 - 150

Reference Method: SM 4500 F-C-97
Batch ID: P349656

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012216	Fluoride	97.1	97.7	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P349733

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2012158	Organic Carbon	98.3	96.8	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P349508

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012157	Turbidity	7.66	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P349576

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012690	Calcium	0.100	Spike	P	0 - 20
2012690	Iron	0.552	Spike	P	0 - 20
2012690	Magnesium	0.277	Spike	P	0 - 20
2012690	Potassium	0.331	Spike	P	0 - 20
2012690	Sodium	0.689	Spike	P	0 - 20
2012690	Zinc	0.608	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P349576

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012690	Arsenic	4.00	Spike	P	0 - 20
2012690	Cadmium	3.50	Spike	P	0 - 20
2012690	Chromium	3.10	Spike	P	0 - 20
2012690	Copper	4.68	Spike	P	0 - 20
2012690	Lead	3.61	Spike	P	0 - 20
2012690	Nickel	3.90	Spike	P	0 - 20
2012690	Silver	2.68	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349624

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012179	Chloride	7.23	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P349627

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012179	Sulfate	8.04	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P349685

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012208	Ammonia-N	2.55	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349539

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012164	Kjeldahl Nitrogen	3.01	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P349540

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012264	Kjeldahl Nitrogen	0.371	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P349615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012161	NO2NO3-N	1.05	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349562

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012208	Total-P	0.249	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P349563

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012217	Total-P	3.19	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P349501

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012159	O-Phosphate-P	0.496	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P349361

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2011588	2,4-D	14.7	Spike	P	0 - 30
2011588	Acetaminophen	8.52	Spike	P	0 - 30
2011588	Bentazon	2.31	Spike	P	0 - 30
2011588	Carbamazepine	4.61	Spike	P	0 - 30
2011588	Diuron	21.9	Spike	P	0 - 30
2011588	Fenuron	2.34	Spike	P	0 - 30
2011588	Fluridone	9.41	Spike	P	0 - 30
2011588	Hydrocodone	1.06	Spike	P	0 - 30
2011588	Imazapyr	4.03	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P349361

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2011588	Imidacloprid	6.51	Spike	P	0 - 30
2011588	Linuron	19.4	Spike	P	0 - 30
2011588	MCP	1.76	Spike	P	0 - 30
2011588	Primidone	6.60	Spike	P	0 - 30
2011588	Pyraclostrobin	0.342	Spike	P	0 - 30
2011588	Triclopyr	0.157	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P349535

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2011995	Sucralose	1.55	Spike	P	0 - 30

Reference Method: SM 2120 B
Batch ID: P349504

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012160	Color (true)	1.27	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P349653

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012216	Total Alkalinity	0.170	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
Batch ID: P349797

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012021	TDS	0.962	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P349798

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012210	TDS	2.30	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P349656

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012216	Fluoride	0.476	Spike	P	0 - 3.5

Quality Assurance Report Precision

Reference Method: SM 5310 B-00
Batch ID: P349733

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2012158	Organic Carbon	1.22	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2012227
Field Sample ID: G3SE0001

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	113	P	30 - 160
EPA 8321B	Acetaminophen-d4	85.8	P	30 - 160
EPA 8321B	Carbamazepine-d10	56.3	P	30 - 160
EPA 8321B	Diuron-d6	56.2	P	30 - 160
EPA 8321B	Primidone-d5	71.5	P	30 - 160
EPA 8321B	Sucralose-d6	93.0	P	40 - 160

Lab Sample ID: 2012228
Field Sample ID: G3SE0030

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	107	P	30 - 160
EPA 8321B	Acetaminophen-d4	78.1	P	30 - 160
EPA 8321B	Carbamazepine-d10	72.9	P	30 - 160
EPA 8321B	Diuron-d6	64.0	P	30 - 160
EPA 8321B	Primidone-d5	97.2	P	30 - 160
EPA 8321B	Sucralose-d6	94.8	P	40 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A85560

Included Lab Sample IDs: 2012207, 2012210, 2012213, 2012216

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	103	P/P	90 - 110
Sulfate	100	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A85616

Included Lab Sample IDs: 2012209, 2012212, 2012215, 2012218

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.5	97.7	P/P	90 - 110
O-Phosphate-P	98.9	98.5	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A85617

Included Lab Sample IDs: 2012207, 2012210, 2012213, 2012216

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	101	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A85618

Included Lab Sample IDs: 2012207, 2012210, 2012213, 2012216

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	103	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A85666

Included Lab Sample IDs: 2012211, 2012214

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A85667

Included Lab Sample IDs: 2012208, 2012211, 2012214, 2012217

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	106	101	P/P	90 - 110
Kjeldahl Nitrogen	108	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A85668

Included Lab Sample IDs: 2012208, 2012217

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A85677

Included Lab Sample IDs: 2012208, 2012211, 2012214, 2012217

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A85692

Included Lab Sample IDs: 2012207, 2012210, 2012213, 2012216

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	102	P/P	90 - 110
Total Alkalinity	104	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A85692

Included Lab Sample IDs: 2012207, 2012210, 2012213, 2012216

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A85703

Included Lab Sample IDs: 2012208, 2012211, 2012214, 2012217

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	99.6	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A85708

Included Lab Sample IDs: 2012229, 2012230

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	102	103	P/P	90 - 110
Calcium	103	104	P/P	90 - 110
Iron	101	102	P/P	90 - 110
Iron	102	103	P/P	90 - 110
Magnesium	103	103	P/P	90 - 110
Magnesium	103	104	P/P	90 - 110
Potassium	101	102	P/P	90 - 110
Potassium	102	103	P/P	90 - 110
Sodium	98.3	100	P/P	90 - 110
Sodium	98.4	98.3	P/P	90 - 110
Zinc	105	106	P/P	90 - 110
Zinc	106	106	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A85716

Included Lab Sample IDs: 2012229, 2012230

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	98.3	101	P/P	90 - 110
Cadmium	99.2	100	P/P	90 - 110
Copper	96.6	100	P/P	90 - 110
Lead	97.3	98.5	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A85716

Included Lab Sample IDs: 2012229, 2012230

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Nickel	96.2	100	P/P	90 - 110
Silver	93.8	95.4	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A85729

Included Lab Sample IDs: 2012208, 2012211, 2012214, 2012217

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	99.2	98.6	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A85738

Included Lab Sample IDs: 2012229, 2012230

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chromium	97.4	97.3	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A85787

Included Lab Sample IDs: 2012227, 2012228

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	104	106	P/P	60 - 160
Sucralose	106	104	P/P	60 - 160

Reference Method: EPA 8321B

Run ID: A85823

Included Lab Sample IDs: 2012227, 2012228

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	135	81.7	P/P	50 - 150
Acetaminophen	117	126	P/P	60 - 160
Bentazon	85.1	71.1	P/P	50 - 160
Carbamazepine	110	122	P/P	60 - 160
Diuron	99.6	120	P/P	60 - 150
Fenuron	95.5	104	P/P	60 - 150
Fluridone	98.7	119	P/P	60 - 160
Hydrocodone	94.1	112	P/P	60 - 150
Imazapyr	93.1	89.2	P/P	50 - 150
Imidacloprid	94.2	109	P/P	60 - 150
Linuron	97.9	114	P/P	60 - 150
MCPP	104	106	P/P	50 - 150
Primidone	115	105	P/P	60 - 150
Pyraclostrobin	94.3	101	P/P	60 - 150
Triclopyr	112	112	P/P	50 - 160

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity						7.66	
EPA 200.7 Rev. 4.4	Calcium	102	106	105				0.100
	Iron	105	107	110	109			0.552
	Magnesium	110	111	114	114			0.277
	Potassium	103	105	106	106			0.331
	Sodium	97.6	101	101				0.689
	Zinc	103	105	107	108			0.608
EPA 200.8 Rev. 5.4	Arsenic	99.3	102	99.4	104			4.00
	Cadmium	101	103	98.8	102			3.50
	Chromium	93.5	95.7	94.1	97.1			3.10
	Copper	96.3	98.8	93.8	98.4			4.68
	Lead	95.3	98.2	94.3	97.8			3.61
	Nickel	98.2	101	96.1	100			3.90
	Silver	97.6	99.0	96.2	98.8			2.68
EPA 300.0 Rev. 2.1	Chloride	107	105				7.23	
	Sulfate	106	110	102			8.04	
EPA 350.1 Rev. 2.0	Ammonia-N	99.6	98.2	102				2.55
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	103	93.9	98.4				3.01
	Kjeldahl Nitrogen	100	99.2	98.6				0.371
EPA 353.2 Rev. 2.0	NO2NO3-N	101	99.8	101				1.05
EPA 365.1 Rev. 2.0	Total-P	99.3	100	100				0.249
	Total-P	99.4	98.4	102				3.19
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.1	96.4	97.0				0.496
EPA 8321B	2,4-D	126	124	153				14.7
	Acetaminophen	85.6	81.1	88.4				8.52
	Bentazon	88.1	46.6	45.3				2.31
	Carbamazepine	115	71.8	68.5				4.61
	Diuron	90.5	60.6	47.7				21.9
	Fenuron	105	87.3	85.3				2.34
	Fluridone	105	93.2	74.2				9.41
	Hydrocodone	98.0	81.9	81.0				1.06
	Imazapyr	108	101	88.9				4.03
	Imidacloprid	98.7	134	149				6.51
	Linuron	80.2	48.6	59.1				19.4
	MCPP	126	121	119				1.76
	Primidone	115	87.6	82.0				6.60
	Pyraclostrobin	86.9	75.3	75.1				0.342
	Sucralose	114	111	109				1.55
	Triclopyr	133	121	121				0.157
SM 2120 B	Color (true)	99.2					1.27	
SM 2320 B-97	Total Alkalinity	104					0.170	
SM 2540 C-97	TDS						0.962	
	TDS						2.30	
SM 4500 F-C-97	Fluoride	99.2	97.1	97.7				0.476
SM 5310 B-00	Organic Carbon	96.1	98.3	96.8				1.22

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2012207, 2012210, 2012213, 2012216
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2012229, 2012230

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2012229, 2012230
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2012207, 2012210, 2012213, 2012216
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2012207, 2012210, 2012213, 2012216
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2012208, 2012211, 2012214, 2012217
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2012208, 2012211, 2012214, 2012217
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2012208, 2012211, 2012214, 2012217
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2012208, 2012211, 2012214, 2012217
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2012209, 2012212, 2012215, 2012218
EPA 8321B / E31780	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2012227, 2012228
EPA 8321B / E31780	Water soluble organic compounds by HPLC/MS/MS	2012227, 2012228
SM 2120 B / E31780	True Color measured at 450 nm	2012207, 2012210, 2012213, 2012216
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	2012207, 2012210, 2012213, 2012216
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2012207, 2012210, 2012213, 2012216
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2012207, 2012210, 2012213, 2012216
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2012207, 2012210, 2012213, 2012216
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2012208, 2012211, 2012214, 2012217

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/01/2018			08/01/2018 14:45	William L. Brown IV	2012207, 2012210, 2012213, 2012216
EPA 200.7 Rev. 4.4	08/01/2018	08/02/2018 15:20	Elliott D. Healy	08/03/2018 17:20	Betina Topolski	2012229
	08/01/2018	08/02/2018 15:20	Elliott D. Healy	08/03/2018 18:04	Betina Topolski	2012230
EPA 200.8 Rev. 5.4	08/01/2018	08/02/2018 15:20	Elliott D. Healy	08/06/2018 19:18	Allison Taylor	2012229
	08/01/2018	08/02/2018 15:20	Elliott D. Healy	08/06/2018 19:37	Allison Taylor	2012230
	08/01/2018	08/02/2018 15:20	Elliott D. Healy	08/07/2018 19:29	Allison Taylor	2012229
	08/01/2018	08/02/2018 15:20	Elliott D. Healy	08/07/2018 19:42	Allison Taylor	2012230
EPA 300.0 Rev. 2.1	08/01/2018			08/03/2018 19:07	Lipi Saha	2012207
	08/01/2018			08/03/2018 19:19	Lipi Saha	2012210
	08/01/2018			08/03/2018 19:31	Lipi Saha	2012213
	08/01/2018			08/03/2018 19:43	Lipi Saha	2012216
EPA 350.1 Rev. 2.0	08/01/2018			08/06/2018 14:12	Julia Storbeck	2012208
	08/01/2018			08/06/2018 14:18	Julia Storbeck	2012211
	08/01/2018			08/06/2018 14:19	Julia Storbeck	2012214
	08/01/2018			08/06/2018 14:21	Julia Storbeck	2012217
EPA 351.2 Rev. 2.0	08/01/2018	08/02/2018 11:00	Adrian Shelby	08/03/2018 09:54	Joseph Suarez	2012208
	08/01/2018	08/02/2018 11:00	Adrian Shelby	08/03/2018 09:56	Joseph Suarez	2012211
	08/01/2018	08/02/2018 11:00	Adrian Shelby	08/03/2018 10:04	Joseph Suarez	2012214
	08/01/2018	08/02/2018 11:00	Adrian Shelby	08/03/2018 10:05	Joseph Suarez	2012217
EPA 353.2 Rev. 2.0	08/01/2018			08/03/2018 12:37	Lauren Bottorf	2012208
	08/01/2018			08/03/2018 12:38	Lauren Bottorf	2012211
	08/01/2018			08/03/2018 12:39	Lauren Bottorf	2012214
	08/01/2018			08/03/2018 12:41	Lauren Bottorf	2012217
EPA 365.1 Rev. 2.0	08/01/2018	08/02/2018 11:50	Sima Feizi	08/03/2018 09:48	Beverly Y. Sanders	2012211
	08/01/2018	08/02/2018 11:50	Sima Feizi	08/03/2018 09:51	Beverly Y. Sanders	2012214
	08/01/2018	08/02/2018 11:50	Sima Feizi	08/03/2018 11:14	Beverly Y. Sanders	2012208
	08/01/2018	08/02/2018 11:50	Sima Feizi	08/03/2018 11:15	Beverly Y. Sanders	2012217
EPA 365.1 Rev. 2.0 dissolved	08/01/2018			08/01/2018 15:26	Julia Storbeck	2012209
	08/01/2018			08/01/2018 15:32	Julia Storbeck	2012212, 2012215
	08/01/2018			08/01/2018 15:33	Julia Storbeck	2012218
EPA 8321B	08/01/2018	08/02/2018 09:00	Hoor Shaik	08/11/2018 02:49	Juyoung Kim	2012227
	08/01/2018	08/02/2018 09:00	Hoor Shaik	08/11/2018 03:24	Juyoung Kim	2012228
	08/01/2018	08/02/2018 09:00	Hoor Shaik	08/12/2018 14:00	Juyoung Kim	2012227
	08/01/2018	08/02/2018 09:00	Hoor Shaik	08/12/2018 14:35	Juyoung Kim	2012228
	08/01/2018	08/03/2018 09:00	Mohammad Ghaffari	08/09/2018 06:10	Mohammad Ghaffari	2012227
	08/01/2018	08/03/2018 09:00	Mohammad Ghaffari	08/09/2018 06:39	Mohammad Ghaffari	2012228
SM 2120 B	08/01/2018			08/01/2018 16:32	Tanya Welborn	2012207
	08/01/2018			08/01/2018 16:33	Tanya Welborn	2012210, 2012213
	08/01/2018			08/01/2018 16:34	Tanya Welborn	2012216
SM 2320 B-97	08/01/2018			08/03/2018 06:44	Dale L. Simmons	2012216

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 2320 B-97	08/01/2018			08/03/2018 07:40	Dale L. Simmons	2012207
	08/01/2018			08/03/2018 07:51	Dale L. Simmons	2012210
	08/01/2018			08/03/2018 08:01	Dale L. Simmons	2012213
SM 2540 C-97	08/01/2018			08/03/2018 16:45	Yijie Li	2012207, 2012210, 2012213, 2012216
SM 2540 D-97	08/01/2018			08/03/2018 16:45	Yijie Li	2012207, 2012210, 2012213, 2012216
SM 4500 F-C-97	08/01/2018			08/03/2018 06:37	Dale L. Simmons	2012216
	08/01/2018			08/03/2018 07:40	Dale L. Simmons	2012207
	08/01/2018			08/03/2018 07:51	Dale L. Simmons	2012210
SM 5310 B-00	08/01/2018			08/03/2018 08:01	Dale L. Simmons	2012213
	08/01/2018			08/06/2018 19:01	Megan Treadwell	2012208
	08/01/2018			08/06/2018 19:14	Megan Treadwell	2012211
	08/01/2018			08/06/2018 19:28	Megan Treadwell	2012214
	08/01/2018			08/06/2018 19:42	Megan Treadwell	2012217