

RQ 2018-05-14-57

Log-in Checklist

Login Station ID: #2Shipping Method: FedEx | UPS | HD | Greyhound | _____Date/Time of Receipt: 5-17-18/10104

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1.7	6		✓			
Red	1.3	6		✓			
Red	0.4	18		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No ✓ Date _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No ✓ If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes ✓ No _____ **Containers intact? Yes ✓ No _____

**Sufficient Sample Volume: Yes ✓ No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		✓	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No _____ NA _____ Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA ✓ Init: SR

Coolers Unpacked/Checked by: SR Date: 5-17-18 NCRs (Y/N)? N

Event ID: SE-DIST-2018-05-17-01 NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10-30-18
pH Paper 0 – 13 Lot #	222516 EXP:8-15-19
Chlorine Test Strips Lot #	033117L EXP:03/21

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

SMP- Okeechobee Run

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SE-DIST

Requester: Matt Sewell

Field Report Prepared By:

Jessica Endicott

Project ID: SMP

Collected By:

Jessica Endicott, New Liddick
Alexander Mirabada

Sampling Agency:

21FLWPB

Location: Otter Creek @ 441 WIN ID/Field ID:  G1SE0007 Latitude <u>27.4011</u> ☒ dd ☐ dms Longitude <u>-80.815</u> ☒ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>05/16/2018</u> Time <u>10:20</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) <u>A</u>	
	Matrix (type, e.g., Salt, Fresh, etc) <u>fresh</u>		Diss. Oxygen <u>3.57</u>	☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
	Temp (C) <u>23.3</u>	pH <u>6.67</u>	Sample Depth <u>0.2</u>	☐ ft ☒ m		Sp. Conductance (umho/cm) <u>608</u>
	Salinity (ppt) <u>0.29</u>		Comments			
Location: Otter Creek @ 68 WIN ID/Field ID:  G1SE0003 Latitude <u>27.390626</u> ☒ dd ☐ dms Longitude <u>-80.830232</u> ☒ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>05/16/2018</u> Time <u>10:30</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) <u>A</u>	
	Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>		Diss. Oxygen <u>2.88</u>	☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
	Temp (C) <u>23.9</u>	pH <u>6.17</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m		Sp. Conductance (umho/cm) <u>437.2</u>
	Salinity (ppt) <u>0.20</u>		Comments			
Location: Taylor Creek @ 441 Field ID: G1SE0001 WIN/STORET # Latitude <u>27.29626</u> ☒ dd ☐ dms Longitude <u>-80.827614</u> ☒ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>05/16/2018</u> Time <u>10:40</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) <u>B</u>	
	Matrix (type, e.g., Salt, Fresh, etc) <u>fresh</u>		Diss. Oxygen <u>4.71</u>	☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
	Temp (C) <u>25.3</u>	pH <u>6.62</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m		Sp. Conductance (umho/cm) <u>271.8</u>
	Salinity (ppt) <u>0.13</u>		Comments			
Location: Taylor Creek @ 70 WIN ID/Field ID:  G1SE0011 Latitude <u>27.243883</u> ☒ dd ☐ dms Longitude <u>-80.821716</u> ☒ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>05/16/2018</u> Time <u>11:30</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) <u>B</u>	
	Matrix (type, e.g., Salt, Fresh, etc) <u>fresh</u>		Diss. Oxygen <u>2.69</u>	☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
	Temp (C) <u>24.5</u>	pH <u>6.80</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m		Sp. Conductance (umho/cm) <u>337.9</u>
	Salinity (ppt) <u>0.16</u>		Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Jessica Endicott	05/16/2018/14:15	FedEx	3	SR	5-17-18/10:04

Group: A	Bottle Type: QPCR-P-500ML PCR-FILTER	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: A	Bottle Type: P-250ML-WI-THI SE-FLR-ECQ	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: A	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: P-1L ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: BP-1L CHLSUITE-W	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: QPCR-P-500ML PCR-FILTER	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: P-250ML-WI-THI SE-FLR-ECQ	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: P-500ML W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab _____

SMP- Okeechobee Run

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SE-DIST

Requester: Matt Sewell

Field Report Prepared By: Jessica Endicott

Project ID: SMP

Collected By: Jessica Endicott, Drew Liddick, Alexander Miranda

Sampling Agency: 21 FLWPA

Location: Popash @ 70 WIN ID/Field ID:  Latitude ☒ dd 27.2436833 ☐ dms Longitude ☒ dd -80.8964833 ☐ dms		☐ Comp ☒ Grab Collection (comp begin or grab) Date 05/16/2018 Time 12:25 Eastern Central		☒ Composite end Date Time Diss. Oxygen ☒ mg/L ☐ % sat Total Res. Chlorine (mg/L)		Bottle Group(s) (See pg 2) C
Matrix (type, e.g., Salt, Fresh, etc) Fresh		Temp (C) 26.5 pH 6.06		Sample Depth 0.3 ☐ ft ☒ m Sp. Conductance (umho/cm) 308.8		
Salinity (ppt) 0.15		Comments				
Location: Mosquito Creek @ 70 WIN ID/Field ID:  Latitude ☒ dd 27.253848 ☐ dms Longitude ☒ dd -80.770185 ☐ dms		☐ Comp ☒ Grab Collection (comp begin or grab) Date 05/16/2018 Time 12:55 Eastern Central		☒ Composite end Date Time Diss. Oxygen ☒ mg/L ☐ % sat Total Res. Chlorine (mg/L)		Bottle Group(s) D
Matrix (type, e.g., Salt, Fresh, etc) Fresh		Temp (C) 25.1 pH 6.5		Sample Depth 0.2 ☐ ft ☒ m Sp. Conductance (umho/cm) 225.8		
Salinity (ppt) 0.1		Comments				
Location: Mosquito Creek @ 710 WIN ID/Field ID:  Latitude ☒ dd 27.2369281 ☐ dms Longitude ☒ dd -80.7808677 ☐ dms		☐ Comp ☒ Grab Collection (comp begin or grab) Date 05/16/2018 Time 13:15 Eastern Central		☒ Composite end Date Time Diss. Oxygen ☒ mg/L ☐ % sat Total Res. Chlorine (mg/L)		Bottle Group(s) D
Matrix (type, e.g., Salt, Fresh, etc) Fresh		Temp (C) 25.2 pH 6.70		Sample Depth 0.3 ☐ ft ☒ m Sp. Conductance (umho/cm) 340.9		
Salinity (ppt) 0.16		Comments				
Location: Field ID: WIN/STORET #:		☐ Comp ☐ Grab Collection (comp begin or grab) Date Time Eastern Central		☐ Composite end Date Time Diss. Oxygen ☐ mg/L ☐ % sat Total Res. Chlorine (mg/L)		Bottle Group(s)
Temp (C) pH		Sample Depth ☐ ft ☐ m Sp. Conductance (umho/cm)				
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms Salinity (ppt)		Comments				

Relinquished By: Jessica Endicott	Date/Time: 05/16/2018/14:15	Shipping Method: FedEx	Number of Coolers Shipped: 3	Received By: SR	Date/Time: 5-17-18/10:04
-----------------------------------	-----------------------------	------------------------	------------------------------	-----------------	--------------------------

Group: A	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
Group: A	Bottle Type: SE-FLR-ECQ	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
Group: A	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: SE-FLR-ECQ	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
Group: B	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____

Date of Request: 30-APR-2018
 Created By: SEWELL_M On: 30-APR-2018
 Modified By: SWANSON_C On: 15-MAY-2018
 Customer: SE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southeast District
 Sampling Event: SMP- Okeechobee Run

Send Coolers To:

Phone: (772) 448-5883
 FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Matthew Sewell

Program Module Number: 1306
 Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 15-MAY-2018
 Biology Request Reviewed By: SWANSON_C On: 15-MAY-2018
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 06-MAY-2018
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 14-MAY-2018
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Matthew Sewell

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Sampler Comments:
 Bottle Group A: 3205D
 Bottle Group B: 3205
 Bottle Group C: 3205C
 Bottle Group D: 3203B
 Bottle Group E: 3203A
 Bottle Group F: 3213B
 Bottle Group G: 3213A

 OV Micro > TLH

Bottle Group A (Water) With 2 Samples:

Bottle Type:	Number of Bottles: 2	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: QPCR-P-500ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-1L W-TSS	Number of Bottles: 2 Template: DEFAULT	Preserved With: ICE (SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L CHLSUITE-W	Number of Bottles: 2 Template: DEFAULT	Preserved With: ICE (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: ECOLI-18QT	Number of Bottles: 2 Template: DEFAULT	Preserved With: ICE (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: QPCR-P-500ML PCR-FILTER	Number of Bottles: 2 Template: DEFAULT	Preserved With: ICE (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML W-E8321-DI	Number of Bottles: 2 Template: DEFAULT	Preserved With: ICE (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML W-NH3	Number of Bottles: 2 Template: DEFAULT	Preserved With: ICE And H2SO4 (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L ALKALINITY	Number of Bottles: 1 Template: DEFAULT	Preserved With: ICE (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR Color (true)	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L CHLSUITE-W	Number of Bottles: 1 Template: DEFAULT	Preserved With: ICE (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: ECOLI-18QT	Number of Bottles: 1 Template: DEFAULT	Preserved With: ICE (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML W-NH3	Number of Bottles: 1 Template: DEFAULT	Preserved With: ICE And H2SO4 (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML W-PO4-F	Number of Bottles: 1 Template: DEFAULT	Preserved With: FILTER-ICE (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 2 Samples:

Bottle Type: ECOLI-18QT	Number of Bottles: 2 Template: DEFAULT	Preserved With: ICE (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: QPCR-P-500ML PCR-FILTER	Number of Bottles: 2 Template: DEFAULT	Preserved With: ICE (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML W-E8321-DI	Number of Bottles: 2 Template: DEFAULT	Preserved With: ICE (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group E (Water) With 1 Samples:

Bottle Type: P-1L ALKALINITY	Number of Bottles: 1 Template: DEFAULT	Preserved With: ICE (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices

Bottle Group E (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: CH2ClCOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Bottle Group F (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Bottle Group G (Water) With 1 Samples:

Bottle Group G (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Collert 18 Quanti-Tray method - non-chlorinated water systems

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Do Not Lift Using This Tag

ORIGIN ID: TLHA (772) 467-5574
MATTHEW SEWELL

2199 SOUTH ROCK ROAD

FORT PIERCE, FL 34945
UNITED STATES US

SHIP DATE: 06MAY18
ACTWGT: 20.00 LB MAN
CAD: 0446970/CAFE3111

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(860) 246-8077

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



FedEx

TRK#
0221

4385 5029 1735

36 TLHA

THU - 17 MAY 10:30A
PRIORITY OVERNIGHT

32399
TLH

FL-US



*235120 05/16 552J2/782B/DCA5

Do Not Lift Using This Tag

ORIGIN ID: TLHA (772) 467-5574
MATTHEW SEWELL

2199 SOUTH ROCK ROAD

FORT PIERCE, FL 34945
UNITED STATES US

SHIP DATE: 06MAY18
ACTWGT: 20.00 LB MAN
CAD: 0446970/CAFE3111

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8077

REF:

DEPT:

RMA: III III III



FedEx
Express



40100019101/LT

FedEx

TRK#
0221

4385 5029 1746

36 TLHA



RETURNS MON - FRI
PRIORITY OVERNIGHT

THU - 17 MAY 10:30A
PRIORITY OVERNIGHT

32399

FL-US

TLH

#295120 05/16 552J2/782B/DCA5

FedEx

FedEx

Do Not Lift Using This Tag

ORIGIN ID: TLHA (772) 467-5574
MATTHEW SEWELL

2199 SOUTH ROCK ROAD

FORT PIERCE, FL 34945
UNITED STATES US

SHIP DATE: 06MAY18
ACTWGT: 20.00 LB MAN
CAD: 0446970/CAFE3111

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(860) 245-8077


INU:

PO:

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



TRK# 4385 5029 1757

FedEx

TRK# 4385 5029 1757
0221

36 TLHA

RETURNS MON - FRI

THU - 17 MAY 10:30A T
PRIORITY OVERNIGHT

32399

FL-US

TLH

