

Biological Analysis Report

SE-DIST-2018-10-18-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Pace Analytical Services
3610 Park Central N.
Pompano Beach FL 33064
DOH Accreditation E86240

Event Description: **SMP- Dade**
Request ID: **RQ-2018-10-15-41**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 16-NOV-2018 18:23



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: SNAKE CREEK (EAST) @ FLAMINGO

Collection Date/Time: 10/17/2018 12:00

Field ID: G4SE0023

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2033933	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.9		ug/L	P354001	
		Phaeophytin-a	0.60	U	ug/L	P354001	
		Chlorophyll-a, Uncorrected	2.1		ug/L	P354001	
2033940	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	52		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: SNAKE CREEK (EAST) @ FLAMINGO

Collection Date/Time: 10/17/2018 12:10

Field ID: DUPE

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2033934	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.7	I	ug/L	P354001	
		Phaeophytin-a	0.75	U	ug/L	P354001	
		Chlorophyll-a, Uncorrected	1.7		ug/L	P354001	
2033941	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	52		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: SNAKE CREEK CANAL (NORTH FORK) @ STIRLING

Collection Date/Time: 10/17/2018 12:20

Field ID: G4SE0049

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2033937	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.5		ug/L	P354001	
		Phaeophytin-a	0.69	I	ug/L	P354001	
		Chlorophyll-a, Uncorrected	4.1		ug/L	P354001	
2033945	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	52		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: CUTLER DRAIN (C-100) (CD-6 MIAMI-DADE)

Collection Date/Time: 10/17/2018 13:30

Field ID: G4SECD06

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2033944	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	1210		MPN/100 mL		

Sample Location: MIAMI (C-6 @ S26)

Collection Date/Time: 10/17/2018 14:15

Field ID: G4SE0024

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2033935	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.6		ug/L	P354001	
		Phaeophytin-a	0.60	U	ug/L	P354001	
		Chlorophyll-a, Uncorrected	2.8		ug/L	P354001	
2033938	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P352839	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Field ID: G4SE0024

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2033942	Enterolert/QT	Enterococci-Quanti-Tray	31		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: WAGNER CREEK (WC-02)

Collection Date/Time: 10/17/2018 15:10

Field ID: G4SEWC02

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2033936	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.55	U	ug/L	P354001	
		Phaeophytin-a	0.60	U	ug/L	P354001	
		Chlorophyll-a, Uncorrected	0.40	U	ug/L	P354001	
2033939	SOP-PCR-1.0	HF183-qPCR**	2.58E+03		GEU/100 mL	P352839	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				
2033943	Enterolert/QT	Enterococci-Quanti-Tray	30		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P354001

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.76	U	ug/L
Chlorophyll-a, Uncorrected	0.55	U	ug/L
Phaeophytin-a	0.82	U	ug/L

Reference Method: SOP-PCR-1.0

Batch ID: P352839

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P354001

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	101		P	84 - 116

Reference Method: SOP-PCR-1.0

Batch ID: P352839

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	110	130	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P352839

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2028729	HF183-qPCR	100		P	50 - 175
2029548	HF183-qPCR	103		P	50 - 175
2032519	HF183-qPCR	95.7		P	50 - 175
2032845	HF183-qPCR	99.4		P	50 - 175
2032846	HF183-qPCR	102	96.0	P/P	50 - 175
2032847	HF183-qPCR	79.5		P	50 - 175
2032848	HF183-qPCR	84.4		P	50 - 175
2032849	HF183-qPCR	104		P	50 - 175
2033938	HF183-qPCR	99.7		P	50 - 175
2033939	HF183-qPCR	108		P	50 - 175
2034669	HF183-qPCR	103		P	50 - 175
2034670	HF183-qPCR	95.3		P	50 - 175
2034671	HF183-qPCR	100		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
 Batch ID: P354001

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2034062	Chlorophyll-a, Corrected	0.567	Sample	P	0 - 25
2034062	Chlorophyll-a, Uncorrected	1.50	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
 Batch ID: P352839

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2032846	HF183-qPCR	6.35	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2033938
 Field Sample ID: G4SE0024

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	106	P	50 - 300

Lab Sample ID: 2033939
 Field Sample ID: G4SEWC02

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	114	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	101						0.567	
	Chlorophyll-a, Uncorrected							1.50	
SOP-PCR-1.0	HF183-qPCR	130	110	99.4	102	96.0			6.35
				79.5					

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
Enterolert/QT / E86240	Enterococci by Enterolert Quanti-Tray method by Pace Analytical Services in Pompano Beach	2033942, 2033943
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2033933, 2033934, 2033935, 2033936, 2033937
SM 9223 Quanti-Tray / E86240	Escherichia coli by Quanti-Tray method by Pace Analytical Services in Pompano Beach	2033940, 2033941, 2033944, 2033945
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2033938, 2033939
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	2033938, 2033939

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	10/17/2018	10/17/2018 16:43	Jennifer Mihalic	10/18/2018 16:45	Pace Analytical Pompano	2033942, 2033943
SM 10200 H (mod.)	10/18/2018	10/18/2018 14:10		10/30/2018 07:40	Peterson Janvier	2033933, 2033934, 2033935, 2033936, 2033937
SM 9223 Quanti-Tray	10/17/2018	10/17/2018 16:42	Sarah Menz Angela Smith	10/18/2018 12:23	Pace Analytical Pompano	2033940, 2033941, 2033944, 2033945
SOP-PCR-1.0	10/18/2018	10/18/2018 14:15		10/22/2018 11:48	Mailin Lopez	2033938, 2033939
SOP-PCR-4.0	10/18/2018	10/18/2018 14:15		11/08/2018 10:32	Sarah Menz	2033938, 2033939