

Biological Analysis Report

SE-DIST-2018-11-01-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Pace Analytical Services
3610 Park Central N.
Pompano Beach FL 33064
DOH Accreditation E86240

Event Description: **SMP- Dade**
Request ID: **RQ-2018-10-29-19**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 12-DEC-2018 16:19



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Snake Creek Canal (North Fork) @ Stirling

Collection Date/Time: 10/31/2018 11:50

Field ID: G4SE0049

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2038162	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.5		ug/L	P354653	
		Phaeophytin-a	1.2	I	ug/L	P354653	
		Chlorophyll-a, Uncorrected	5.4		ug/L	P354653	

Sample Location: Snake Creek Canal (North Fork) @ Stirling

Collection Date/Time: 10/31/2018 11:50

Field ID: DUPE

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2038159	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.3		ug/L	P354653	
		Phaeophytin-a	1.0	I	ug/L	P354653	
		Chlorophyll-a, Uncorrected	5.0		ug/L	P354653	

Sample Location: Wagner Creek ((WC-02)

Collection Date/Time: 10/31/2018 14:35

Field ID: G4SEWC02

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2038161	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.4		ug/L	P355033	
		Phaeophytin-a	0.60	U	ug/L	P355033	
		Chlorophyll-a, Uncorrected	4.6		ug/L	P355033	
2038164	SOP-PCR-1.0	HF183-qPCR**	2.73E+03	A	GEU/100 mL	P353540	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				
2038168	Enterolert/QT	Enterococci-Quanti-Tray	20		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Miami (C-6) @ S26

Collection Date/Time: 10/31/2018 15:15

Field ID: G4SE0024

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2038160	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.56	I	ug/L	P354653	
		Phaeophytin-a	0.60	U	ug/L	P354653	
		Chlorophyll-a, Uncorrected	0.48	I	ug/L	P354653	
2038163	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P353540	
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P353540	
	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				
2038167	Enterolert/QT	Enterococci-Quanti-Tray	20		MPN/100 mL		

Ref. Method and Comment:

SOP-PCR-1.4: Precision data unavailable for Analysis Batch A87551

Quality Assurance Report

Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P354653

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P354653

Component	Result	Code	Units
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.60	U	ug/L

Reference Method: SM 10200 H (mod.)
Batch ID: P355033

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.60	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P353540

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P353540

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P354653

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	103		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P355033

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	103		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P353540

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	117	170	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P353540

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	102	156	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P353540

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2030526	HF183-qPCR	104		P	50 - 175
2030527	HF183-qPCR	113		P	50 - 175
2030628	HF183-qPCR	112		P	50 - 175
2030629	HF183-qPCR	108		P	50 - 175
2031964	HF183-qPCR	110		P	50 - 175
2031965	HF183-qPCR	98.7		P	50 - 175
2031970	HF183-qPCR	115		P	50 - 175
2038163	HF183-qPCR	124		P	50 - 175
2038164	HF183-qPCR	117	111	P/P	50 - 175
2038796	HF183-qPCR	91.2		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P353540

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2030527	BacR-qPCR	88.5		P	50 - 175
2030628	BacR-qPCR	74.0		P	50 - 175
2031964	BacR-qPCR	75.3		P	50 - 175
2031970	BacR-qPCR	70.6		P	50 - 175
2036857	BacR-qPCR	82.4		P	50 - 175
2038163	BacR-qPCR	76.9		P	50 - 175
2038796	BacR-qPCR	59.6		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)

Batch ID: P354653

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2038277	Chlorophyll-a, Corrected	3.25	Sample	P	0 - 25
2038277	Chlorophyll-a, Uncorrected	2.66	Sample	P	0 - 25
2038277	Phaeophytin-a	2.44	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)

Batch ID: P355033

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2039373	Chlorophyll-a, Corrected	0.0205	Sample	P	0 - 25
2039373	Chlorophyll-a, Uncorrected	0.134	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0

Batch ID: P353540

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2038164	HF183-qPCR	4.98	Spike	P	0 - 25

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2038163
Field Sample ID: G4SE0024

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	111	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	146	P	50 - 300

Lab Sample ID: 2038164
Field Sample ID: G4SEWC02

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	104	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	103						3.25	
	Chlorophyll-a, Corrected	103						0.0205	
	Chlorophyll-a, Uncorrected							2.66	
	Chlorophyll-a, Uncorrected							0.134	
	Phaeophytin-a							2.44	
SOP-PCR-1.0	HF183-qPCR	170	117	104	113	112			4.98
				108					
SOP-PCR-1.4	BacR-qPCR	156	102	88.5	74.0	75.3			
				70.6					

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
Enterolert/QT / E86240	Enterococci by Enterolert Quanti-Tray method by Pace Analytical Services in Pompano Beach	2038167, 2038168
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2038159, 2038160, 2038161, 2038162
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2038163, 2038164
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2038163
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	2038163, 2038164

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	10/31/2018	10/31/2018 18:18		11/01/2018 18:52	Pace Analytical Pompano	2038167, 2038168
SM 10200 H (mod.)	11/01/2018	11/01/2018 14:30	Kara Sprague	11/13/2018 11:25	Peterson Janvier	2038159, 2038160, 2038162
	11/01/2018	11/01/2018 14:30	Kara Sprague	11/13/2018 17:15	Peterson Janvier	2038161
SOP-PCR-1.0	11/01/2018	11/01/2018 12:45	Sarah Menz	11/05/2018 15:31	Mailin Lopez	2038163, 2038164
SOP-PCR-1.4	11/01/2018	11/01/2018 12:45	Sarah Menz	11/06/2018 10:40	Mailin Lopez	2038163
SOP-PCR-4.0	11/01/2018	11/01/2018 12:45	Angela Smith	11/27/2018 08:52	Sarah Menz	2038163, 2038164