



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

April 2018

Data Qualified?

Yes / No

WIN Station Name: Ochlockonee River Upstream of Old Bainbridge Rd.

Date: 6/12/18

(mm/dd/yyyy)

WIN/ Field ID: G1WA0071

WBID: 1297E

Latitude: 30.5864

County: Leon

ORG ID: 21FLWQA

Longitude: -84.3571

(Decimal Degrees)

Receiving Body of Water: Lake Iamonia

RQ-2018- 06-04-38

(Decimal Degrees)

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment			
Curtis Musson					X	X	X		☒ Sample Container	☐ Van Dorn	☐ Pole	
Blake Spencer				X		X			☐ Carboy	☒ Syringe		
									☐ Dipper	☐ Other		
									Depth Measured with <u>YST</u>			
									Equipment ID <u>Bio/legy #2</u>			
									Collection Method			
									☐ Wading	☒ Canoe/Kayak		
									☐ From Shore	☒ Electric Motor		
									☐ Other	☐ Gasoline Motor		
Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded				Meter ID# <u>Biology #2</u>				Matrix: <u>Fresh</u> Marine / DI				
Photos: Yes / <u>No</u>				Flow: No Flow / Intestinal / <u>Flowing</u> / NA				Tide: Rising/ Falling/ Slack/ <u>NA</u>				
Tide Times: High <u>NA</u> Low <u>NA</u>												
Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)		
EST	1050	2.6	0.3	0.3	5.81	69.8	6.76	0.05	106	24.54		
CEN	1053		2.1		5.67	68.0	6.65	0.05	106	24.51		
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other: <u>1999406</u>												
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#: <u>19999020</u>												
Parameter Suite	Parameter Methods				Preservation	Lot#	Expiration	pH Check				
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4	SA7341020	12/7/18	☒ <2				
Metals	☒ W-ICPMS ☒ W-ICP				☒ Ice ☒ HNO3	NA7341010	12/7/18	☒ <2				
Filtered Nutrients	☒ W-PO4-F ☐ Field Filtered 0.45 µm Filter				☒ Ice	10827054						
Chlorophyll	☒ CHLSUITE-W				☒ Ice							
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice							
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY				☐ Ice							
Macroinvertebrates	☐ MI-FW-QIDC				☐ Formalin							
Periphyton	☐ ALGAE-ID				☐ Ice							
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci				☒ Ice							
Molecular	☐ PCR-FILTER ☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-GFD				☐ Ice							
Tracers	☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice							
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI				☐ Ice							
	☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA				☐ Other							

Contains 1:1 H2SO4
Lot No.: SA7341020
Expires: 12/07/18
See Safety Data Sheet (SDS)

Contains 1:1 Nitric Acid
NA-7341010
EXP: 12/7/18
See SDS

Notes:

Kit-C
FW Bact

Ochlockonee River
Upstream of
Old Bainbridge

WIN ID / FIELD ID

G1WA0071

Signature:

Date:

Enter Field Parameters, Verify Station ID in LIMS DMT:

QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets

Migrate Data to WIN:

Verify Data in WIN:

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there is qualified data on this name.

Meter ID: Biology #2

RQ: 2018-06-04-38
2018-06-11-29

Project: SMP

- Notes: (1) Always wait for meter to stabilize before recording any readings.
(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Circle/Fill In: Lab Calibration or Calibration/Verification on Site _____

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification _____

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Blake Spencer	6/12/18	0710	21.77	8.777	8.78	100	67.6		P/F	L/F
ICV	Blake Spencer	6/12/18	0711	21.76	8.777	8.78	100	67.6		P/F	L/F
CCV	Blake Spencer	6/12/18	1322	26.93	7.968	8.08	101.1	70.6		P/F	L/F
CCV										P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Optical: DO gain range 0.85 to 1.15; DO charge N/A.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	Blake Spencer	6/12/18	0715	171005D	10/2019	1000	1000	P/F	L/F
ICV	Blake Spencer	6/12/18	0716	171005D	10/2019	1000	1001	P/F	L/F
CCV	Blake Spencer	6/12/18	1326	180326A	04/2019	100	104	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Blake Spencer	6/12/18	0722	171605B	4/2019	7.0	7.00	25.5	P/F	L/F
Calibr.	Blake Spencer	6/12/18	0726	180326C	4/2019	4.0	4.00	197.6	P/F	L/F
Calibr.	Blake Spencer	6/12/18	0734	171605C	4/2019	10.0	9.98	-139.3	P/F	L/F
ICV	Blake Spencer	6/12/18	0738	171605C	4/2019	10.0	9.98	-139.0	P/F	L/F
CCV	Blake Spencer	6/12/18	1329	180326C	4/2019	4.0	3.87	206.9	P/F	L/F
CCV									P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Is meter equipped with depth sensor? Yes / No If yes, list date of last quarterly depth verification _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value meters	Pass / Fail	Lab / Field
Pressure mode in air						P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

CDD, Godby, 3Pole, Ocklock, Harbinwood

last revised Jan 25, 2018

Customer: WAS-SECT

Requester: Curtis Musson

Field Report Prepared By: Blake Spencer

Project ID: SMP

Collected By: Blake Spencer & Curtis Musson

Sampling Agency: FSEP

Location		WIN ID / FIELD ID		Collection (comp begin or grab)		Composite end		Bottle Group(s)	
Field ID	Ochlockonee River			Date	6/12/18	Time	1050	A	
WIN/STORET #	Upstream of Old Brainbridge			Matrix (type, e.g., Salt, Fresh, etc)	Fresh				
Latitude	30.5864	dd	Longitude	-84.3571	dms	Temp (C)	24.54	pH	6.70
		☒ dd			☐ dms	Salinity (ppt)	0.05	Sample Depth	0.3
		☐ dms						Sp. Conductance (umho/cm)	105
Location		WIN ID / FIELD ID		Collection (comp begin or grab)		Composite end		Bottle Group(s)	
Field ID	Ochlockonee River			Date	6/12/18	Time	1200	A	
WIN/STORET #	Upstream of Tower Rd			Matrix (type, e.g., Salt, Fresh, etc)	Fresh				
Latitude	30.52967	dd	Longitude	-84.38896	dms	Temp (C)	24.74	pH	6.21
		☒ dd			☐ dms	Salinity (ppt)	0.05	Sample Depth	0.3
		☐ dms						Sp. Conductance (umho/cm)	105
Location		WIN ID / FIELD ID		Collection (comp begin or grab)		Composite end		Bottle Group(s)	
Field ID	Ochlockonee River			Date	6/12/18	Time	1135	A	
WIN/STORET #	Downstream of Tower Rd			Matrix (type, e.g., Salt, Fresh, etc)	Fresh				
Latitude	30.52646	dd	Longitude	-84.38821	dms	Temp (C)	24.72	pH	6.16
		☒ dd			☐ dms	Salinity (ppt)	0.05	Sample Depth	0.3
		☐ dms						Sp. Conductance (umho/cm)	105
Location		WIN ID / FIELD ID		Collection (comp begin or grab)		Composite end		Bottle Group(s)	
Field ID				Date		Time			
WIN/STORET #				Matrix (type, e.g., Salt, Fresh, etc)					
Latitude		dd	Longitude		dms	Temp (C)		pH	
		☒ dd			☐ dms	Salinity (ppt)		Sample Depth	
		☐ dms						Sp. Conductance (umho/cm)	
Location		WIN ID / FIELD ID		Collection (comp begin or grab)		Composite end		Bottle Group(s)	
Field ID				Date		Time			
WIN/STORET #				Matrix (type, e.g., Salt, Fresh, etc)					
Latitude		dd	Longitude		dms	Temp (C)		pH	
		☒ dd			☐ dms	Salinity (ppt)		Sample Depth	
		☐ dms						Sp. Conductance (umho/cm)	

Relinquished By:  Date/Time: 6/12/18 12:48 pm

Shipping Method: Hand delivered

Number of Coolers Shipped: 1

Received By: 

Date/Time: 6/12/18 12:50

Group: A	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 9	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
Group: A	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 9	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
Group: A	Bottle Type: ECOLI-18QT	P-250ML-WO-THI	# of Bottles: 9	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
Group: A	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 9	Preservative: HNO3 NA 7261120 Exp. 9/18/18 NA 7341010 Exp. 12/7/18	Enter Number of Bottles Sent to Lab	3
Group: A	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 9	Preservative: ICE And H2SO4 SA 7341020 Exp. 12/7/18	Enter Number of Bottles Sent to Lab	3
Group: A	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 9	Preservative: Filter Lot # 10827054 FILTER-ICE	Enter Number of Bottles Sent to Lab	3
Group: B	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: B	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: PCR-FILTER	QPCR-P-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: PCR-FILTER	BG-500ML	# of Bottles: 1	Preservative: CH2ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	0

Group: C	Bottle Type: W-CARB-AA	BG-500ML	# of Bottles: 1	Preservative: CH ₂ ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: W-CT-CI-R W-PCL-SQ-R	BG-500ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: C	Bottle Type: W-PSNP-TQ	BG-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: D	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO ₄ -IC W-TDS W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: D	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0
Group: D	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 1	Preservative: HNO ₃	Enter Number of Bottles Sent to Lab	0
Group: D	Bottle Type: W-NH ₃ W-NO ₂ NO ₃ W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H ₂ SO ₄	Enter Number of Bottles Sent to Lab	0
Group: D	Bottle Type: W-PO ₄ -F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	0

Date of Request: 07-MAY-2018
 Created By: MUSSON_C On: 07-MAY-2018
 Modified By: SWANSON_C On: 18-MAY-2018
 Customer: WAS-SECT
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District:
 Sampling Event: CDD, Godby, 3Pole, Ocklock, Harbinwood

Send Coolers To:

Phone: 850-245-8453

2600 Blair Stone Rd

Tallahassee, FL 32399

Attn: Curtis Musson

Program Module Number:

Priority: 3

Event Status: R

Criminal Investigation: NO

Chemistry Request Reviewed By: WATTS_J On: 17-MAY-2018

Biology Request Reviewed By: SWANSON_C On: 18-MAY-2018

Sampling Kit Required: YES Ship on: 31-MAY-2018

Sampling Kit Shipped: YES On: 31-MAY-2018

Sampling Kit Packed By: SHAIK_A

Preservatives Needed: NO

Date to Receive Samples: 06-JUN-2018

Received By: SHAIK_A On: 06-JUN-2018

Send Final Report To:

2600 Blair Stone Rd

Tallahassee, FL 32399

Attn: Curtis Musson

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments: Group A: Freshwater Kit, Metals, E.coli
 Group B: Tracers, Markers
 Group C: Pesticides, Markers
 Group D: QC Blank - Nutrients, Metals, Tracers

Bottle Group A (Water) With 9 Samples:

Bottle Type: P-1L	Number of Bottles: 9	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 9	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 9	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML	Number of Bottles: 9	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		

Bottle Group A (Water) With 9 Samples:

Bottle Type: P-500ML	Number of Bottles: 9	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		

Bottle Type: P-500ML	Number of Bottles: 9	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 9	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: CH2ClCOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-Cl-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS
Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: HNO3
 W-ICP Template: (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Calcium
 Chromium
 Iron
 Magnesium
 Nickel
 Potassium
 Sodium
 Zinc

W-ICPMS Template: (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Arsenic
 Cadmium
 Copper
 Lead
 Silver

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
 W-TOC Template: DEFAULT (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 1 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.