



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

Data Qualified?

Yes / No

January 2019

WIN Station Name: Enslow Lake CenterDate: 6/11/19WIN/ Field ID: 62NE1195WBID: 2575BLatitude: 29.68464County: PutnamORG ID: 21FLALongitude: 81.94804

Receiving Body of Water: _____

RQ-2018-05-20-12

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Brian Davis									
J. Russell									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☐ Syringe	
☐ Dipper	☐ Other	
Depth Measured with <u>PLO VSS</u>		
Equipment ID <u>0-14047</u>		

Collection Method	
☐ Wading	☒ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / High / FloodedMeter ID# PLO VSSMatrix: Fresh Marine / DIPhotos: Yes / NoFlow: No Flow / Intestinal / Flowing NATide: Rising/ Falling/ Slack NA

Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPTH)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1105	4.0	0.3	1.2	7.60	98.2	4.78	0.01	26.9	28.5
CEN	1110		2.3		3.5	0.30	5.02	0.01	30.2	22.5

Biological Samples Collected: None HA SCI RPS AD Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☐ W-SO4	SA9010030	4/10/20	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☐ Ice	R8KA1278		
Chlorophyll	☒ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci	☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ W-E8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes:

WIN ID/Field ID:



62NE1195

Enslow Lake Center

Signature: [Signature]Date: 6/11/19

LIMS EVENT ID: _____

WIN Import ID: _____

Enter Field Parameters, Verify Station ID in LIMS DMT: _____

QC Station ID, Field Parameters in LIMS DMT: _____

Scan/Save Field Sheets _____

Migrate Data to WIN: _____

Verify Data in WIN: _____

(Initials/Date)

(Initials/Date)

(Initials/Date)

DEP FORM FD 9000-31: LAKE OBSERVATION FIELD SHEET

SAMPLE ID: _____ MACROPHYTE ID: _____ LATITUDE: 29.68469
COUNTY: Putnam Co. STORET #: 62NE1195 LONGITUDE: 81.94804
DATE: 6/11/19 TIME: 1105 SAMPLING AGENCY: _____
SITE NAME: Enslow lake WBID: _____
FIELD ID/NAME: _____ LAKE SIZE: _____ RQ: _____

WATERSHED / LAKESIDE FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category - from GIS) :										LANDSCAPE DEVELOPMENT INTENSITY (100 m buffer)											
Forest/Natural	Silviculture	Field/Pasture	Agricultural	Residential	Commercial	Industrial	Other (Specify)	LDI: _____													
☐	☐	☐	☐	☐	☐	☐	☐	Land Use Source & Year:													
Local Watershed Erosion (select one) : ☒ None ☐ Slight ☐ Moderate ☐ Heavy								Artificially Impounded ☐ Yes ☒ No													
Local Watershed NPS Pollution: ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy																					
STORMWATER INPUTS <u>20</u>		Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation			Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place			Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place			Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place										
		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
LAKESIDE ALTERATIONS <u>18</u>		Very few man-made structures, roads, or other disturbance adjacent to lake (<10% lakeside affected)			Moderate disturbance visible - structures, roads or other (10%-49% lakeside affected)			Many structures, roads or other human disturbance visible (50%-70% lakeside affected)			Highly developed or disturbed (>70% of lakeside affected)										
		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
BUFFER ZONE <u>20</u>		Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer			89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer			50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer			< 29% of shoreline with >18m buffer										
		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

WATER / SUBSTRATE / BIOLOGICAL: SAMPLES AND OBSERVATIONS

Water: Nutrient Sample Taken? ☒ Yes ☐ No Preserved? ☒ Yes ☐ No pH < 2 ☐ No Color Sample Taken? ☒ Yes ☐ No Lot # _____ Exp. Date: _____ Alkalinity Sample Taken? ☒ Yes ☐ No Water Level ☐ Low ☐ Normal ☐ High										Water Odors: ☒ Normal ☐ Sewage ☐ Petroleum ☐ Other _____									
Meter Readings: Top: Depth (M) <u>1.2</u> Temp. (°C) <u>24.9</u> pH (SU) <u>4.74</u> D.O. (MG/L) <u>7.60</u> D.O. Sat. (%) <u>98.2</u> Cond. (UMHO/CM) <u>27</u> Salinity (PPT) <u>0.01</u> Mid-Depth: _____ Bottom: <u>4.0</u>										Water Surface Oils: ☒ None ☐ Sheen/Slick ☐ Glob ☐ Other _____									
Meter ID: _____										Clarity: ☒ Clear ☐ Opaque ☐ Turbid ☐ Slightly Turbid Color: ☐ Clear ☒ Tannic ☐ Green									
Sediment Type: (may check more than one) ☒ Sandy ☐ Organic fibrous (peaty, CPOM) ☐ Sand/Silt ☐ Organic smooth (muck) Sample Taken? ☐ Yes ☐ No ☐ Vegetated ☐ Other (Specify): _____										Sediment Odors: ☒ Normal ☐ Anaerobic ☐ Other (Specify): _____									
Biological Communities: LVI Conducted? ☒ Yes ☐ No Phytoplankton Sample Taken? ☐ Yes ☒ No Sample Preserved? ☒ Yes ☐ No Lot #: _____ Exp Date: _____ Algal Bloom/Algal ID Sample Taken? Yes No Active Vegetation Mgmt? ☐ Yes ☐ No ☐ Don't Know										Abundance: Absent Rare Common Abundant Periphyton ☐ ☐ ☒ ☐ Nuisance Plants ☒ ☐ ☐ ☐ Submersed Plants ☐ ☐ ☒ ☒ Exotic Apple Snails ☒ ☐ ☐ ☐									
Additional Notes:																			
Weather Conditions:																			
SAMPLING TEAM: <u>Jeremy / B. Lewis</u>										SIGNATURE: <u>Jeremy</u>					DATE: <u>6/11/19</u>				

DEP Form FD 9000-6: Lake Habitat Assessment Field Sheet

STORET STATION NUMBER:	DATE (M/D/Y): 6/11/19	LAKE NAME: Enslow Lake ^{East}		FIELD ID / NAME:
ECO-REGION:	COUNTY: Loran	SAMPLING LOCATION/DESCRIPTION:		LAKE SIZE:
PARAMETER	No surface inflow or outflow present, very long water residence time, groundwater seepage dominates	Surface water inflow present, but flow is rare, moderate to long water residence time	Surface water inflow and outflow present (or outflow only), sometimes with visible flow, short water residence time	Impounded, hydrology of system artificially controlled
HYDROLOGY	☐	☒	☐	☐
Color	Very clear, uncolored water (benthic sampling appropriate) ☐	Water somewhat tannin stained (benthic sampling appropriate) ☒	Dark, discolored water (water color 20 PCU or higher) ☐	Visibility extremely reduced due to high color ☐
	Optimal	Suboptimal	Marginal	Poor
Secchi	Secchi >3 m	Secchi(m)	3 2.6 2.2 1.8 1.4	1.0 0.9 0.8 0.7 0.6
	Or VOB	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6
Vegetation Quality	Diverse, expected native vegetation (emergent or submersed), less than 5% nuisance taxa	Mostly expected native plants, but moderate growths (6%-20% of lake) of nuisance macrophytes, or more than 50% of lake covered with plants	Large masses (21%-40%) of nuisance macrophytes (e.g., Hydrilla, hyacinth, cattail, etc.) or algal mats	Lake choked (>40%) with nuisance macrophytes (duckweed, hyacinth, etc.) or algal mats, or few plants present at all (e.g., plants removed)
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Stormwater Inputs	Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation	Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place	Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place	Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bottom Substrate Quality	Diverse mixture of sand, detritus, with small amounts of CPOM/mud/muck. SAV may be present	Mixture of sand or clay and detritus with higher % CPOM/mud/muck content. SAV may be present	Moderate layer of CPOM/mud/muck, or hardpacked sand only, or moderate algal growth (mats or Chara) on bottom	Thick deposits of CPOM, or fine detritus and anaerobic muck/mud/silt, or algal growth or nuisance plants (Hydrilla) cover bottom
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Lakeside Adverse Human Alterations	Very few man-made structures, roads, or other disturbance adjacent to lake (<10%)	Moderate disturbance visible (structures, roads or other), 10%-49% lakeside affected	Many structures, roads or other human disturbance visible (50%-70%) lakeside affected	Highly developed or disturbed (>70% of lakeside affected)
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Upland Buffer Zone	Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer	89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer	50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer	< 29% of shoreline with >18m buffer
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Adverse Watershed Land Use	Score the potential effects from adverse human land uses, based on a continuum of amount and type, with least to most adverse as follows: Native vegetation, Silviculture, Pasture or Citrus, Low Density Residential, Row Crops, Commercial, High Density Residential, Urban, Industrial			
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1

TOTAL SCORE	126	COMMENTS:
--------------------	-----	------------------

ANALYSIS DATE: 6/11/19	ANALYST: Jerry Penn	SIGNATURE: Jerry Penn
-------------------------------	----------------------------	------------------------------

DEP FORM FD 9000-27 LAKE VEGETATION INDEX FIELD SHEET

Waterbody: <u>Enslow Lake</u>		County: <u>Putnam co.</u>		Date: <u>6/11/19</u>							
Analyst: <u>Jan</u>		Signature: <u>Jan</u>		STORET: <u>62NE195</u>							
Except where noted as "sp." species level identification required. *Genera that may require lab verification* Plants in bold= FLEPPC invasive exotic.				Lake units sampled (circle one group): 1, 4, 7, 10 <u>2, 5, 8, 11</u> 3, 6, 9, 12							
It is important to note dominant or co-dominant taxa (by areal extent) for each unit. Use "D" to denote dominant taxon, or "C" for the 2 co-dominant taxa.											
SPECIES	2	5	8	11	Collected? (✓)	SPECIES	2	5	8	11	Collected? (✓)
Acer rubrum						Habenaria repens					
Alternanthera philoxeroides						Hydrilla verticillata					
Andropogon sp.	P					Hydrocotyle sp.					
Azolla filiculoides (A. caroliniana)						Hygrophila polysperma					
Baccharis sp.						*Hypericum fasciculatum	P	P	P	P	
Bacopa caroliniana						*Hypericum hypericoides					
Bacopa monnieri						*Hypericum myrtifolium					
Bidens laevis						Ilex cassine					
Bidens mitis						Ipomoea aquatica					
Blechnum serrulatum						Ipomoea sagittata					
Boehmeria cylindrica						Itea virginica					
Brasenia schreberi						Juncus effusus					
Cabomba caroliniana						*Juncus marginatus					
Casuarina equisetifolia						*Juncus megacephalus					
Centella asiatica						Juncus repens					
Cephalanthus occidentalis	P					*Juncus scirpoides					
Ceratophyllum demersum						Lachnanthes caroliniana					
Chara sp.						Leersia hexandra	P	P	P	P	
Cladium jamaicense						Landoltia punctata (Spirodela punctata)					
Cliftonia monophylla						Lemna sp.					
Colocasia esculenta						Leucothoe racemosa (Eubotrys racemosa)					
*Commelina						Limnium spongia					
Crinum americanum						Limnophila sessiliflora					
* Cyperus alternifolius (C. involucreatus)						Liquidamber styraciflua					
Cyperus articulatus						*Ludwigia arcuata <u>suffrutescens</u>	P	P	P		
Cyperus haspan						*Ludwigia leptocarpa					
*Cyperus lecontei	P	P				*Ludwigia linearis					
*Cyperus polystachyos						*Ludwigia octovalvis					
*Cyperus odoratus						* Ludwigia peruviana					
*Cyperus surinamensis						*Ludwigia repens					
Cyrilla racemiflora						*Ludwigia					
Decodon verticillatus						Luziola fluitans (Hydrochloa carolinensis)					
Diodia virginiana						Lyonia lucida					
*Echinochloa crus-galli						Magnolia virginiana					
*Echinochloa muricatum						Mayaca fluviatilis					
Echinochloa walteri						Melaleuca quinquenervia					
Eclipta prostrata (E. alba)						Micranthemum glomeratum					
Egeria densa						Micranthemum umbrosum					
Eichhornia crassipes						Mikania scandens					
*Eleocharis baldwinii						Mimosa pigra					
*Eleocharis						Myrica cerifera	P	P	P	P	
Eleocharis cellulosa											
Eleocharis equisetoides						<u>LYCOPUS</u>					
Eleocharis interstincta						Eleocharis tenuis	P	P			
*Eriocaulon compressum											
*Eriocaulon decangulare											
Eupatorium capillifolium											
*Fuirena											
Fuirena scirpoidea	P	P	P	P							
Gordonia lasianthus											

FORM FD 9000-27: LAKE VEGETATION INDEX FIELD SHEET

Site:					Date:						
SPECIES	2	5	8	11	Collected? (✓)	SPECIES	2	5	8	11	Collected? (✓)
Myriophyllum aquaticum						Salix caroliniana					
*Myriophyllum heterophyllum						Salvinia minima					
*Myriophyllum laxum						Sambucus canadensis					
*Myriophyllum pinnatum						Sapium sebiferum					
Myriophyllum spicatum						Saururus cernuus					
*Najas filifolia						Schinus terebinthifolius					
*Najas guadalupensis						*Schoenoplectus californicus					
*Najas minor						*Schoenoplectus pungens					
Nelumbo lutea						*Schoenoplectus tabernaemontani (Scirpus validus)					
Nitella spp.						Scirpus cubensis (Oxycaryon cubense)					
Nuphar sp.						Scirpus cyperinus					
Nymphaea odorata						*Sesbania					
Nymphoides aquatica						Solidago sp.					
Nyssa sylvatica var. biflora						Sparganium americanum					
Orontium aquaticum						Spartina bakeri					
Osmunda cinnamomea						Spirodela polyrhiza					
Osmunda regalis						Taxodium sp.					
Panicum hemitomon						Thalia geniculata					
Panicum repens						Thelypteris palustris					
Paspalidium geminatum						Triadenum virginicum					
*Paspalum repens						Typha sp.					
Paspalum urvillei						Urochloa mutica (Brachiaria mutica)					
Peltandra sp.						*Utricularia gibba (U. biflora)					
Persea sp.						*Utricularia floridana					
Pennisetum purpureum						*Utricularia foliosa					
Phragmites australis						*Utricularia inflata					
Pinus elliotii						*Utricularia purpurea					
Pistia stratioides						*Utricularia cornuta					
Pluchea sp.						*Utricularia radiata					
*Polygonum glabrum (densiflorum)						Vallisneria americana					
*Polygonum hydropiperoides						*Websteria confervoides					
*Polygonum punctatum						Wedelia trilobata (Sphagneticola trilobata)					
*Polygonum						Wolffiella spp.					
Pontederia cordata						Woodwardia virginica					
*Potamogeton diversifolius						Xyris sp.					
*Potamogeton illinoensis						Zizania aquatica					
*Potamogeton pusillus						Zizaniopsis milacea					
*Potamogeton pectinatus (Stuckenia pectinatus)											
Proserpinaca pectinata											
*Rhexia											
*Rhynchospora corniculata											
*Rhynchospora inundata											
Rhynchospora tracyi											
Ricciocarpus natans											
Sabal palmetto											
Sacciolepis striata											
*Sagittaria filiformis											
*Sagittaria graminea											
*Sagittaria isoetiformis											
Sagittaria lancifolia											
Sagittaria latifolia											
Sagittaria subulata											