

Date of Request: 14-JAN-2019  
 Created By: DAVIS\_B On: 14-JAN-2019  
 Modified By: WATTS\_J On: 24-JAN-2019  
 Customer: NE-DIST  
 Project: SMP  
 Division:  
 District: Northeast District  
 Sampling Event: Continuous Monitoring

**Send Coolers To:**

Phone: 904-807-3300  
 8800 Baymeadows Way West  
 Suite 100  
 Jacksonville, FL 32256  
 Attn: Brian G Davis

Program Module Number:  
 Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 24-JAN-2019  
 Biology Request Reviewed By: WATTS\_J On: 24-JAN-2019  
 Sampling Kit Required: NO Ship on:  
 Sampling Kit Shipped:  
 Sampling Kit Packed By:  
 Preservatives Needed: NO  
 Date to Receive Samples: 21-JAN-2019  
 Received By: KLUG\_K On: 25-JAN-2019

**Send Final Report To:**

8800 Baymeadows Way West  
 Suite 100  
 Jacksonville, FL 32256  
 Attn: Brian G Davis

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: Continuous Monitoring SMP  
 All Groups MARINE, do not send coolers.  
 Group A: Nutrients, Metals, Tracers, Markers, Bacteria  
 Group B: Nutrients, Bacteria  
 Group C: Nutrients, Metals, Bacteria

**Bottle Group A (Water) With 1 Samples:**

|                             |                      |                                                                                                              |
|-----------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L           | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| ALKALINITY                  | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                     |
| Total Alkalinity            |                      |                                                                                                              |
| TURBIDITY                   | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| Turbidity                   |                      |                                                                                                              |
| W-BR-IC                     | Template: DEFAULT    | (EPA 300.0) Bromide in aqueous matrices                                                                      |
| Bromide                     |                      |                                                                                                              |
| W-F                         | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)         |
| Fluoride                    |                      |                                                                                                              |
| W-TSS                       | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample                |
| TSS                         |                      |                                                                                                              |
| Bottle Type: BP-1L          | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                  | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll-a, Corrected    |                      |                                                                                                              |
| Chlorophyll-a, Uncorrected  |                      |                                                                                                              |
| Phaeophytin-a               |                      |                                                                                                              |
| Bottle Type: P-250ML-WI-THI | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| NE-ALS-ENQ                  | Template: DEFAULT    | (ASTM D650399) Enterococci by Enterolert Quanti-Tray Method by ALS Environmental Laboratory in Jacksonville  |
| ENTEROCOCCI-ENTEROLERT      |                      |                                                                                                              |

**Bottle Group A (Water) With 1 Samples:**

Bottle Type: QPCR-P-500ML      Number of Bottles: 1      Preserved With: ICE  
 PCR-HF183      Template: DEFAULT      (SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction

\*HF183-qPCR

Bottle Type: BG-500ML      Number of Bottles: 1      Preserved With: ICE  
 W-E8321-DI      Template:      (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

\*Acesulfame K  
 \*AMPA  
 \*Endothall  
 \*Glufosinate  
 \*Glyphosate  
 \*Ibuprofen  
 \*Sucralose

W-E8321-MS      Template: DEFAULT      (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

\*Acetaminophen  
 \*Carbamazepine  
 \*Fluridone  
 \*Hydrocodone  
 \*Ibuprofen  
 \*Imazapyr  
 \*Naproxen  
 \*Primidone  
 \*Pyraclostrobin  
 \*Triclopyr  
 2,4-D  
 Bentazon  
 Diuron  
 Fenuron  
 Imidacloprid  
 Linuron  
 MCPP

Bottle Type: P-500ML      Number of Bottles: 1      Preserved With: HNO3  
 W-ICP      Template:      (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Iron  
 Magnesium  
 Zinc

W-ICPMS      Template:      (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Aluminum  
 Antimony  
 Arsenic  
 Cadmium  
 Chromium  
 Copper  
 Lead  
 Nickel  
 Selenium  
 Silver  
 Thallium

Bottle Type: P-500ML      Number of Bottles: 1      Preserved With: ICE And H2SO4  
 W-NH3      Template: DEFAULT      (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L

Ammonia-N

W-NO2NO3      Template: DEFAULT      (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L

NO2NO3-N

W-S-A-TP      Template: DEFAULT      (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L

Total-P

W-TKN      Template: DEFAULT      (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Kjeldahl Nitrogen

W-TOC      Template: DEFAULT      (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Organic Carbon

**Bottle Group A (Water) With 1 Samples:**

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |
| O-Phosphate-P        |                      |                                                                                          |

**Bottle Group B (Water) With 1 Samples:**

|                            |                      |                                                                                                              |
|----------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: BP-1L         | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                 | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll-a, Corrected   |                      |                                                                                                              |
| Chlorophyll-a, Uncorrected |                      |                                                                                                              |
| Phaeophytin-a              |                      |                                                                                                              |

|                             |                      |                                                                                                             |
|-----------------------------|----------------------|-------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-250ML-WI-THI | Number of Bottles: 1 | Preserved With: ICE                                                                                         |
| NE-ALS-ENQ                  | Template: DEFAULT    | (ASTM D650399) Enterococci by Enterolert Quanti-Tray Method by ALS Environmental Laboratory in Jacksonville |

ENTEROCOCCI-ENTEROLERT

|                      |                      |                                                                     |
|----------------------|----------------------|---------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                       |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L          |
| Ammonia-N            |                      |                                                                     |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L  |
| NO2NO3-N             |                      |                                                                     |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L |
| Total-P              |                      |                                                                     |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices    |
| Kjeldahl Nitrogen    |                      |                                                                     |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices      |
| Organic Carbon       |                      |                                                                     |

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |
| O-Phosphate-P        |                      |                                                                                          |

|                   |                      |                                                                                                      |
|-------------------|----------------------|------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L | Number of Bottles: 1 | Preserved With: ICE                                                                                  |
| ALKALINITY        | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                          |
| Total Alkalinity  |                      |                                                                                                      |
| TURBIDITY         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                   |
| Turbidity         |                      |                                                                                                      |
| W-BR-IC           | Template: DEFAULT    | (EPA 300.0) Bromide in aqueous matrices                                                              |
| Bromide           |                      |                                                                                                      |
| W-F               | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring) |
| Fluoride          |                      |                                                                                                      |
| W-TSS             | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample        |
| TSS               |                      |                                                                                                      |

**Bottle Group C (Water) With 1 Samples:**

|                   |                      |                                                                                                      |
|-------------------|----------------------|------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L | Number of Bottles: 1 | Preserved With: ICE                                                                                  |
| ALKALINITY        | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                          |
| Total Alkalinity  |                      |                                                                                                      |
| TURBIDITY         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                   |
| Turbidity         |                      |                                                                                                      |
| W-BR-IC           | Template: DEFAULT    | (EPA 300.0) Bromide in aqueous matrices                                                              |
| Bromide           |                      |                                                                                                      |
| W-F               | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring) |
| Fluoride          |                      |                                                                                                      |
| W-TSS             | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample        |
| TSS               |                      |                                                                                                      |

|                            |                      |                                                                                                              |
|----------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: BP-1L         | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                 | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll-a, Corrected   |                      |                                                                                                              |
| Chlorophyll-a, Uncorrected |                      |                                                                                                              |
| Phaeophytin-a              |                      |                                                                                                              |

**Bottle Group C (Water) With 1 Samples:**

|                             |                      |                                                                                                                                                |
|-----------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-250ML-WI-THI | Number of Bottles: 1 | Preserved With: ICE                                                                                                                            |
| NE-ALS-ENQ                  | Template: DEFAULT    | (ASTM D650399) Enterococci by Enterolert Quanti-Tray Method by ALS Environmental Laboratory in Jacksonville                                    |
| ENTEROCOCCI-ENTEROLERT      |                      |                                                                                                                                                |
| Bottle Type: P-125ML        | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                                                                                     |
| W-F-F                       | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride, dissolved, in filtered aqueous matrices, without distillation (not valid for NPDES monitoring)                      |
| Fluoride                    |                      |                                                                                                                                                |
| W-PO4-F                     | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                                                       |
| O-Phosphate-P               |                      |                                                                                                                                                |
| Bottle Type: P-500ML        | Number of Bottles: 1 | Preserved With: HNO3                                                                                                                           |
| W-ICP                       | Template: S-METALS   | (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects |
| Iron                        |                      |                                                                                                                                                |
| Manganese                   |                      |                                                                                                                                                |
| Zinc                        |                      |                                                                                                                                                |
| W-ICPMS                     | Template:            | (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects                    |
| Aluminum                    |                      |                                                                                                                                                |
| Antimony                    |                      |                                                                                                                                                |
| Arsenic                     |                      |                                                                                                                                                |
| Cadmium                     |                      |                                                                                                                                                |
| Chromium                    |                      |                                                                                                                                                |
| Lead                        |                      |                                                                                                                                                |
| Nickel                      |                      |                                                                                                                                                |
| Selenium                    |                      |                                                                                                                                                |
| Silver                      |                      |                                                                                                                                                |
| Thallium                    |                      |                                                                                                                                                |
| Bottle Type: P-500ML        | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                                                                                                  |
| W-NH3                       | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                                                     |
| Ammonia-N                   |                      |                                                                                                                                                |
| W-NO2NO3                    | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                                             |
| NO2NO3-N                    |                      |                                                                                                                                                |
| W-S-A-TP                    | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                                            |
| Total-P                     |                      |                                                                                                                                                |
| W-TKN                       | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                                               |
| Kjeldahl Nitrogen           |                      |                                                                                                                                                |
| W-TOC                       | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                                                 |
| Organic Carbon              |                      |                                                                                                                                                |

\* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.