

RQ- 2019-03-18-08

Log-in Checklist

Login Station ID: #2Shipping Method: FedEx | UPS | HD | GreyhoundDate/Time of Receipt: 3-21-19/10:25

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
-0.1			14		✓			
1.6			17		✓			

* HNO₃ and Formalin preserved samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes _____ No ✓

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____ Date _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No ✓ If yes, is it intact? Yes ✓ No _____

**Caps on tight? Yes ✓ No _____ **Containers intact? Yes ✓ No _____

**Sufficient Sample Volume: Yes ✓ No _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes _____ No _____ Init: _____

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		
W-PFAS-MS					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No _____ NA _____ Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No ✓ NA ✓ Init: SR

Coolers Unpacked/Checked by: SR Date: 3-21-19 NCRs (Y/N)? N

Event ID: LSJR South West Boat
NE-DIST-2019-03-21-01 (SMP)

NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018EXP:4/27/19
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	222516 EXP:08-15-19
Chlorine Test Strips Lot #	8261 EXP: 07/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ☒ _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

LSJR South West Boat

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By: Jeremy Parrish

Project ID: SMP

Collected By: Jeremy ParrishSampling Agency: FD-EP NE REC

Lc	WIN / Field ID		G2NE1184	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/20/19</u> Time <u>1040</u>	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Fi	Little Black Creek 200m above mouth			Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>		Diss. Oxygen <u>5.9</u> ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
W	Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms			Temp (C) <u>17.8</u>	pH <u>6.36</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>89</u>
L	WIN / Field ID		G2NE1185	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/20/19</u> Time <u>1135</u>	Eastern Central	Composite end Date Time	Bottle Group(s)
F	Grog Branch 150m above mouth			Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>		Diss. Oxygen <u>6.3</u> ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
V	Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms			Temp (C) <u>18.2</u>	pH <u>6.44</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>84</u>
Lc	WIN / Field ID		G2NE1127	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/20/19</u> Time <u>1200</u>	Eastern Central	Composite end Date Time	Bottle Group(s)
Fi	South fork Black Creek upstream of North Fork Black CR			Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>		Diss. Oxygen <u>6.47</u> ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
W	Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms			Temp (C) <u>18.0</u>	pH <u>6.54</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>84</u>
Lc	WIN / Field ID		20030304	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/20/19</u> Time <u>1000</u>	Eastern Central	Composite end Date Time	Bottle Group(s)
Fi	Mill Log Cr Downstream of Test Site			Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>		Diss. Oxygen <u>4.7</u> ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
W	Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms			Temp (C) <u>15.9</u>	pH <u>6.08</u>	Sample Depth <u>0.2</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>114</u>

Relinquished By: <u>Jeremy Parrish</u>	Date/Time: <u>3/20/19 1600</u>	Shipping Method: <u>Fedex</u>	Number of Coolers Shipped: <u>2</u>	Received By: <u>SPR</u>	Date/Time: <u>3/21-19/1025</u>
--	--------------------------------	-------------------------------	-------------------------------------	-------------------------	--------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3 ALS
	NE-ALS-ECQ						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	3
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						

LSJR South West Boat

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By: Jeremy Parrish

Project ID: SMP

Collected By: Jeremy ParrishSampling Agency: ALCO NE REC

Lc	WIN / Field ID		20030204	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/20/19</u> Time <u>1015</u>	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)	
Fi	BLACK CR @ RR BRIDGE BELOW MILLLOG CR			Matrix (type, e.g., Salt, Fresh, etc) <u>FRESH</u>		Diss. Oxygen <u>5.54</u>		☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
W				Temp (C) <u>17.8</u>	pH <u>6.23</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>90</u>	<u>B</u>
Latitude		☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) <u>0.04</u>	Comments			
L	Location: Little Black Creek 200m above mouth			☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3-20-19-SR</u> Time <u>1050</u>	Eastern Central	Composite end Date Time	Bottle Group(s)	
F	Field ID: 			Matrix (type, e.g., Salt, Fresh, etc) <u>Field Blank</u>		Diss. Oxygen ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
W	FB 03202019			Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	<u>AC</u>
Latitude		☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			
L	Field ID: 			☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3/20/19</u> Time <u>1045</u>	Eastern Central	Composite end Date Time	Bottle Group(s)	
Fi	Location: Little Black Creek 200m above mouth			Matrix (type, e.g., Salt, Fresh, etc) <u>FRESH</u>		Diss. Oxygen ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
W	WIN ID: 			Temp (C)	pH	Sample Depth	☐ ft ☒ m	Sp. Conductance (umho/cm)	<u>A</u>
Latitude		☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			
Location				☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)	
Field ID				Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)	
WIN/STORET #				Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude		☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments			

Relinquished By: <u>Jeremy Parrish</u>	Date/Time: <u>3/20/19 1600</u>	Shipping Method: <u>redox</u>	Number of Coolers Shipped: <u>2</u>	Received By: <u>SR</u>	Date/Time: <u>3-21-19/10:25</u>
--	--------------------------------	-------------------------------	-------------------------------------	------------------------	---------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3 ALS
	NE-ALS-ECQ						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	3
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						

Group: B	Bottle Type: BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
CHLSUITE-W					
Group: B	Bottle Type: P-250ML-WI-THI	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3 A15
NE-ALS-ECQ					
Group: B	Bottle Type: P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	5
W-NH3					
W-NO2NO3					
W-S-A-TP					
W-TKN					
W-TOC					
Group: B	Bottle Type: P-125ML	# of Bottles: 3	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	3
W-PO4-F					
Group: C	Bottle Type: P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
ALKALINITY					
TURBIDITY					
W-CL-IC					
W-COLOR					
W-F					
W-SO4-IC					
W-TDS					
W-TSS					
Group: C	Bottle Type: P-500ML	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab	1
W-ICP					
W-ICPMS					
Group: C	Bottle Type: P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
W-NH3					
W-NO2NO3					
W-S-A-TP					
W-TKN					
W-TOC					
Group: C	Bottle Type: P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1
W-PO4-F					

CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

9143 Phillips Highway, Ste 200 • Jacksonville, FL 32256 (904) 739-2277 • 800-695-7222 x06 • FAX (904) 739-2011

PAGE 1 OF

SR#

CAS Contract

[illegible]

Date of Request: 29-JAN-2019
 Created By: PARRISH_J On: 29-JAN-2019
 Modified By: JASROTIA_P On: 26-FEB-2019
 Customer: NE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northeast District
 Sampling Event: LSJR South West Boat

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 26-FEB-2019
 Biology Request Reviewed By: JASROTIA_P On: 26-FEB-2019
 Sampling Kit Required: YES Ship on: 08-MAR-2019
 Sampling Kit Shipped: YES On: 04-MAR-2019
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: YES
 Date to Receive Samples: 18-MAR-2019
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Nutrients, Metals, Bacteria
 Group B: Nutrients, Bacteria

NE-ALS-ECQ

Packing Notes:
 1- case of sulfuric acid
 1 - case of nitric acid
 2 - sets of labels for each

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 3	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Laboratory in Jacksonville
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Barium		
Calcium		

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Iron		
Magnesium		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
*Boron		
Aluminum		
Antimony		
Arsenic		
Cadmium		
Chromium		
Copper		
Lead		
Nickel		
Selenium		
Silver		
Thallium		

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 3 Samples:

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 3	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Laboratory in Jacksonville

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L		Number of Bottles: 1	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices	
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm	
Color (true)			
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices	
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices	
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	
Bottle Type: P-500ML		Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	
Barium			
Calcium			
Iron			
Magnesium			
Potassium			
Sodium			
Zinc			
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	
*Boron			
Aluminum			
Antimony			
Arsenic			
Cadmium			
Chromium			
Copper			
Lead			
Nickel			
Selenium			
Silver			
Thallium			
Bottle Type: P-500ML		Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-125ML		Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Do Not Lift Using This Tag

ORIGIN ID: TLHA (904) 807-3300
JEREMY PARRISH
FL DEP NORTHEAST DISTRICT
8800 BAYMEADOWS WAY WEST
SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

SHIP DATE: 04MAR19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 246-8077
PHU:
PO:

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



TRK#
0221 4751 8777 4120

RETURNS MON-FRI
PRIORITY OVERNIGHT

FedEx
TRK#
0221 4751 8777 4120

THU - 21 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FTD 3690753 20MAR19 NRBA 553C1/46D3/0C8A

Using This Tag

ORIGIN ID: TLHA (904) 807-3300
JEREMY PARRISH
FL DEP NORTHEAST DISTRICT
8800 BAYMEADOWS WAY WEST
SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

SHIP DATE: 04MAR19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8077
INU:
PO:

REF:
DEPT:

RMA: 11111111



FedEx
Express



TRK# 4751 8777 4119
0221

RETURNS MON-FRI
PRIORITY OVERNIGHT

FedEx.
TRK# 4751 8777 4119
0221

THU - 21 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FID 3690753 20MAR19 NRBA 553C1/46D3/0C8A