

Biological Analysis Report

NE-DIST-2019-03-26-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
ALS Environmental - Jacksonville
9143 Philips Highway, Suite 200
Jacksonville, FL 32256
DOH Accreditation E82502

Event Description: **LSJR Southside**
Request ID: **RQ-2019-03-25-07**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 22-APR-2019 20:50



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

A - Value reported is the mean of two or more determinations.
B - Results based on colony counts outside the acceptable range.
I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
J - Estimated value and/or the analysis did not meet established quality control criteria.
K - Actual value is known to be less than value given.
L - Actual value is known to be greater than value given.
N - Presumptive evidence of presence of material.
O - Sampled, but analysis lost or not performed.
Q - Sample held beyond normal holding time.
T - Value reported is less than the criterion of detection.
U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
V - Analyte was detected in both sample and method blank.
X - Too few individuals to calculate SCI value.
Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: MILLER CREEK @ SCHUMACHER

Collection Date/Time: 03/25/2019 09:40

Field ID: 20030794

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2072466	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.2	U	ug/L	P361816	
		Phaeophytin-a	1.4	U	ug/L	P361816	
		Chlorophyll-a, Uncorrected	0.90	U	ug/L	P361816	
2072472	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	7700		MPN/100 mL		

Sample Location: MIRAMAR AT SAN JOSE

Collection Date/Time: 03/25/2019 09:10

Field ID: G2NE1164

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2072462	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.5	I	ug/L	P361816	
		Phaeophytin-a	1.4	U	ug/L	P361816	
		Chlorophyll-a, Uncorrected	1.5	I	ug/L	P361816	
2072468	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	295		MPN/100 mL		

Sample Location: BIG POTTSBURG CR BOWDEN RD

Collection Date/Time: 03/25/2019 10:10

Field ID: 20030068

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2072461	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.3	I	ug/L	P361816	
		Phaeophytin-a	1.4	U	ug/L	P361816	
		Chlorophyll-a, Uncorrected	2.0	I	ug/L	P361816	
2072467	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	256		MPN/100 mL		
2072476	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P361000	LCS

Sample Location: DEEP BOTTOM CREEK AT SCOTT MILL RD

Collection Date/Time: 03/25/2019 10:50

Field ID: 20030595

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2072463	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.0	I	ug/L	P361816	
		Phaeophytin-a	1.4	U	ug/L	P361816	
		Chlorophyll-a, Uncorrected	2.0	I	ug/L	P361816	
2072469	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	1420		MPN/100 mL		

Sample Location: CORMORANT BRANCH @ MARBON RD

Collection Date/Time: 03/25/2019 11:15

Field ID: 20030852

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2072464	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.2	U	ug/L	P361816	
		Phaeophytin-a	1.4	U	ug/L	P361816	
		Chlorophyll-a, Uncorrected	0.90	U	ug/L	P361816	
2072470	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	455		MPN/100 mL		

Sample Location: OLDFIELD CR @ JULINGTON CREEK ROAD

Collection Date/Time: 03/25/2019 11:35

Field ID: 20030684

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2072465	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.0	I	ug/L	P361816	
		Phaeophytin-a	1.5	U	ug/L	P361816	
		Chlorophyll-a, Uncorrected	1.9	I	ug/L	P361816	
2072471	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	504		MPN/100 mL		

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
 Batch ID: P361816

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.62	U	ug/L
Chlorophyll-a, Uncorrected	0.45	U	ug/L
Phaeophytin-a	0.68	U	ug/L

Reference Method: SOP-PCR-1.0
 Batch ID: P361000

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
 Batch ID: P361816

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	102		P	84 - 116

Reference Method: SOP-PCR-1.0
 Batch ID: P361000

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	121	260	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P361000

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2062519	HF183-qPCR	99.5		P	50 - 175
2062520	HF183-qPCR	102	83.9	P/P	50 - 175
2062521	HF183-qPCR	93.2		P	50 - 175
2068505	HF183-qPCR	73.4		P	50 - 175
2068506	HF183-qPCR	69.8		P	50 - 175
2068510	HF183-qPCR	75.3		P	50 - 175
2070103	HF183-qPCR	113		P	50 - 175
2072476	HF183-qPCR	111		P	50 - 175
2072951	HF183-qPCR	93.6		P	50 - 175
2072952	HF183-qPCR	110		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P361000

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2072953	HF183-qPCR	106		P	50 - 175
2072954	HF183-qPCR	81.4		P	50 - 175
2072955	HF183-qPCR	125		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
 Batch ID: P361816

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2072395	Chlorophyll-a, Corrected	2.64	Sample	P	0 - 25
2072395	Chlorophyll-a, Uncorrected	2.09	Sample	P	0 - 25
2072395	Phaeophytin-a	0.487	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
 Batch ID: P361000

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2062520	HF183-qPCR	19.0	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2072476
 Field Sample ID: 20030068

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	103	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision	
							SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	102					2.64	
	Chlorophyll-a, Uncorrected						2.09	
	Phaeophytin-a						0.487	
SOP-PCR-1.0	HF183-qPCR	260	121	113	111	99.5		19.0
				102				

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
---------------------	-------------	--------------------

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2072461, 2072462, 2072463, 2072464, 2072465, 2072466
SM 9223 B Quanti-Tray / E82502	Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Laboratory in Jacksonville	2072467, 2072468, 2072469, 2072470, 2072471, 2072472
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2072476

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	03/26/2019	03/26/2019 14:10	Edwin Gonzalez-Soto	04/08/2019 09:02	Jennifer Mihalic	2072461, 2072462, 2072463, 2072464, 2072465, 2072466
SM 9223 B Quanti-Tray	03/25/2019	03/25/2019 13:16		03/26/2019 13:22	ALS Environmental, Jax	2072467, 2072468, 2072469, 2072470, 2072471, 2072472
SOP-PCR-1.0	03/26/2019	03/26/2019 15:00	Sarah Menz	03/29/2019 08:38	Mailin Lopez	2072476