

RQ- 2019-04-29-23

Log-in Checklist

Login Station ID: #2

Shipping Method: FedEx UPS | HD | Greyhound

Date/Time of Receipt: 5-3-19/10:25

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
		YES	HNO ₃		Formalin	Present?	*Intact?	Yes	
-0.2				12		✓			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. An NCR still is required.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☐ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☒ No ☒ If yes, is it intact? Yes ☒ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☐ No ☐ Init:

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☐ Init:

If "YES", list affected Field IDs and Test IDs below.

Field ID	List Test ID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SR

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☒ NA ☐ Init: SR

Coolers Unpacked/Checked by: SK **Date:** 5-3-19 **NCRs (Y/N)?** N

Event ID: Interlachen 2
NE-DIST-2019-05-03-02 (SMP)

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018 EXP:4-29-2020
pH Test Strips 0 – 6 Lot #	213316VEXP:05-15-2019
pH Paper 0 – 3 Lot #	220416A EXP:07-30-20
pH Paper 0 – 13 Lot #	222516 EXP:08-15-2019
Chlorine Test Strips Lot #	8212 EXP:05-2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No /

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Interlachen 2

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By: A. Kalmbacher

Project ID: SMP

Collected By: B. DavisSampling Agency: FDEP/NE ROC

WIN ID/Field ID:



20020100

LAKE FANNY CENTER

Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms

WIN ID/Field ID:



G1NE0863

Gillis Pond Center

Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms

WIN ID/Field ID:



G1NE0869

Hardesty Lake Center

Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms

Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 5-2-2019 Time 1045	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.4	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORET #	Temp (C) 26.3	pH 4.65	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 66.2	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.03		Comments Raining while sampling
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 5-2-2019 Time 1120	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 4.57	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORET #	Temp (C) 26.0	pH 4.39	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 67.7	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.03		Comments
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 5-2-2019 Time 1220	Eastern Central	Composite end Date	Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.5 45 AK	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORET #	Temp (C) 27.6	pH 5.87	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 40.8	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.02		Comments

Relinquished By: <u>JKR</u>	Date/Time 5-2-2019	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By: <u>SR</u>	Date/Time 5-3-19/10:28
-----------------------------	-----------------------	--------------------------	---------------------------------	------------------------	---------------------------

1420

1

Group: A	Bottle Type: P-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
ALKALINITY					
TURBIDITY					
W-CL-IC					
W-F					
W-SO4-IC					
W-TDS					
W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
CHLSUITE-W					
Group: A	Bottle Type: P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
W-NH3					
W-NO2NO3					
W-S-A-TP					
W-TKN					
W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 3	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	3
W-PO4-F					

Date of Request: 19-MAR-2019
 Created By: PARRISH_J On: 19-MAR-2019
 Modified By: JASROTIA_P On: 08-APR-2019
 Customer: NE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northeast District
 Sampling Event: Interlachen 2

Send Coolers To:

Phone: 904-807-3300
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 08-APR-2019
 Biology Request Reviewed By: JASROTIA_P On: 08-APR-2019
 Sampling Kit Required: YES Ship on: 19-APR-2019
 Sampling Kit Shipped: YES On: 12-APR-2019
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 29-APR-2019
 Received By:

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Nutrients

Packing Notes:
 None

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H₂SO₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

FedEx

FedEx

ORIGIN
JEREMY PARKES
FL DEP NORTHEAST DISTRICT
8800 BAYMEADOWS WAY WEST
SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399


(850) 246-8077

INV:
PO:

REF:

DEPT:

RMA: ||| |||||



FedEx
Express



J1811180605016V

TRK# 4751 8778 7303

FedEx

TRK#
0221

4751 8778 7303

RETURNS MON-FRI

FRI - 03 MAY 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FID 3690753 02MAY19 NRBA 553C1/D66C/0C8A

553C1/D7E5/104C