

Biological Analysis Report

NE-DIST-2019-08-23-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Advanced Environmental Laboratories - Gainesville
6815 SW Archer Road
Gainesville, Florida 32608
DOH Accreditation E82001

Event Description: **Alachua County August SMP**
Request ID: **RQ-2019-08-05-90**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Manager

Date Certified: 30-SEP-2019 12:14



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: TUBLIN CREEK-W OF US 441

Collection Date/Time: 08/22/2019 09:55

Field ID: G1NE0902

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2114576	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.9	I	ug/L	P370278	
		Phaeophytin-a	0.75	U	ug/L	P370278	
		Chlorophyll-a, Uncorrected	1.9		ug/L	P370278	
2114579	EPA 1603	Escherichia coli-Membrane Filter	920	B	cfu/100 mL		
2114582	SOP-PCR-1.0	HF183-qPCR**	1.02E+03		GEU/100 mL	P369488	
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P369488	
	SOP-PCR-1.5	DG3-qPCR**	3.0E+03	I	TSC/100 mL	P369488	LCS

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SOP-PCR-1.0: Duplicate was analyzed and result is 480 I.

Sample Location: TUBLIN CREEK-S OF SW 5th AVE

Collection Date/Time: 08/22/2019 10:40

Field ID: G1NE0914

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2114577	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.69	U	ug/L	P370278	
		Phaeophytin-a	0.75	U	ug/L	P370278	
		Chlorophyll-a, Uncorrected	0.50	U	ug/L	P370278	
2114580	EPA 1603	Escherichia coli-Membrane Filter	670		cfu/100 mL		
2114583	SOP-PCR-1.0	HF183-qPCR**	810		GEU/100 mL	P369488	
	SOP-PCR-1.4	BacR-qPCR**	760	U	TSC/100 mL	P369488	
	SOP-PCR-1.5	DG3-qPCR**	640	U	TSC/100 mL	P369488	LCS

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: POSSUM CREEK-S OF NW 16th AVE

Collection Date/Time: 08/22/2019 12:00

Field ID: G1NE0900

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2114578	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.79	I	ug/L	P370278	
		Phaeophytin-a	0.75	U	ug/L	P370278	
		Chlorophyll-a, Uncorrected	0.92	I	ug/L	P370278	
2114581	EPA 1603	Escherichia coli-Membrane Filter	228		cfu/100 mL		
2114584	SOP-PCR-1.0	HF183-qPCR**	94	U	GEU/100 mL	P369488	
	SOP-PCR-1.2	GULL2-qPCR**	5.6E+03	UJ	TSC/100 mL	P369488	MS
	SOP-PCR-1.3	GFD-purified-qPCR**	1.51E+03	J	TSC/100 mL	P370609	MS
	SOP-PCR-1.4	BacR-qPCR**	1.0E+03	U	TSC/100 mL	P369488	
	SOP-PCR-1.5	DG3-qPCR**	860	U	TSC/100 mL	P369488	LCS

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SOP-PCR-1.2: Quality control failure(s) observed. See QA report for details.

SOP-PCR-1.3: Quality control failure(s) observed. See QA report for details.

Quality Assurance Report

Method Blank Results

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P370278

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.69	U	ug/L
Chlorophyll-a, Uncorrected	0.50	U	ug/L
Phaeophytin-a	0.75	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P369488

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P369488

Component	Result	Code	Units
GULL2-qPCR	1.7E+04	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P370609

Component	Result	Code	Units
GFD-purified-qPCR	340	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P369488

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P369488

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P370278

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	86.4		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P369488

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	137	172	P/P	50 - 175

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.2
Batch ID: P369488

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	185	129	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P370609

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-purified-qPCR	166	107	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P369488

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	98.4	61.4	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P369488

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	181	123	F/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P369488

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2113560	HF183-qPCR	125		P	50 - 175
2113561	HF183-qPCR	117		P	50 - 175
2113562	HF183-qPCR	117		P	50 - 175
2113563	HF183-qPCR	127		P	50 - 175
2114355	HF183-qPCR	125		P	50 - 175
2114582	HF183-qPCR	128	117	P/P	50 - 175
2114583	HF183-qPCR	136		P	50 - 175
2114584	HF183-qPCR	61.0		P	50 - 175
2114786	HF183-qPCR	87.8		P	50 - 175
2114808	HF183-qPCR	97.4		P	50 - 175
2114848	HF183-qPCR	122		P	50 - 175
2114849	HF183-qPCR	124		P	50 - 175
2114909	HF183-qPCR	125		P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P369488

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2114584	GULL2-qPCR	8.95		F	50 - 300
2114849	GULL2-qPCR	112		P	50 - 300

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.3

Batch ID: P370609

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2112421	GFD-purified-qPCR	545	505	F/F	50 - 175
2113066	GFD-purified-qPCR	475		F	50 - 175
2114584	GFD-purified-qPCR	459		F	50 - 175
2114849	GFD-purified-qPCR	519		F	50 - 175
2116097	GFD-purified-qPCR	559		F	50 - 175
2116098	GFD-purified-qPCR	444		F	50 - 175
2116099	GFD-purified-qPCR	423		F	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P369488

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2114582	BacR-qPCR	75.3	83.9	P/P	50 - 175
2114583	BacR-qPCR	76.6		P	50 - 175
2114584	BacR-qPCR	53.9		P	50 - 175
2114786	BacR-qPCR	54.3		P	50 - 175
2114848	BacR-qPCR	79.6		P	50 - 175
2114849	BacR-qPCR	73.1		P	50 - 175
2114909	BacR-qPCR	79.6		P	50 - 175

Reference Method: SOP-PCR-1.5

Batch ID: P369488

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2114582	DG3-qPCR	150	152	P/P	50 - 175
2114583	DG3-qPCR	135		P	50 - 175
2114584	DG3-qPCR	141		P	50 - 175
2114848	DG3-qPCR	148		P	50 - 175
2114849	DG3-qPCR	129		P	50 - 175
2114909	DG3-qPCR	160		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)

Batch ID: P370278

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2114807	Chlorophyll-a, Uncorrected	13.6	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0

Batch ID: P369488

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2114582	HF183-qPCR	9.42	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.2
 Batch ID: P369488

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2112421	GULL2-qPCR	6.87	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
 Batch ID: P370609

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2112421	GFD-purified-qPCR	7.27	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
 Batch ID: P369488

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2114582	BacR-qPCR	10.9	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
 Batch ID: P369488

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2114582	DG3-qPCR	1.17	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 2114582
 Field Sample ID: G1NE0902

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	125	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	197	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	99.1	P	50 - 300

Lab Sample ID: 2114583
 Field Sample ID: G1NE0914

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	119	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	197	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	101	P	50 - 300

Lab Sample ID: 2114584
 Field Sample ID: G1NE0900

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	52.5	P	50 - 300

Quality Assurance Report Surrogates

Lab Sample ID: 2114584
Field Sample ID: G1NE0900

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.2	SKETA-qPCR	84.4	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	172	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	71.4	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	86.4							
	Chlorophyll-a, Uncorrected							13.6	
SOP-PCR-1.0	HF183-qPCR	172	137	117	117	127			9.42
				125					
SOP-PCR-1.2	GULL2-qPCR	129	185	8.95	112				6.87
SOP-PCR-1.3	GFD-purified-qPCR	107	166	545	505	475			7.27
				559					
SOP-PCR-1.4	BacR-qPCR	61.4	98.4	75.3	83.9	76.6			10.9
				53.9					
SOP-PCR-1.5	DG3-qPCR	123	181	150	152	135			1.17
				141					

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 1603 / E82001	E. coli by MF by AEL in Gainesville	2114579, 2114580, 2114581
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2114576, 2114577, 2114578
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2114582, 2114583, 2114584
SOP-PCR-1.2 / E31780	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2114584
SOP-PCR-1.3 / E31780	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2114584
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2114582, 2114583, 2114584
SOP-PCR-1.5 / E31780	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2114582, 2114583, 2114584

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 1603	08/22/2019	08/22/2019 16:15		08/23/2019 13:45	AEL - Gainesville	2114579, 2114580, 2114581
SM 10200 H (mod.)	08/23/2019	08/23/2019 14:15	Jessica Fetgatter	09/04/2019 09:25	Peterson Janvier	2114576, 2114577, 2114578
SOP-PCR-1.0	08/23/2019	08/23/2019 13:45	Lauren Campbell	09/17/2019 16:00	Mailin Lopez	2114582, 2114583, 2114584
SOP-PCR-1.2	08/23/2019	08/23/2019 13:45	Lauren Campbell	09/19/2019 10:48	Mailin Lopez	2114584
SOP-PCR-1.3	08/23/2019	08/23/2019 13:45	Mailin Lopez	09/23/2019 09:32	Mailin Lopez	2114584
SOP-PCR-1.4	08/23/2019	08/23/2019 13:45	Lauren Campbell	09/18/2019 08:33	Mailin Lopez	2114582, 2114583, 2114584
SOP-PCR-1.5	08/23/2019	08/23/2019 13:45	Lauren Campbell	09/18/2019 15:05	Mailin Lopez	2114582, 2114583, 2114584