

September 10, 2019

Frances Moore
Florida DEP - Bureau of Labs-Biology Section
Twin Towers/LAB Complex A
2600 Blair Stone Rd
Tallahassee, FL 32399


RE: Workorder: G1907085 SUWANEE CENTRAL

Dear Frances Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Tuesday, August 27, 2019. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Hanna Suqi - Project Manager
HSuqi@aellab.com

Enclosures

Report ID: 900618 - 1345191

Page 1 of 7

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..



SAMPLE SUMMARY

Workorder: G1907085 SUWANEE CENTRAL

Lab ID	Sample ID	Matrix	Date Collected	Date Received
G1907085001	G1NE0020	Water	8/27/2019 11:25	8/27/2019 13:45

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..



ANALYTICAL RESULTS

Workorder: G1907085 SUWANEE CENTRAL

Lab ID: **G1907085001**

Date Received: 08/27/19 13:45 Matrix: Water

Sample ID: **G1NE0020**

Date Collected: 08/27/19 11:25

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	335	B	#/100 mL	2	2	2	8/27/2019 14:55	G

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..



ANALYTICAL RESULTS QUALIFIERS

Workorder: G1907085 SUWANEE CENTRAL

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

LAB QUALIFIERS

- G DOH Certification #E82001(AEL-G)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..



QUALITY CONTROL DATA

Workorder: G1907085 SUWANEE CENTRAL

QC Batch:	MICg/2838	Analysis Method:	EPA 1603
QC Batch Method:	EPA 1603	Prepared:	
Associated Lab Samples:	G1907085001		

METHOD BLANK: 3215467

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology			
E. Coli	#/100 mL	1	1 U

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: G1907085 SUWANEE CENTRAL

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
G1907085001	G1NE0020			EPA 1603	MICg/2838

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..





✓	Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
	Gainesville: 4665 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
	Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32218 • 904.363.9350 • Fax 904.363.9354
	Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
	Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
	Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Page 7 of 7