

Biological Analysis Report

NE-DIST-2019-09-18-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
ALS Environmental - Jacksonville
9143 Philips Highway, Suite 200
Jacksonville, FL 32256
DOH Accreditation E82502

Event Description: **Bmap 1**
Request ID: **RQ-2019-09-16-14**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 15-OCT-2019 21:33



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: NW TRIBUTARY TO OPEN CR AT HODGES

Collection Date/Time: 09/17/2019 09:00

Field ID: 20030848

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2120174	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.3	I	ug/L	P371602	
		Phaeophytin-a	1.1	I	ug/L	P371602	
		Chlorophyll-a, Uncorrected	3.0		ug/L	P371602	
2120178	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	435		MPN/100 mL		
2120184	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P370630	LCS, RPD

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: TERRAPIN CR @ FAYE RD

Collection Date/Time: 09/17/2019 09:45

Field ID: 20030653

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2120175	SM 10200 H (mod.)	Chlorophyll-a, Corrected	10	I	ug/L	P371602	
		Phaeophytin-a	3.8	U	ug/L	P371602	
		Chlorophyll-a, Uncorrected	10		ug/L	P371602	
2120179	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	2419.6	J	MPN/100 mL		
2120185	SOP-PCR-1.0	HF183-qPCR**	280	U	GEU/100 mL	P370630	LCS, RPD

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9223 B Quanti-Tray: All Quanti-Tray wells were positive. Result may be higher than reported.

Sample Location: BUTCHER PEN CR AT WESCONNETH

Collection Date/Time: 09/17/2019 10:30

Field ID: 20030760

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2120182	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	461		MPN/100 mL		

Sample Location: BUTCHER PEN CR AT CONFEDRATE

Collection Date/Time: 09/17/2019 11:00

Field ID: 20030082

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2120176	SM 10200 H (mod.)	Chlorophyll-a, Corrected	6.8		ug/L	P371602	
		Phaeophytin-a	2.0	I	ug/L	P371602	
		Chlorophyll-a, Uncorrected	8.2		ug/L	P371602	
2120180	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	836		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: CRAIG CR @ HENDRICKS AVE

Collection Date/Time: 09/17/2019 11:40

Field ID: 20030793

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2120181	ASTM D650399	ENTEROCOCCI-ENTEROLERT	960		MPN/100 mL		
2120186	SOP-PCR-1.0	HF183-qPCR**	280	I	GEU/100 mL	P370630	LCS, RPD

**Sample Location: CRAIG CR 100M DOWN FROM FOOTBRIDGE
 IN PARK**

Collection Date/Time: 09/17/2019 11:50

Field ID: 20030958

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2120173	SM 10200 H (mod.)	Chlorophyll-a, Corrected	20		ug/L	P371602	
		Phaeophytin-a	1.3	I	ug/L	P371602	
		Chlorophyll-a, Uncorrected	21		ug/L	P371602	
2120177	ASTM D650399	ENTEROCOCCI-ENTEROLERT	790		MPN/100 mL		
2120183	SOP-PCR-1.0	HF183-qPCR**	190	I	GEU/100 mL	P370630	LCS, RPD

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P371602

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.96	U	ug/L
Chlorophyll-a, Uncorrected	0.70	U	ug/L
Phaeophytin-a	1.0	U	ug/L

Reference Method: SOP-PCR-1.0

Batch ID: P370630

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P371602

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	98.9		P	84 - 116

Reference Method: SOP-PCR-1.0

Batch ID: P370630

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	112	179	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P370630

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2119038	HF183-qPCR	105		P	50 - 175
2119067	HF183-qPCR	79.6		P	50 - 175
2119068	HF183-qPCR	82.5		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P370630

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2119139	HF183-qPCR	92.7		P	50 - 175
2119140	HF183-qPCR	78.0	101	P/P	50 - 175
2119186	HF183-qPCR	96.1		P	50 - 175
2119692	HF183-qPCR	103		P	50 - 175
2119725	HF183-qPCR	68.8		P	50 - 175
2120183	HF183-qPCR	75.3		P	50 - 175
2120184	HF183-qPCR	77.0		P	50 - 175
2120185	HF183-qPCR	86.5		P	50 - 175
2120186	HF183-qPCR	85.2		P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
Batch ID: P370630

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2119140	HF183-qPCR	26.0	Spike	F	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2120183
Field Sample ID: 20030958

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	90.2	P	50 - 300

Lab Sample ID: 2120184
Field Sample ID: 20030848

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	93.2	P	50 - 300

Lab Sample ID: 2120185
Field Sample ID: 20030653

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	98.1	P	50 - 300

Lab Sample ID: 2120186
Field Sample ID: 20030793

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	81.9	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision	
							LCS	SMP
SM 10200 H (mod.)	Chlorophyll-a, Corrected	98.9						
SOP-PCR-1.0	HF183-qPCR	179	112	105	79.6	82.5		26.0
				92.7				

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
ASTM D650399 / E82502	Enterococci by Enterolert/QT by ALS in Jacksonville	2120177, 2120181
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2120173, 2120174, 2120175, 2120176
SM 9223 B Quanti-Tray / E82502	E. coli by Colilert/QT by ALS in Jacksonville	2120178, 2120179, 2120180, 2120182
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2120183, 2120184, 2120185, 2120186

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
ASTM D650399	09/17/2019	09/17/2019 14:40		09/18/2019 14:53	ALS Environmental, Jax	2120177, 2120181
SM 10200 H (mod.)	09/18/2019	09/18/2019 13:02	Yuliya Danyuk	09/24/2019 10:33	Yuliya Danyuk	2120173, 2120174, 2120175, 2120176
SM 9223 B Quanti-Tray	09/17/2019	09/17/2019 14:28		09/18/2019 14:49	ALS Environmental, Jax	2120178, 2120179, 2120180, 2120182
SOP-PCR-1.0	09/18/2019	09/18/2019 13:45	Angela Smith	10/10/2019 12:48	Lauren Campbell	2120183, 2120184, 2120185, 2120186