

Chemical Analysis Report

NE-DIST-2019-09-25-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Melrose Lakes**
Request ID: **RQ-2019-09-23-49**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 21-OCT-2019 14:18



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: LAKE ROSA CENTER

Collection Date/Time: 09/24/2019 10:00

Field ID: G2NE1130

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122079	EPA 180.1 Rev. 2.0	Turbidity	0.85		NTU	P371321	
	EPA 300.0 Rev. 2.1	Chloride	9.5		mg Cl/L	P371794	
		Sulfate	7.2		mg SO4/L	P371796	
	SM 2120 B	Color (true)	5.4	I	PCU	P371357	
	SM 2320 B-97	Total Alkalinity	3.9		mg CaCO3/L	P371878	
	SM 2540 C-97	TDS	36		mg/L	P371954	
	SM 2540 D-97	TSS	2	U	mg/L	P371815	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P371881	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P371694	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.32		mg N/L	P371446	
2122081	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P371470	
	EPA 365.1 Rev. 2.0	Total-P	0.009		mg P/L	P371496	
	SM 5310 B-00	Organic Carbon	3.3		mg C/L	P371504	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.004	U	mg P/L	P371331	
	dissolved						

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: GOOSE LAKE

Collection Date/Time: 09/24/2019 10:55

Field ID: 20030980

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122080	EPA 180.1 Rev. 2.0	Turbidity	0.90		NTU	P371320	
	EPA 300.0 Rev. 2.1	Chloride	9.9		mg Cl/L	P371794	
		Sulfate	0.44	I	mg SO4/L	P371796	
	SM 2120 B	Color (true)	460		PCU	P371356	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P371878	
	SM 2540 C-97	TDS	83		mg/L	P371954	
	SM 2540 D-97	TSS	2	I	mg/L	P371815	
	SM 4500 F-C-97	Fluoride	0.048	I	mg F/L	P371881	
2122082	EPA 350.1 Rev. 2.0	Ammonia-N	0.58		mg N/L	P371694	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	2.0		mg N/L	P371446	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.042		mg N/L	P371470	
	EPA 365.1 Rev. 2.0	Total-P	0.23		mg P/L	P371496	
	SM 5310 B-00	Organic Carbon	33		mg C/L	P371504	
2122084	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.19		mg P/L	P371331	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: LAKE SUGGS CTR

Collection Date/Time: 09/24/2019 11:40

Field ID: 20030922

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122073	EPA 180.1 Rev. 2.0	Turbidity	2.7		NTU	P371320	
	EPA 300.0 Rev. 2.1	Chloride	8.8		mg Cl/L	P371794	
		Sulfate	0.59	I	mg SO4/L	P371796	
		Color (true)	600		PCU	P371356	
	SM 2120 B	Total Alkalinity	0.65	U	mg CaCO3/L	P371878	
	SM 2540 C-97	TDS	91		mg/L	P371954	
	SM 2540 D-97	TSS	2	I	mg/L	P371815	
	SM 4500 F-C-97	Fluoride	0.049	I	mg F/L	P371881	
2122075	EPA 350.1 Rev. 2.0	Ammonia-N	0.95		mg N/L	P371694	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	2.8		mg N/L	P371411	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.005	I	mg N/L	P371470	
	EPA 365.1 Rev. 2.0	Total-P	0.18		mg P/L	P371496	
	SM 5310 B-00	Organic Carbon	47		mg C/L	P371504	
2122077	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.14		mg P/L	P371331	
2122089	EPA 200.7 Rev. 4.4	Barium	13.4		ug/L	P371400	
		Calcium	2.28		mg/L	P371400	
		Iron	920		ug/L	P371400	
		Magnesium	1.63		mg/L	P371400	
		Potassium	1.9		mg/L	P371400	
		Sodium	4.7		mg/L	P371400	
		Zinc	5.0	U	ug/L	P371400	
	EPA 200.8 Rev. 5.4	Aluminum	417		ug/L	P371400	
		Antimony	0.050	U	ug/L	P371400	
		Arsenic	0.95		ug/L	P371400	
		Boron**	19.7		ug/L	P371400	
		Cadmium	0.020	U	ug/L	P371400	
		Chromium	0.65	I	ug/L	P371400	
		Copper	0.40	U	ug/L	P371400	
		Lead	0.58		ug/L	P371400	
		Nickel	0.51	I	ug/L	P371400	
		Selenium	0.20	U	ug/L	P371400	
		Silver	0.010	U	ug/L	P371400	
		Thallium	0.10	U	ug/L	P371400	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 200.8 Rev. 5.4: The lead result was confirmed in the undigested sample on 10/18/2019.

Sample Location: ROSS LAKE CENTER

Collection Date/Time: 09/24/2019 12:25

Field ID: 20030454

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2122074	EPA 180.1 Rev. 2.0	Turbidity	1.1		NTU	P371320	
	EPA 300.0 Rev. 2.1	Chloride	12		mg Cl/L	P371794	
		Sulfate	0.37	I	mg SO4/L	P371796	
		Color (true)	550		PCU	P371356	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P371878	
	SM 2540 C-97	TDS	94		mg/L	P371954	
	SM 2540 D-97	TSS	2	U	mg/L	P371815	
	SM 4500 F-C-97	Fluoride	0.049	I	mg F/L	P371881	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.34		mg N/L	P371694	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.7		mg N/L	P371811	
2122076	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P371470	
	EPA 365.1 Rev. 2.0	Total-P	0.24		mg P/L	P371496	
	SM 5310 B-00	Organic Carbon	39		mg C/L	P371504	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.20		mg P/L	P371331	
	EPA 200.7 Rev. 4.4	Barium	9.8		ug/L	P371400	
2122090	EPA 200.8 Rev. 5.4	Calcium	2.28		mg/L	P371400	
		Iron	860		ug/L	P371400	
		Magnesium	1.54		mg/L	P371400	
		Potassium	1.5		mg/L	P371400	
		Sodium	6.3		mg/L	P371400	
		Zinc	5.0	U	ug/L	P371400	
		Aluminum	426		ug/L	P371400	
		Antimony	0.050	U	ug/L	P371400	
		Arsenic	0.93		ug/L	P371400	
		Boron**	18.8		ug/L	P371400	
		Cadmium	0.020	U	ug/L	P371400	
		Chromium	0.70	I	ug/L	P371400	
		Copper	0.40	U	ug/L	P371400	
		Lead	0.38	I	ug/L	P371400	
		Nickel	0.59	I	ug/L	P371400	
		Selenium	0.20	U	ug/L	P371400	
		Silver	0.010	U	ug/L	P371400	
		Thallium	0.10	U	ug/L	P371400	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P371320

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P371321

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P371400

Component	Result	Code	Units
Barium	1.0	U	ug/L
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P371400

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371794

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371796

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P371694

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371411

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371446

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371811

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371470

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371496

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371331

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P371356

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B
Batch ID: P371357

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report

Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P371878

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P371954

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P371815

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P371881

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P371504

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P371400

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Barium	104		P	85 - 115
Calcium	112		P	85 - 115
Iron	109		P	85 - 115
Magnesium	113		P	85 - 115
Potassium	106		P	85 - 115
Sodium	109		P	85 - 115
Zinc	102		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P371400

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	101		P	85 - 115
Antimony	102		P	85 - 115
Arsenic	102		P	85 - 115
Boron	102		P	85 - 115
Cadmium	97.0		P	85 - 115
Chromium	98.9		P	85 - 115
Copper	101		P	85 - 115
Lead	102		P	85 - 115
Nickel	100		P	85 - 115
Selenium	104		P	85 - 115
Silver	99.6		P	85 - 115
Thallium	104		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371794

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	99.1		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371796

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.8		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P371694

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	94.7		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371411

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	93.2		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371446

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371811

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371470

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371496

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371331

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.3		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P371356

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	85 - 115

Reference Method: SM 2120 B
Batch ID: P371357

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P371878

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	98 - 106

Reference Method: SM 4500 F-C-97
Batch ID: P371881

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	96.4		P	92 - 103

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
Batch ID: P371504

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	108		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P371400

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122104	Barium	103	105	P/P	80 - 120
2122104	Calcium	109	109	P/P	80 - 120
2122104	Iron	106	107	P/P	80 - 120
2122104	Magnesium	109	110	P/P	80 - 120
2122104	Potassium	111	110	P/P	80 - 120
2122104	Sodium	106	108	P/P	80 - 120
2122104	Zinc	101	102	P/P	80 - 120
2122358	Barium	106		P	80 - 120
2122358	Calcium	111		P	80 - 120
2122358	Iron	109		P	80 - 120
2122358	Magnesium	111		P	80 - 120
2122358	Potassium	103		P	80 - 120
2122358	Sodium	108		P	80 - 120
2122358	Zinc	106		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P371400

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122104	Aluminum	102	102	P/P	80 - 120
2122104	Antimony	103	103	P/P	80 - 120
2122104	Arsenic	101	102	P/P	80 - 120
2122104	Boron	100	103	P/P	80 - 120
2122104	Cadmium	100	100	P/P	80 - 120
2122104	Chromium	99.2	100	P/P	80 - 120
2122104	Copper	100	103	P/P	80 - 120
2122104	Lead	103	104	P/P	80 - 120
2122104	Nickel	100	102	P/P	80 - 120
2122104	Selenium	96.0	98.8	P/P	80 - 120
2122104	Silver	100	102	P/P	80 - 120
2122104	Thallium	107	108	P/P	80 - 120
2122358	Aluminum	102		P	80 - 120
2122358	Antimony	104		P	80 - 120
2122358	Arsenic	103		P	80 - 120
2122358	Boron	104		P	80 - 120
2122358	Cadmium	101		P	80 - 120
2122358	Chromium	102		P	80 - 120
2122358	Copper	101		P	80 - 120
2122358	Lead	105		P	80 - 120
2122358	Nickel	101		P	80 - 120
2122358	Selenium	97.5		P	80 - 120
2122358	Silver	101		P	80 - 120
2122358	Thallium	107		P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371794

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122047	Chloride	96.6		P	90 - 110
2122097	Chloride	99.9		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371796

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122047	Sulfate	99.0		P	90 - 110
2122097	Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P371694

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122042	Ammonia-N	94.7	91.8	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371411

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122049	Kjeldahl Nitrogen	95.2	96.1	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371446

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122081	Kjeldahl Nitrogen	95.9	96.9	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371811

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2123715	Kjeldahl Nitrogen	106	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371470

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122081	NO2NO3-N	104	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371496

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122049	Total-P	95.7	98.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371331

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122070	O-Phosphate-P	95.7	96.8	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P371881

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122047	Fluoride	97.4	96.3	P/P	89 - 106

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 5310 B-00
Batch ID: P371504

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2122048	Organic Carbon	110	105	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P371320

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122115	Turbidity	4.57	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P371321

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122192	Turbidity	2.02	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P371400

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122104	Barium	1.25	Spike	P	0 - 20
2122104	Calcium	0.0580	Spike	P	0 - 20
2122104	Iron	0.730	Spike	P	0 - 20
2122104	Magnesium	0.826	Spike	P	0 - 20
2122104	Potassium	0.0912	Spike	P	0 - 20
2122104	Sodium	0.823	Spike	P	0 - 20
2122104	Zinc	1.19	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P371400

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122104	Aluminum	0.124	Spike	P	0 - 20
2122104	Antimony	0.268	Spike	P	0 - 20
2122104	Arsenic	1.53	Spike	P	0 - 20
2122104	Boron	2.17	Spike	P	0 - 20
2122104	Cadmium	0.215	Spike	P	0 - 20
2122104	Chromium	1.18	Spike	P	0 - 20
2122104	Copper	2.47	Spike	P	0 - 20
2122104	Lead	0.861	Spike	P	0 - 20
2122104	Nickel	1.94	Spike	P	0 - 20
2122104	Selenium	2.84	Spike	P	0 - 20
2122104	Silver	1.47	Spike	P	0 - 20
2122104	Thallium	1.71	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371794

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122047	Chloride	0.926	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P371796

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122047	Sulfate	2.18	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P371694

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122042	Ammonia-N	2.94	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371411

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122049	Kjeldahl Nitrogen	0.753	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371446

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122081	Kjeldahl Nitrogen	0.765	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P371811

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2123715	Kjeldahl Nitrogen	2.22	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P371470

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122081	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P371496

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122049	Total-P	2.31	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P371331

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122070	O-Phosphate-P	1.14	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B
 Batch ID: P371356

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122046	Color (true)	1.92	Sample	P	0 - 20

Reference Method: SM 2120 B
 Batch ID: P371357

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122047	Color (true)	2.28	Sample	P	0 - 20

Reference Method: SM 2320 B-97
 Batch ID: P371878

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122047	Total Alkalinity	0.0644	Sample	P	0 - 2.8

Reference Method: SM 2540 C-97
 Batch ID: P371954

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122115	TDS	9.07	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
 Batch ID: P371881

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122047	Fluoride	0.963	Spike	P	0 - 2.5

Reference Method: SM 5310 B-00
 Batch ID: P371504

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2122048	Organic Carbon	3.30	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A94497

Included Lab Sample IDs: 2122073, 2122074, 2122079, 2122080

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A94499

Included Lab Sample IDs: 2122077, 2122078, 2122083, 2122084

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.0	98.6	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A94510

Included Lab Sample IDs: 2122073, 2122074, 2122079, 2122080

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	101	P/P	90 - 115
Color (true)	102	103	P/P	90 - 115

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A94525

Included Lab Sample IDs: 2122075, 2122076, 2122081, 2122082

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A94565

Included Lab Sample IDs: 2122075, 2122076, 2122081, 2122082

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	109	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A94578

Included Lab Sample IDs: 2122075, 2122076, 2122082

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A94584

Included Lab Sample IDs: 2122081

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.5	99.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A94597

Included Lab Sample IDs: 2122081, 2122082

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A94597

Included Lab Sample IDs: 2122081, 2122082

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	107	P/P	90 - 110
Kjeldahl Nitrogen	107	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A94616

Included Lab Sample IDs: 2122075

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	100	104	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A94640

Included Lab Sample IDs: 2122089, 2122090

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Barium	103	104	P/P	90 - 110
Calcium	100	104	P/P	90 - 110
Iron	101	102	P/P	90 - 110
Magnesium	102	104	P/P	90 - 110
Potassium	100	101	P/P	90 - 110
Sodium	102	103	P/P	90 - 110
Zinc	100	103	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A94647

Included Lab Sample IDs: 2122075, 2122076, 2122081, 2122082

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.5	96.8	P/P	90 - 110
Ammonia-N	97.5	97.5	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A94686

Included Lab Sample IDs: 2122073, 2122074, 2122079, 2122080

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.8	101	P/P	90 - 110
Sulfate	101	102	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A94719

Included Lab Sample IDs: 2122073, 2122074, 2122079, 2122080

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	102	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A94719

Included Lab Sample IDs: 2122073, 2122074, 2122079, 2122080

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: SM 4500 F-C-97

Run ID: A94719

Included Lab Sample IDs: 2122073, 2122074, 2122079, 2122080

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	99.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A94749

Included Lab Sample IDs: 2122076

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	97.2	98.9	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A94947

Included Lab Sample IDs: 2122089, 2122090

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	103	104	P/P	90 - 110
Aluminum	104	103	P/P	90 - 110
Antimony	101	101	P/P	90 - 110
Antimony	101	101	P/P	90 - 110
Arsenic	102	102	P/P	90 - 110
Arsenic	104	102	P/P	90 - 110
Boron	102	104	P/P	90 - 110
Boron	104	104	P/P	90 - 110
Cadmium	100	100	P/P	90 - 110
Cadmium	100	101	P/P	90 - 110
Chromium	101	98.6	P/P	90 - 110
Chromium	98.9	101	P/P	90 - 110
Copper	103	102	P/P	90 - 110
Copper	104	103	P/P	90 - 110
Lead	103	105	P/P	90 - 110
Lead	105	103	P/P	90 - 110
Nickel	102	101	P/P	90 - 110
Nickel	103	102	P/P	90 - 110
Silver	98.1	98.9	P/P	90 - 110
Silver	98.9	98.1	P/P	90 - 110
Thallium	98.7	99.3	P/P	90 - 110
Thallium	99.2	98.7	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A94978

Included Lab Sample IDs: 2122089, 2122090

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Selenium	100	97.6	P/P	90 - 110
Selenium	97.6	96.1	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
EPA 180.1 Rev. 2.0	Turbidity					4.57	
	Turbidity					2.02	
EPA 200.7 Rev. 4.4	Barium	104	103	105	106		1.25
	Calcium	112	109	109	111		0.0580
	Iron	109	106	107	109		0.730
	Magnesium	113	109	110	111		0.826
	Potassium	106	111	110	103		0.0912
	Sodium	109	106	108	108		0.823
	Zinc	102	101	102	106		1.19
EPA 200.8 Rev. 5.4	Aluminum	101	102	102	102		0.124
	Antimony	102	103	103	104		0.268
	Arsenic	102	101	102	103		1.53
	Boron	102	100	103	104		2.17
	Cadmium	97.0	100	100	101		0.215
	Chromium	98.9	99.2	100	102		1.18
	Copper	101	100	103	101		2.47
	Lead	102	103	104	105		0.861
	Nickel	100	100	102	101		1.94
	Selenium	104	96.0	98.8	97.5		2.84
	Silver	99.6	100	102	101		1.47
	Thallium	104	107	108	107		1.71
EPA 300.0 Rev. 2.1	Chloride	99.1	96.6	99.9		0.926	
	Sulfate	99.8	99.0	101		2.18	
EPA 350.1 Rev. 2.0	Ammonia-N	94.7	94.7	91.8			2.94
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	93.2	95.2	96.1			0.753
	Kjeldahl Nitrogen	104	95.9	96.9			0.765
	Kjeldahl Nitrogen	101	106	103			2.22
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	102	104	104			0.0
EPA 365.1 Rev. 2.0	Total-P	97.5	95.7	98.0			2.31
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.3	95.7	96.8			1.14
SM 2120 B	Color (true)	101				1.92	
	Color (true)	101				2.28	
SM 2320 B-97	Total Alkalinity	102				0.0644	
SM 2540 C-97	TDS					9.07	
SM 4500 F-C-97	Fluoride	96.4	97.4	96.3			0.963
SM 5310 B-00	Organic Carbon	108	110	105			3.30

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2122073, 2122074, 2122079, 2122080
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2122089, 2122090
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2122089, 2122090
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2122073, 2122074, 2122079, 2122080
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2122073, 2122074, 2122079, 2122080
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2122075, 2122076, 2122081, 2122082
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2122075, 2122076, 2122081, 2122082

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2122075, 2122076, 2122081, 2122082
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2122075, 2122076, 2122081, 2122082
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2122077, 2122078, 2122083, 2122084
SM 2120 B / E31780	True Color measured at 450 nm	2122073, 2122074, 2122079, 2122080
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2122073, 2122074, 2122079, 2122080
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2122073, 2122074, 2122079, 2122080
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2122073, 2122074, 2122079, 2122080
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2122073, 2122074, 2122079, 2122080
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2122075, 2122076, 2122081, 2122082

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/25/2019			09/25/2019 16:25	Samantha Davila	2122073, 2122074, 2122079, 2122080
EPA 200.7 Rev. 4.4	09/25/2019	09/26/2019 15:30	Elliott D. Healy	09/30/2019 15:59	Alexander Thompson	2122089
	09/25/2019	09/26/2019 15:30	Elliott D. Healy	09/30/2019 16:07	Alexander Thompson	2122090
EPA 200.8 Rev. 5.4	09/25/2019	09/26/2019 15:30	Elliott D. Healy	10/14/2019 10:24	Robert K Palmer	2122089
	09/25/2019	09/26/2019 15:30	Elliott D. Healy	10/14/2019 11:03	Robert K Palmer	2122090
	09/25/2019	09/26/2019 15:30	Elliott D. Healy	10/15/2019 18:00	Robert K Palmer	2122089
	09/25/2019	09/26/2019 15:30	Elliott D. Healy	10/15/2019 18:19	Robert K Palmer	2122090
EPA 300.0 Rev. 2.1	09/25/2019			10/02/2019 19:21	Julia Storbeck	2122073
	09/25/2019			10/02/2019 19:33	Julia Storbeck	2122074
	09/25/2019			10/02/2019 19:45	Julia Storbeck	2122079
	09/25/2019			10/02/2019 19:57	Julia Storbeck	2122080
EPA 350.1 Rev. 2.0	09/25/2019			10/01/2019 14:55	Ping Hua	2122076
	09/25/2019			10/01/2019 14:58	Ping Hua	2122075
	09/25/2019			10/01/2019 15:08	Ping Hua	2122081
	09/25/2019			10/01/2019 15:10	Ping Hua	2122082
EPA 351.2 Rev. 2.0	09/25/2019	09/26/2019 13:26	Sima Feizi	09/27/2019 20:07	Julia Storbeck	2122075
	09/25/2019	09/27/2019 12:10	Jhamieka S. Greenwood	09/30/2019 14:50	Virginia P. Brown	2122081
	09/25/2019	09/27/2019 12:10	Jhamieka S. Greenwood	09/30/2019 14:57	Virginia P. Brown	2122082
	09/25/2019	10/03/2019 11:34	Sima Feizi	10/04/2019 21:16	Julia Storbeck	2122076
EPA 353.2 Rev. 2.0	09/25/2019			09/26/2019 11:22	Beverly Y. Sanders	2122081
	09/25/2019			09/26/2019 11:28	Beverly Y. Sanders	2122075
	09/25/2019			09/26/2019 11:29	Beverly Y. Sanders	2122076
	09/25/2019			09/26/2019 11:30	Beverly Y. Sanders	2122082
EPA 365.1 Rev. 2.0	09/25/2019	09/27/2019 15:05	Lipi Saha	09/30/2019 09:36	Lipi Saha	2122075
	09/25/2019	09/27/2019 15:05	Lipi Saha	09/30/2019 09:37	Lipi Saha	2122076
	09/25/2019	09/27/2019 15:05	Lipi Saha	09/30/2019 09:40	Lipi Saha	2122082
	09/25/2019	09/27/2019 15:05	Lipi Saha	09/30/2019 11:49	Lipi Saha	2122081
EPA 365.1 Rev. 2.0 dissolved	09/25/2019			09/25/2019 17:58	Ping Hua	2122077
	09/25/2019			09/25/2019 17:59	Ping Hua	2122078, 2122083
	09/25/2019			09/25/2019 18:00	Ping Hua	2122084
SM 2120 B	09/25/2019			09/25/2019 17:25	Madeline Funaro	2122079
	09/25/2019			09/25/2019 17:53	Madeline Funaro	2122073
	09/25/2019			09/25/2019 17:54	Madeline Funaro	2122074, 2122080
SM 2320 B-97	09/25/2019			10/01/2019 23:49	Dale L. Simmons	2122073
	09/25/2019			10/01/2019 23:58	Dale L. Simmons	2122074
	09/25/2019			10/02/2019 00:12	Dale L. Simmons	2122079
	09/25/2019			10/02/2019 00:22	Dale L. Simmons	2122080
SM 2540 C-97	09/25/2019			09/27/2019 14:08	Yijie Li	2122073, 2122074, 2122079, 2122080
SM 2540 D-97	09/25/2019			09/27/2019 14:08	Yijie Li	2122073, 2122074, 2122079, 2122080
SM 4500 F-C-97	09/25/2019			10/01/2019 23:49	Dale L. Simmons	2122073

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 4500 F-C-97	09/25/2019			10/01/2019 23:58	Dale L. Simmons	2122074
	09/25/2019			10/02/2019 00:12	Dale L. Simmons	2122079
	09/25/2019			10/02/2019 00:22	Dale L. Simmons	2122080
SM 5310 B-00	09/25/2019			09/27/2019 17:47	Madeline Funaro	2122075
	09/25/2019			09/27/2019 17:59	Madeline Funaro	2122076
	09/25/2019			09/27/2019 18:15	Madeline Funaro	2122081
	09/25/2019			09/27/2019 18:31	Madeline Funaro	2122082