

Biological Analysis Report

NE-DIST-2019-10-16-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
ALS Environmental - Jacksonville
9143 Philips Highway, Suite 200
Jacksonville, FL 32256
DOH Accreditation E82502

Event Description: **LSJR Coast/Downtown**
Request ID: **RQ-2019-10-14-12**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Jacqueline Savage, Environmental Administrator

Date Certified: 20-NOV-2019 10:37

A handwritten signature in black ink that reads "Jackie Savage". The signature is written in a cursive, flowing style.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Blockhouse 100m abv Irma Rd.

Collection Date/Time: 10/15/2019 10:25

Field ID: G2NE1159

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2128280	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.96	I	ug/L	P373192	
		Phaeophytin-a	0.90	U	ug/L	P373192	
		Chlorophyll-a, Uncorrected	1.1	I	ug/L	P373192	
2128284	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	1200		MPN/100 mL		
2128288	SOP-PCR-1.0	HF183-qPCR**	280	U	GEU/100 mL	P372542	LCS
	SOP-PCR-1.4	BacR-qPCR**	3.0E+03	U	TSC/100 mL	P372542	LCS

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Duplicate Blockhouse 100m abv Irma Rd.

Collection Date/Time: 10/15/2019 10:30

Field ID: G2NE1159DUP

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2128281	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.2	I	ug/L	P373192	
		Phaeophytin-a	0.90	U	ug/L	P373192	
		Chlorophyll-a, Uncorrected	1.3	I	ug/L	P373192	
2128285	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	1300		MPN/100 mL		
2128289	SOP-PCR-1.0	HF183-qPCR**	1.3E+03	I	GEU/100 mL	P372542	LCS
	SOP-PCR-1.4	BacR-qPCR**	3.0E+03	U	TSC/100 mL	P372542	LCS

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Deer CR @ Talleyrand Ave

Collection Date/Time: 10/15/2019 14:05

Field ID: 20030792

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2128278	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.96	U	ug/L	P373174	
		Phaeophytin-a	1.0	U	ug/L	P373174	
		Chlorophyll-a, Uncorrected	0.75	I	ug/L	P373174	
2128282	ASTM D650399	ENTEROCOCCI-ENTEROLERT	870		MPN/100 mL		
2128286	SOP-PCR-1.0	HF183-qPCR**	420	I	GEU/100 mL	P372477	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Greenfield end of Bucaneer Dr.

Collection Date/Time: 10/15/2019 12:25

Field ID: G2NE1154

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2128279	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.7		ug/L	P373192	
		Phaeophytin-a	0.90	U	ug/L	P373192	
		Chlorophyll-a, Uncorrected	4.3		ug/L	P373192	
2128283	ASTM D650399	ENTEROCOCCI-ENTEROLERT	20		MPN/100 mL		
2128287	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P372477	
	SOP-PCR-1.2	GULL2-qPCR**	8.4E+03	U	TSC/100 mL	P372477	

Field ID: G2NE1154

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2128287	SOP-PCR-1.3	GFD-purified-qPCR**	4.70E+03	J	TSC/100 mL	P373574	LCS, MS
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P372477	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P372477	

Ref. Method and Comment:
SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.
SOP-PCR-1.2: Precision data unavailable for Analysis Batch A95683
SOP-PCR-1.3: Quality control failure(s) observed. See QA report for details.

Quality Assurance Report

Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P373174

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 10200 H (mod.)
Batch ID: P373192

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P372477

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P372542

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P372477

Component	Result	Code	Units
GULL2-qPCR	1.7E+04	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P373574

Component	Result	Code	Units
GFD-purified-qPCR	340	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P372477

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.4
Batch ID: P372477

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P372542

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P372477

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P373174

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	97.8		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P373192

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	108		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P372477

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	109	144	P/P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P372542

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	102	1080	P/F	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P372477

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	93.5	144	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P373574

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.3
 Batch ID: P373574

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-purified-qPCR	109	424	P/F	50 - 175

Reference Method: SOP-PCR-1.4
 Batch ID: P372477

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	94.7	174	P/P	50 - 175

Reference Method: SOP-PCR-1.4
 Batch ID: P372542

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	55.2	237	P/F	50 - 175

Reference Method: SOP-PCR-1.5
 Batch ID: P372477

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	116	113	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P372477

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2127749	HF183-qPCR	120		P	50 - 175
2127888	HF183-qPCR	105	92.2	P/P	50 - 175
2127889	HF183-qPCR	111		P	50 - 175
2127890	HF183-qPCR	106		P	50 - 175
2127891	HF183-qPCR	105		P	50 - 175
2127892	HF183-qPCR	103		P	50 - 175
2127894	HF183-qPCR	81.4		P	50 - 175
2127902	HF183-qPCR	97.5		P	50 - 175
2128028	HF183-qPCR	103		P	50 - 175
2128134	HF183-qPCR	104		P	50 - 175
2128286	HF183-qPCR	121		P	50 - 175
2128287	HF183-qPCR	110		P	50 - 175

Reference Method: SOP-PCR-1.0
 Batch ID: P372542

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2128288	HF183-qPCR	129		P	50 - 175
2128289	HF183-qPCR	101		P	50 - 175
2128618	HF183-qPCR	125		P	50 - 175
2128619	HF183-qPCR	99.0		P	50 - 175
2128751	HF183-qPCR	126		P	50 - 175
2128752	HF183-qPCR	87.9	90.9	P/P	50 - 175
2129101	HF183-qPCR	91.3		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P372542

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129102	HF183-qPCR	137		P	50 - 175

Reference Method: SOP-PCR-1.2

Batch ID: P372477

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2127749	GULL2-qPCR	80.6		P	50 - 300
2127902	GULL2-qPCR	76.7		P	50 - 300
2128287	GULL2-qPCR	93.6		P	50 - 300

Reference Method: SOP-PCR-1.3

Batch ID: P373574

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2127749	GFD-purified-qPCR	208		F	50 - 175
2127902	GFD-purified-qPCR	281		F	50 - 175
2128287	GFD-purified-qPCR	223		F	50 - 175
2130153	GFD-purified-qPCR	249		F	50 - 175
2130156	GFD-purified-qPCR	293		F	50 - 175
2130581	GFD-purified-qPCR	162		P	50 - 175
2130582	GFD-purified-qPCR	232		F	50 - 175
2132982	GFD-purified-qPCR	258	261	F/F	50 - 175
2133850	GFD-purified-qPCR	262		F	50 - 175
2133851	GFD-purified-qPCR	315		F	50 - 175
2133852	GFD-purified-qPCR	243		F	50 - 175
2135501	GFD-purified-qPCR	260		F	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P372477

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2127749	BacR-qPCR	113		P	50 - 175
2127888	BacR-qPCR	86.9	75.7	P/P	50 - 175
2127889	BacR-qPCR	90.1		P	50 - 175
2127890	BacR-qPCR	91.1		P	50 - 175
2127891	BacR-qPCR	84.2		P	50 - 175
2127892	BacR-qPCR	67.6		P	50 - 175
2127894	BacR-qPCR	72.1		P	50 - 175
2127902	BacR-qPCR	86.6		P	50 - 175
2128287	BacR-qPCR	99.4		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P372542

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2128288	BacR-qPCR	92.2		P	50 - 175
2128289	BacR-qPCR	92.9		P	50 - 175
2128647	BacR-qPCR	66.2		P	50 - 175
2128648	BacR-qPCR	77.0		P	50 - 175
2128649	BacR-qPCR	81.0		P	50 - 175
2128650	BacR-qPCR	87.2		P	50 - 175
2128651	BacR-qPCR	88.4		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
Batch ID: P372542

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2128652	BacR-qPCR	78.7		P	50 - 175
2128751	BacR-qPCR	81.6		P	50 - 175
2128752	BacR-qPCR	76.2	86.4	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P372477

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2127749	DG3-qPCR	92.8		P	50 - 175
2127888	DG3-qPCR	103	109	P/P	50 - 175
2127889	DG3-qPCR	94.3		P	50 - 175
2127890	DG3-qPCR	103		P	50 - 175
2127891	DG3-qPCR	84.9		P	50 - 175
2127892	DG3-qPCR	85.6		P	50 - 175
2127894	DG3-qPCR	87.6		P	50 - 175
2127902	DG3-qPCR	99.6		P	50 - 175
2128287	DG3-qPCR	99.5		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P373174

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2128036	Chlorophyll-a, Corrected	5.14	Sample	P	0 - 25
2128036	Chlorophyll-a, Uncorrected	5.23	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P373192

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2128310	Chlorophyll-a, Corrected	8.41	Sample	P	0 - 25
2128310	Chlorophyll-a, Uncorrected	7.36	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P372477

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2127888	HF183-qPCR	13.1	Spike	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P372542

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2128752	HF183-qPCR	3.57	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.3
Batch ID: P373574

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2132982	GFD-purified-qPCR	0.932	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P372477

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2127888	BacR-qPCR	13.9	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P372542

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2128752	BacR-qPCR	12.4	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P372477

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2127888	DG3-qPCR	5.99	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2128286
Field Sample ID: 20030792

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	125	P	50 - 300

Lab Sample ID: 2128287
Field Sample ID: G2NE1154

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	105	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	111	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	116	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	98.8	P	50 - 300

Lab Sample ID: 2128288
Field Sample ID: G2NE1159

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	148	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	137	P	50 - 300

Quality Assurance Report Surrogates

Lab Sample ID: 2128289
Field Sample ID: G2NE1159DUP

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	141	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	129	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	97.8						5.14	
	Chlorophyll-a, Corrected	108						8.41	
	Chlorophyll-a, Uncorrected							5.23	
	Chlorophyll-a, Uncorrected							7.36	
SOP-PCR-1.0	HF183-qPCR	144	109	105	92.2	111			13.1
	HF183-qPCR	1080	102	129	101	125			3.57
SOP-PCR-1.2	GULL2-qPCR	144	93.5	76.7	80.6	93.6			
SOP-PCR-1.3	GFD-purified-qPCR	424	109	258	261	208			0.932
SOP-PCR-1.4	BacR-qPCR	174	94.7	86.9	75.7	90.1			13.9
	BacR-qPCR	237	55.2	92.2	92.9	66.2			12.4
SOP-PCR-1.5	DG3-qPCR	113	116	103	109	94.3			5.99

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
ASTM D650399 / E82502	Enterococci by Enterolert/QT by ALS in Jacksonville	2128282, 2128283
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2128278, 2128279, 2128280, 2128281
SM 9223 B Quanti-Tray / E82502	E. coli by Colilert/QT by ALS in Jacksonville	2128284, 2128285
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2128286, 2128287, 2128288, 2128289
SOP-PCR-1.2 / E31780	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2128287
SOP-PCR-1.3 / E31780	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2128287
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2128287, 2128288, 2128289
SOP-PCR-1.5 / E31780	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2128287

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
ASTM D650399	10/15/2019	10/15/2019 16:55		10/16/2019 17:11	ALS Environmental, Jax	2128282, 2128283
SM 10200 H (mod.)	10/16/2019	10/16/2019 13:42	Yuliya Danyuk	10/21/2019 07:48	Yuliya Danyuk	2128278
	10/16/2019	10/16/2019 13:42	Yuliya Danyuk	10/24/2019 09:21	Carina A. Tull	2128279, 2128280, 2128281
SM 9223 B Quanti-Tray	10/15/2019	10/15/2019 16:51		10/16/2019 17:09	ALS Environmental, Jax	2128284, 2128285
SOP-PCR-1.0	10/16/2019	10/16/2019 14:00	Angela Smith	11/01/2019 09:57	Lauren Campbell	2128288, 2128289
	10/16/2019	10/16/2019 14:00	Angela Smith	11/05/2019 14:28	Lauren Campbell	2128286, 2128287
SOP-PCR-1.2	10/16/2019	10/16/2019 14:00	Angela Smith	11/13/2019 10:09	Mailin Lopez	2128287
SOP-PCR-1.3	10/16/2019	10/16/2019 14:00	Angela Smith	11/18/2019 08:37	Mailin Lopez	2128287
SOP-PCR-1.4	10/16/2019	10/16/2019 14:00	Angela Smith	11/05/2019 15:59	Lauren Campbell	2128287
	10/16/2019	10/16/2019 14:00	Angela Smith	11/06/2019 11:25	Lauren Campbell	2128288, 2128289
SOP-PCR-1.5	10/16/2019	10/16/2019 14:00	Angela Smith	11/01/2019 11:41	Lauren Campbell	2128287