

Chemical Analysis Report

NE-DIST-2019-10-17-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **LSJR South West**

Request ID: **RQ-2019-10-14-13**

Customer: **NE-DIST**

Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 13-NOV-2019 15:10



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Swimming Pen CR @ SR 220

Collection Date/Time: 10/16/2019 09:25

Field ID: 20030191

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2129168	EPA 180.1 Rev. 2.0	Turbidity	2.2		NTU	P372679	
	EPA 300.0 Rev. 2.1	Chloride	550		mg Cl/L	P373388	
		Sulfate	82		mg SO4/L	P373390	
		Color (true)	230		PCU	P372685	
	SM 2320 B-97	Total Alkalinity	65		mg CaCO3/L	P372889	
	SM 2540 C-97	TDS	1.06E+03		mg/L	P373146	
	SM 2540 D-97	TSS	3	I	mg/L	P372912	
	SM 4500 F-C-97	Fluoride	0.14		mg F/L	P372894	
2129170	EPA 350.1 Rev. 2.0	Ammonia-N	0.046		mg N/L	P372986	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P372996	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.012		mg N/L	P372810	
	EPA 365.1 Rev. 2.0	Total-P	0.12		mg P/L	P372907	
	SM 5310 B-00	Organic Carbon	25		mg C/L	P372968	
2129172	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.073		mg P/L	P372701	
2129193	EPA 200.7 Rev. 4.4	Barium	19.5		ug/L	P372820	
		Calcium	39.1		mg/L	P372820	
		Iron	290		ug/L	P372820	
		Magnesium	38.5		mg/L	P372820	
		Potassium	12.3		mg/L	P372820	
		Sodium	307		mg/L	P372820	
		Zinc	5.0	U	ug/L	P372820	
	EPA 200.8 Rev. 5.4	Aluminum	72		ug/L	P372820	
		Antimony	0.093	I	ug/L	P372820	
		Arsenic	2.59		ug/L	P372820	
		Boron**	146		ug/L	P372820	
		Cadmium	0.020	U	ug/L	P372820	
		Chromium	0.40	U	ug/L	P372820	
		Copper	0.58	I	ug/L	P372820	
		Lead	0.36	I	ug/L	P372820	
		Nickel	0.50	U	ug/L	P372820	
		Selenium	0.20	U	ug/L	P372820	
		Silver	0.010	U	ug/L	P372820	
		Thallium	0.10	U	ug/L	P372820	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Swimming Pen Creek at Eagles Creek Dr

Collection Date/Time: 10/16/2019 09:50

Field ID: G2NE1188

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2129169	EPA 180.1 Rev. 2.0	Turbidity	2.7	A	NTU	P372679	
	EPA 300.0 Rev. 2.1	Chloride	30		mg Cl/L	P373388	
		Sulfate	9.2		mg SO4/L	P373390	
		Color (true)	35		PCU	P372685	
	SM 2120 B	Total Alkalinity	97		mg CaCO3/L	P372889	
	SM 2540 C-97	TDS	175		mg/L	P373146	
	SM 2540 D-97	TSS	4	I	mg/L	P372912	
	SM 4500 F-C-97	Fluoride	0.086	I	mg F/L	P372894	
2129171	EPA 350.1 Rev. 2.0	Ammonia-N	0.048		mg N/L	P372986	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.65		mg N/L	P372996	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.11		mg N/L	P372810	
	EPA 365.1 Rev. 2.0	Total-P	0.052		mg P/L	P372907	
	SM 5310 B-00	Organic Carbon	9.8		mg C/L	P372968	
2129173	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.022		mg P/L	P372701	
2129194	EPA 200.7 Rev. 4.4	Barium	28.0		ug/L	P372820	
		Calcium	32.9		mg/L	P372820	
		Iron	520		ug/L	P372820	
		Magnesium	3.99		mg/L	P372820	
		Potassium	4.3		mg/L	P372820	
		Sodium	21.2		mg/L	P372820	
		Zinc	5.0	U	ug/L	P372820	
	EPA 200.8 Rev. 5.4	Aluminum	67		ug/L	P372820	
		Antimony	0.091	I	ug/L	P372820	
		Arsenic	0.77		ug/L	P372820	
		Boron**	41.5		ug/L	P372820	
		Cadmium	0.020	U	ug/L	P372820	
		Chromium	0.40	U	ug/L	P372820	
		Copper	6.34		ug/L	P372820	
		Lead	0.20	U	ug/L	P372820	
		Nickel	0.50	U	ug/L	P372820	
		Selenium	0.20	U	ug/L	P372820	
		Silver	0.010	U	ug/L	P372820	
		Thallium	0.10	U	ug/L	P372820	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Bull CR NE Crossing CR 215

Collection Date/Time: 10/16/2019 10:35

Field ID: 20030487

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2129174	EPA 180.1 Rev. 2.0	Turbidity	2.1		NTU	P372679	
	EPA 300.0 Rev. 2.1	Chloride	11		mg Cl/L	P373388	
		Sulfate	3.1		mg SO4/L	P373390	
	SM 2120 B	Color (true)	140		PCU	P372685	
	SM 2320 B-97	Total Alkalinity	29		mg CaCO3/L	P372889	
	SM 2540 C-97	TDS	83		mg/L	P373146	
	SM 2540 D-97	TSS	2	U	mg/L	P372912	
	SM 4500 F-C-97	Fluoride	0.11		mg F/L	P372894	
2129177	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P372986	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.35		mg N/L	P372996	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.11		mg N/L	P372810	
	EPA 365.1 Rev. 2.0	Total-P	0.19		mg P/L	P372907	
	SM 5310 B-00	Organic Carbon	10		mg C/L	P372968	
2129180	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.16		mg P/L	P372701	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Unnamed Branch at Brit Place

Collection Date/Time: 10/16/2019 11:30

Field ID: G2NE1140

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2129175	EPA 180.1 Rev. 2.0	Turbidity	1.6		NTU	P372679	
	EPA 300.0 Rev. 2.1	Chloride	6.3		mg Cl/L	P373388	
		Sulfate	7.9		mg SO4/L	P373390	
	SM 2120 B	Color (true)	130		PCU	P372685	
	SM 2320 B-97	Total Alkalinity	1.3	I	mg CaCO3/L	P372889	
	SM 2540 C-97	TDS	54		mg/L	P373147	
	SM 2540 D-97	TSS	2	U	mg/L	P373027	
	SM 4500 F-C-97	Fluoride	0.18		mg F/L	P372894	
2129178	EPA 350.1 Rev. 2.0	Ammonia-N	0.011		mg N/L	P372986	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.31		mg N/L	P372996	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.005	I	mg N/L	P372810	
	EPA 365.1 Rev. 2.0	Total-P	0.46		mg P/L	P372907	
	SM 5310 B-00	Organic Carbon	12		mg C/L	P372968	
2129181	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.43		mg P/L	P372702	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Mill CR @ SR 16

Collection Date/Time: 10/16/2019 12:50

Field ID: 20030474

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2129176	EPA 180.1 Rev. 2.0	Turbidity	2.1		NTU	P372679	
	EPA 300.0 Rev. 2.1	Chloride	90		mg Cl/L	P373388	
		Sulfate	81		mg SO4/L	P373390	
	SM 2120 B	Color (true)	35	A	PCU	P372686	
	SM 2320 B-97	Total Alkalinity	100	A	mg CaCO3/L	P372889	
	SM 2540 C-97	TDS	383		mg/L	P373147	
	SM 2540 D-97	TSS	2	U	mg/L	P373027	
	SM 4500 F-C-97	Fluoride	0.26		mg F/L	P372894	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.047		mg N/L	P373044	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.80		mg N/L	P373803	
2129179	EPA 353.2 Rev. 2.0	NO2NO3-N	0.24		mg N/L	P372810	
	EPA 365.1 Rev. 2.0	Total-P	0.10		mg P/L	P372907	
	SM 5310 B-00	Organic Carbon	11		mg C/L	P372969	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.064		mg P/L	P372702	
	dissolved						

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P372679

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P372820

Component	Result	Code	Units
Barium	1.0	U	ug/L
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P372820

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P373388

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P373390

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P372986

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P373044

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P372996

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P373803

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P372810

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P372907

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P372701

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P372702

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P372685

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B
Batch ID: P372686

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report

Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P372889

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P373146

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P373147

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P372912

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P373027

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P372894

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P372968

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-00
Batch ID: P372969

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P372820

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Barium	106		P	85 - 115
Calcium	105		P	85 - 115
Iron	103		P	85 - 115
Magnesium	107		P	85 - 115
Potassium	98.9		P	85 - 115
Sodium	101		P	85 - 115
Zinc	103		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P372820

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	99.9		P	85 - 115
Antimony	102		P	85 - 115
Arsenic	99.7		P	85 - 115
Boron	94.7		P	85 - 115
Cadmium	97.9		P	85 - 115
Chromium	98.0		P	85 - 115
Copper	95.4		P	85 - 115
Lead	99.4		P	85 - 115
Nickel	97.1		P	85 - 115
Selenium	91.3		P	85 - 115
Silver	102		P	85 - 115
Thallium	102		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P373388

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	103		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P373390

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P372986

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.8		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P373044

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	96.6		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P372996

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	105		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P373803

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P372810

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P372907

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.7		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P372701

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P372702

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.6		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P372685

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.4		P	85 - 115

Reference Method: SM 2120 B
Batch ID: P372686

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.9		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P372889

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	104		P	98 - 106

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P372894

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	95.9		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P372968

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.2		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P372969

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.9		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P372820

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129032	Barium	102		P	80 - 120
2129032	Calcium	98.8		P	80 - 120
2129032	Iron	102		P	80 - 120
2129032	Magnesium	101		P	80 - 120
2129032	Potassium	105		P	80 - 120
2129032	Sodium	99.8		P	80 - 120
2129032	Zinc	97.5		P	80 - 120
2129218	Barium	104	104	P/P	80 - 120
2129218	Calcium	102	106	P/P	80 - 120
2129218	Iron	104	107	P/P	80 - 120
2129218	Magnesium	105	110	P/P	80 - 120
2129218	Potassium	104	108	P/P	80 - 120
2129218	Sodium	95.3	98.4	P/P	80 - 120
2129218	Zinc	101	101	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P372820

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129032	Aluminum	98.6		P	80 - 120
2129032	Antimony	106		P	80 - 120
2129032	Arsenic	104		P	80 - 120
2129032	Boron	94.5		P	80 - 120
2129032	Cadmium	103		P	80 - 120
2129032	Chromium	95.7		P	80 - 120
2129032	Copper	96.1		P	80 - 120
2129032	Lead	103		P	80 - 120
2129032	Nickel	93.1		P	80 - 120
2129032	Selenium	88.6		P	80 - 120
2129032	Silver	106		P	80 - 120
2129032	Thallium	108		P	80 - 120
2129218	Aluminum	95.0	95.9	P/P	80 - 120
2129218	Antimony	102	102	P/P	80 - 120
2129218	Arsenic	101	101	P/P	80 - 120
2129218	Boron	92.6	94.0	P/P	80 - 120
2129218	Cadmium	99.2	99.6	P/P	80 - 120
2129218	Chromium	95.0	94.5	P/P	80 - 120
2129218	Copper	99.7	93.8	P/P	80 - 120
2129218	Lead	100	100	P/P	80 - 120
2129218	Nickel	92.6	94.0	P/P	80 - 120
2129218	Selenium	84.7	85.4	P/P	80 - 120
2129218	Silver	103	103	P/P	80 - 120
2129218	Thallium	102	103	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P373388

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129056	Chloride	98.3		P	90 - 110
2129206	Chloride	102		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P373390

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129056	Sulfate	96.3		P	90 - 110
2129206	Sulfate	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P372986

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129171	Ammonia-N	102	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P373044

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129223	Ammonia-N	98.4	99.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P372996

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129171	Kjeldahl Nitrogen	104	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P373803

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2132185	Kjeldahl Nitrogen	106	108	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P372810

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129171	NO2NO3-N	100	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P372907

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129170	Total-P	93.9	95.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P372701

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129063	O-Phosphate-P	93.9	96.1	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P372702

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129182	O-Phosphate-P	99.3	97.8	P/P	90 - 110

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P372894

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129176	Fluoride	97.9	97.2	P/P	89 - 106

Reference Method: SM 5310 B-00
Batch ID: P372968

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129062	Organic Carbon	103	99.7	P/P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P372969

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2129179	Organic Carbon	98.0	98.8	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P372679

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129169	Turbidity	0.374	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P372820

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129218	Barium	0.226	Spike	P	0 - 20
2129218	Calcium	3.79	Spike	P	0 - 20
2129218	Iron	3.18	Spike	P	0 - 20
2129218	Magnesium	4.07	Spike	P	0 - 20
2129218	Potassium	4.34	Spike	P	0 - 20
2129218	Sodium	2.13	Spike	P	0 - 20
2129218	Zinc	0.434	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P372820

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129218	Aluminum	0.942	Spike	P	0 - 20
2129218	Antimony	0.348	Spike	P	0 - 20
2129218	Arsenic	0.705	Spike	P	0 - 20
2129218	Boron	1.42	Spike	P	0 - 20
2129218	Cadmium	0.379	Spike	P	0 - 20
2129218	Chromium	0.555	Spike	P	0 - 20
2129218	Copper	6.04	Spike	P	0 - 20
2129218	Lead	0.0968	Spike	P	0 - 20
2129218	Nickel	1.43	Spike	P	0 - 20
2129218	Selenium	0.751	Spike	P	0 - 20
2129218	Silver	0.693	Spike	P	0 - 20
2129218	Thallium	0.635	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P373388

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129056	Chloride	0.432	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P373390

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129056	Sulfate	0.218	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P372986

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129171	Ammonia-N	0.482	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P373044

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129223	Ammonia-N	0.800	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P372996

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129171	Kjeldahl Nitrogen	0.263	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P373803

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2132185	Kjeldahl Nitrogen	1.16	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P372810

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129171	NO2NO3-N	0.319	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P372907

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129170	Total-P	1.21	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P372701

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129063	O-Phosphate-P	2.22	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P372702

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129182	O-Phosphate-P	0.924	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B
Batch ID: P372685

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129061	Color (true)	0.229	Sample	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P372686

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129176	Color (true)	2.33	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P372889

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129176	Total Alkalinity	0.704	Sample	P	0 - 2.8

Reference Method: SM 2540 C-97
Batch ID: P373146

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129111	TDS	1.10	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P373147

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129317	TDS	3.88	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P372894

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129176	Fluoride	0.487	Spike	P	0 - 2.5

Reference Method: SM 5310 B-00
Batch ID: P372968

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129062	Organic Carbon	2.62	Spike	P	0 - 20

Reference Method: SM 5310 B-00
Batch ID: P372969

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2129179	Organic Carbon	0.489	Spike	P	0 - 20

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A95040

Included Lab Sample IDs: 2129168, 2129169, 2129174, 2129175, 2129176

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	98.5	99.0	P/P	95 - 105

Reference Method: SM 2120 B

Run ID: A95042

Included Lab Sample IDs: 2129168, 2129169, 2129174, 2129175, 2129176

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	101	P/P	90 - 115
Color (true)	98.7	102	P/P	90 - 115
Color (true)	99.3	98.7	P/P	90 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A95048

Included Lab Sample IDs: 2129172, 2129173, 2129180, 2129181, 2129182

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	101	99.6	P/P	90 - 110
O-Phosphate-P	99.6	97.7	P/P	90 - 110
O-Phosphate-P	99.7	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A95097

Included Lab Sample IDs: 2129170, 2129171, 2129177, 2129178, 2129179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	102	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A95133

Included Lab Sample IDs: 2129168, 2129169, 2129174, 2129175, 2129176

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	102	105	P/P	90 - 110
Total Alkalinity	104	102	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A95133

Included Lab Sample IDs: 2129168, 2129169, 2129174, 2129175, 2129176

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	101	P/P	90 - 110
Fluoride	101	100	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A95158

Included Lab Sample IDs: 2129193, 2129194

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Barium	103	102	P/P	90 - 110
Calcium	98.4	99.7	P/P	90 - 110
Iron	98.4	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A95158

Included Lab Sample IDs: 2129193, 2129194

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Magnesium	99.1	101	P/P	90 - 110
Potassium	98.3	99.2	P/P	90 - 110
Sodium	95.5	96.1	P/P	90 - 110
Zinc	102	101	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A95164

Included Lab Sample IDs: 2129170, 2129171, 2129177, 2129178, 2129179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	100	105	P/P	90 - 110
Organic Carbon	105	98.6	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A95172

Included Lab Sample IDs: 2129170, 2129171, 2129177, 2129178

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	99.6	P/P	90 - 110
Ammonia-N	99.9	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A95203

Included Lab Sample IDs: 2129179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A95205

Included Lab Sample IDs: 2129170, 2129171, 2129177, 2129178, 2129179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	99.6	P/P	90 - 110
Total-P	98.9	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A95245

Included Lab Sample IDs: 2129170, 2129171, 2129177, 2129178

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	102	104	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A95307

Included Lab Sample IDs: 2129168, 2129169, 2129174, 2129175, 2129176

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	101	P/P	90 - 110
Sulfate	101	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A95467

Included Lab Sample IDs: 2129193, 2129194

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Antimony	99.9	99.0	P/P	90 - 110
Arsenic	101	101	P/P	90 - 110
Cadmium	100	99.4	P/P	90 - 110
Lead	99.2	99.4	P/P	90 - 110
Selenium	97.0	97.2	P/P	90 - 110
Silver	102	102	P/P	90 - 110
Thallium	96.1	95.6	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A95530

Included Lab Sample IDs: 2129193, 2129194

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	93.7	95.5	P/P	90 - 110
Boron	90.6	92.9	P/P	90 - 110
Chromium	95.1	95.3	P/P	90 - 110
Nickel	93.7	94.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A95560

Included Lab Sample IDs: 2129179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	97.6	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A95562

Included Lab Sample IDs: 2129193, 2129194

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Copper	94.3	96.1	P/P	90 - 110
Copper	96.1	92.6	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
EPA 180.1 Rev. 2.0	Turbidity					0.374	
EPA 200.7 Rev. 4.4	Barium	106	102	104	104		0.226
	Calcium	105	98.8	102	106		3.79
	Iron	103	102	104	107		3.18
	Magnesium	107	101	105	110		4.07
	Potassium	98.9	105	104	108		4.34
	Sodium	101	99.8	95.3	98.4		2.13
	Zinc	103	97.5	101	101		0.434
EPA 200.8 Rev. 5.4	Aluminum	99.9	98.6	95.0	95.9		0.942
	Antimony	102	106	102	102		0.348
	Arsenic	99.7	104	101	101		0.705
	Boron	94.7	94.5	92.6	94.0		1.42
	Cadmium	97.9	103	99.2	99.6		0.379
	Chromium	98.0	95.7	95.0	94.5		0.555
	Copper	95.4	96.1	99.7	93.8		6.04
	Lead	99.4	103	100	100		0.0968
	Nickel	97.1	93.1	92.6	94.0		1.43
	Selenium	91.3	88.6	84.7	85.4		0.751
	Silver	102	106	103	103		0.693
	Thallium	102	108	102	103		0.635
EPA 300.0 Rev. 2.1	Chloride	103	98.3	102		0.432	
	Sulfate	103	96.3	102		0.218	
EPA 350.1 Rev. 2.0	Ammonia-N	98.8	102	102			0.482
	Ammonia-N	96.6	98.4	99.2			0.800
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	105	104	104			0.263
	Kjeldahl Nitrogen	104	106	108			1.16
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	101	100	99.5			0.319
EPA 365.1 Rev. 2.0	Total-P	96.7	93.9	95.4			1.21
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	102	93.9	96.1			2.22
	O-Phosphate-P	98.6	99.3	97.8			0.924
SM 2120 B	Color (true)	99.4				0.229	
	Color (true)	99.9				2.33	
SM 2320 B-97	Total Alkalinity	104				0.704	
SM 2540 C-97	TDS					1.10	
	TDS					3.88	
SM 4500 F-C-97	Fluoride	95.9	97.9	97.2			0.487
SM 5310 B-00	Organic Carbon	96.2	103	99.7			2.62
	Organic Carbon	97.9	98.0	98.8			0.489

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2129168, 2129169, 2129174, 2129175, 2129176
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2129193, 2129194
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2129193, 2129194
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2129168, 2129169, 2129174, 2129175, 2129176
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2129168, 2129169, 2129174, 2129175, 2129176
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2129170, 2129171, 2129177, 2129178, 2129179

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2129170, 2129171, 2129177, 2129178, 2129179
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2129170, 2129171, 2129177, 2129178, 2129179
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2129170, 2129171, 2129177, 2129178, 2129179
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2129172, 2129173, 2129180, 2129181, 2129182
SM 2120 B / E31780	True Color measured at 450 nm	2129168, 2129169, 2129174, 2129175, 2129176
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2129168, 2129169, 2129174, 2129175, 2129176
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2129168, 2129169, 2129174, 2129175, 2129176
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2129168, 2129169, 2129174, 2129175, 2129176
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2129168, 2129169, 2129174, 2129175, 2129176
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2129170, 2129171, 2129177, 2129178, 2129179

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	10/17/2019			10/17/2019 15:48	Samantha Davila	2129168, 2129169, 2129174, 2129175, 2129176
EPA 200.7 Rev. 4.4	10/17/2019	10/21/2019 15:30	Elliott D. Healy	10/22/2019 20:05	Alexander Thompson	2129193
	10/17/2019	10/21/2019 15:30	Elliott D. Healy	10/22/2019 20:13	Alexander Thompson	2129193
	10/17/2019	10/21/2019 15:30	Elliott D. Healy	10/22/2019 20:20	Alexander Thompson	2129194
EPA 200.8 Rev. 5.4	10/17/2019	10/21/2019 15:30	Elliott D. Healy	11/04/2019 22:28	Robert K Palmer	2129193
	10/17/2019	10/21/2019 15:30	Elliott D. Healy	11/04/2019 22:38	Robert K Palmer	2129194
	10/17/2019	10/21/2019 15:30	Elliott D. Healy	11/06/2019 12:43	Robert K Palmer	2129193
	10/17/2019	10/21/2019 15:30	Elliott D. Healy	11/06/2019 12:52	Robert K Palmer	2129194
	10/17/2019	10/21/2019 15:30	Elliott D. Healy	11/07/2019 17:45	Robert K Palmer	2129193
	10/17/2019	10/21/2019 15:30	Elliott D. Healy	11/07/2019 18:02	Robert K Palmer	2129194
EPA 300.0 Rev. 2.1	10/17/2019			10/29/2019 15:54	Julia Storbeck	2129168
	10/17/2019			10/29/2019 16:07	Julia Storbeck	2129169
	10/17/2019			10/29/2019 16:19	Julia Storbeck	2129174
	10/17/2019			10/29/2019 16:31	Julia Storbeck	2129175
	10/17/2019			10/29/2019 16:43	Julia Storbeck	2129176
EPA 350.1 Rev. 2.0	10/17/2019			10/22/2019 13:56	Ping Hua	2129171
	10/17/2019			10/22/2019 14:14	Ping Hua	2129170
	10/17/2019			10/22/2019 14:15	Ping Hua	2129177
	10/17/2019			10/22/2019 14:17	Ping Hua	2129178
	10/17/2019			10/23/2019 11:12	Ping Hua	2129179
EPA 351.2 Rev. 2.0	10/17/2019	10/23/2019 13:06	Sima Feizi	10/24/2019 17:53	Jhamieka S. Greenwood	2129171
	10/17/2019	10/23/2019 13:06	Sima Feizi	10/24/2019 18:01	Jhamieka S. Greenwood	2129170
	10/17/2019	10/23/2019 13:06	Sima Feizi	10/24/2019 18:02	Jhamieka S. Greenwood	2129177
	10/17/2019	10/23/2019 13:06	Sima Feizi	10/24/2019 18:04	Jhamieka S. Greenwood	2129178
	10/17/2019	11/06/2019 12:31	Sima Feizi	11/07/2019 15:38	Jhamieka S. Greenwood	2129179
EPA 353.2 Rev. 2.0	10/17/2019			10/21/2019 10:50	Lauren Lees	2129171
	10/17/2019			10/21/2019 10:56	Lauren Lees	2129170
	10/17/2019			10/21/2019 10:57	Lauren Lees	2129177
	10/17/2019			10/21/2019 10:58	Lauren Lees	2129178
	10/17/2019			10/21/2019 11:00	Lauren Lees	2129179
EPA 365.1 Rev. 2.0	10/17/2019	10/22/2019 14:40	Lipi Saha	10/23/2019 12:54	Rosalyn Ballman	2129170
	10/17/2019	10/22/2019 14:40	Lipi Saha	10/23/2019 13:00	Rosalyn Ballman	2129171
	10/17/2019	10/22/2019 14:40	Lipi Saha	10/23/2019 13:01	Rosalyn Ballman	2129177
	10/17/2019	10/22/2019 14:40	Lipi Saha	10/23/2019 13:02	Rosalyn Ballman	2129178
	10/17/2019	10/22/2019 14:40	Lipi Saha	10/23/2019 13:03	Rosalyn Ballman	2129179
EPA 365.1 Rev. 2.0 dissolved	10/17/2019			10/17/2019 14:33	Virginia P. Brown	2129182
	10/17/2019			10/17/2019 14:57	Virginia P. Brown	2129172
	10/17/2019			10/17/2019 14:58	Virginia P. Brown	2129173
	10/17/2019			10/17/2019 14:59	Virginia P. Brown	2129180

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 365.1 Rev. 2.0 dissolved SM 2120 B	10/17/2019			10/17/2019 15:12	Virginia P. Brown	2129181
	10/17/2019			10/17/2019 17:54	Madeline Funaro	2129169
	10/17/2019			10/17/2019 17:55	Madeline Funaro	2129174
	10/17/2019			10/17/2019 17:56	Madeline Funaro	2129175
	10/17/2019			10/17/2019 18:01	Madeline Funaro	2129176
	10/17/2019			10/17/2019 18:18	Madeline Funaro	2129168
SM 2320 B-97	10/17/2019			10/21/2019 18:25	Dale L. Simmons	2129176
	10/17/2019			10/21/2019 20:45	Dale L. Simmons	2129169
	10/17/2019			10/21/2019 20:57	Dale L. Simmons	2129174
	10/17/2019			10/21/2019 21:08	Dale L. Simmons	2129175
	10/17/2019			10/21/2019 21:44	Dale L. Simmons	2129168
SM 2540 C-97	10/17/2019			10/18/2019 16:10	Rosalyn Ballman	2129168, 2129169, 2129174, 2129175, 2129176
SM 2540 D-97	10/17/2019			10/18/2019 16:10	Rosalyn Ballman	2129168, 2129169, 2129174
	10/17/2019			10/22/2019 11:33	Rosalyn Ballman	2129175, 2129176
SM 4500 F-C-97	10/17/2019			10/21/2019 18:15	Dale L. Simmons	2129176
	10/17/2019			10/21/2019 20:45	Dale L. Simmons	2129169
	10/17/2019			10/21/2019 20:57	Dale L. Simmons	2129174
	10/17/2019			10/21/2019 21:08	Dale L. Simmons	2129175
	10/17/2019			10/21/2019 21:44	Dale L. Simmons	2129168
SM 5310 B-00	10/17/2019			10/21/2019 20:06	Madeline Funaro	2129177
	10/17/2019			10/22/2019 00:39	Madeline Funaro	2129170
	10/17/2019			10/22/2019 00:54	Madeline Funaro	2129171
	10/17/2019			10/22/2019 01:09	Madeline Funaro	2129178
	10/17/2019			10/22/2019 01:47	Madeline Funaro	2129179