

Biological Analysis Report

NE-DIST-2019-10-15-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
ALS Environmental - Jacksonville
9143 Philips Highway, Suite 200
Jacksonville, FL 32256
DOH Accreditation E82502

Event Description: **LSJR West**
Request ID: **RQ-2019-10-14-14**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 14-NOV-2019 14:38



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Yellow Water Cr at SR 228

Collection Date/Time: 10/14/2019 12:45

Field ID: 20030549

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2128020	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.82	U	ug/L	P373174	
		Phaeophytin-a	0.90	U	ug/L	P373174	
		Chlorophyll-a, Uncorrected	0.60	U	ug/L	P373174	
2128024	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	649		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Williamson Cr 300m Below Jammes Rd

Collection Date/Time: 10/14/2019 13:45

Field ID: G2NE1165

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2128021	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.82	U	ug/L	P373174	
		Phaeophytin-a	0.90	U	ug/L	P373174	
		Chlorophyll-a, Uncorrected	0.60	U	ug/L	P373174	
2128025	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	461		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Wills Br at Watergate Rd

Collection Date/Time: 10/14/2019 13:20

Field ID: G2NE1183

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2128019	SM 10200 H (mod.)	Chlorophyll-a, Corrected	9.4		ug/L	P373174	
		Phaeophytin-a	0.90	U	ug/L	P373174	
		Chlorophyll-a, Uncorrected	10		ug/L	P373174	
2128023	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	172		MPN/100 mL		
2128028	SOP-PCR-1.0	HF183-qPCR**	600	I	GEU/100 mL	P372477	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Hogan Cr @ Washington St

Collection Date/Time: 10/14/2019 14:15

Field ID: 20030773

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2128018	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.1		ug/L	P373174	
		Phaeophytin-a	0.90	U	ug/L	P373174	
		Chlorophyll-a, Uncorrected	3.4		ug/L	P373174	
2128022	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	657		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report

Method Blank Results

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P373174

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P372477

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P373174

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	97.8		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P372477

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	109	144	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P372477

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2127749	HF183-qPCR	120		P	50 - 175
2127888	HF183-qPCR	105	92.2	P/P	50 - 175
2127889	HF183-qPCR	111		P	50 - 175
2127890	HF183-qPCR	106		P	50 - 175
2127891	HF183-qPCR	105		P	50 - 175
2127892	HF183-qPCR	103		P	50 - 175
2127894	HF183-qPCR	81.4		P	50 - 175
2127902	HF183-qPCR	97.5		P	50 - 175
2128028	HF183-qPCR	103		P	50 - 175
2128134	HF183-qPCR	104		P	50 - 175
2128286	HF183-qPCR	121		P	50 - 175
2128287	HF183-qPCR	110		P	50 - 175

Quality Assurance Report Precision

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P373174

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2128036	Chlorophyll-a, Corrected	5.14	Sample	P	0 - 25
2128036	Chlorophyll-a, Uncorrected	5.23	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P372477

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2127888	HF183-qPCR	13.1	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2128028
Field Sample ID: G2NE1183

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	116	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	97.8						5.14	
	Chlorophyll-a, Uncorrected							5.23	
SOP-PCR-1.0	HF183-qPCR	144	109	105	92.2	111			13.1
				106					

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2128018, 2128019, 2128020, 2128021
SM 9223 B Quanti-Tray / E82502	E. coli by Colilert/QT by ALS in Jacksonville	2128022, 2128023, 2128024, 2128025
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2128028

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	10/15/2019	10/15/2019 14:51	Yuliya Danyuk	10/21/2019 07:48	Yuliya Danyuk	2128018, 2128019, 2128020, 2128021
SM 9223 B Quanti-Tray	10/14/2019	10/14/2019 16:57		10/15/2019 17:02	ALS Environmental, Jax	2128022, 2128023, 2128024, 2128025
SOP-PCR-1.0	10/15/2019	10/15/2019 15:25	Angela Smith	11/05/2019 14:28	Lauren Campbell	2128028