

Biological Analysis Report

NE-DIST-2019-10-23-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
ALS Environmental - Jacksonville
9143 Philips Highway, Suite 200
Jacksonville, FL 32256
DOH Accreditation E82502

Event Description: **LSJR East**
Request ID: **RQ-2019-10-21-22**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Manager

Date Certified: 26-NOV-2019 10:46



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

A - Value reported is the mean of two or more determinations.
B - Results based on colony counts outside the acceptable range.
I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
J - Estimated value and/or the analysis did not meet established quality control criteria.
K - Actual value is known to be less than value given.
L - Actual value is known to be greater than value given.
N - Presumptive evidence of presence of material.
O - Sampled, but analysis lost or not performed.
Q - Sample held beyond normal holding time.
T - Value reported is less than the criterion of detection.
U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
V - Analyte was detected in both sample and method blank.
X - Too few individuals to calculate SCI value.
Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Greenfield Creek @ Queens Harbour Blvd.

Collection Date/Time: 10/22/2019 09:05

Field ID: 20030809

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2130622	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.5	A	ug/L	P373591	
		Phaeophytin-a	2.9		ug/L	P373591	
		Chlorophyll-a, Uncorrected	5.1	AJ	ug/L	P373591	RPD
2130628	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	512		MPN/100 mL		
2130633	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P372980	LCS

Ref. Method and Comment:

SM 10200 H (mod.): Laboratory duplicate result is 2.0 I for Phaeophytin-a. Precision data is unavailable due to the small amount of analyte in the QC sample. Chl-a uncorrected result is J-qualified due to a lab duplicate RPD failure.

Sample Location: Miller Creek at Atlantic Blvd

Collection Date/Time: 10/22/2019 09:50

Field ID: G2NE0005

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2130621	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.2	U	ug/L	P373591	
		Phaeophytin-a	6.9	I	ug/L	P373591	
		Chlorophyll-a, Uncorrected	6.2		ug/L	P373591	RPD
2130627	ASTM D650399	ENTEROCOCCI-ENTEROLERT	2419.6	J	MPN/100 mL		
2130632	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P372898	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

ASTM D650399: All Quanti-Tray wells were positive. Result may be higher than reported

SOP-PCR-1.0: Precision data unavailable due to inhibition in QC sample.

Sample Location: Newcastle CR @ Ft Caroline Hills Rd

Collection Date/Time: 10/22/2019 12:20

Field ID: 20030872

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2130624	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.82	U	ug/L	P373591	
		Phaeophytin-a	0.90	U	ug/L	P373591	
		Chlorophyll-a, Uncorrected	0.60	U	ug/L	P373591	RPD
2130630	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	2419.6	J	MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9223 B Quanti-Tray: All Quanti-Tray wells were positive. Result may be higher than reported

Sample Location: Strawberry CR at End of Bowlan Rd

Collection Date/Time: 10/22/2019 10:20

Field ID: 20030579

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2130625	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.82	U	ug/L	P373591	
		Phaeophytin-a	0.90	U	ug/L	P373591	
		Chlorophyll-a, Uncorrected	0.85	I	ug/L	P373591	RPD
2130631	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	1300		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Puncheon above Point Meadows Dr

Collection Date/Time: 10/22/2019 12:50

Field ID: G2NE1181

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2130623	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.0	U	ug/L	P373591	
		Phaeophytin-a	1.1	U	ug/L	P373591	
		Chlorophyll-a, Uncorrected	0.75	U	ug/L	P373591	RPD
2130629	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	260		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P373591

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0

Batch ID: P372898

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.0

Batch ID: P372980

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P373591

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	87.4		P	84 - 116

Reference Method: SOP-PCR-1.0

Batch ID: P372898

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	79.3	152	P/P	50 - 175

Reference Method: SOP-PCR-1.0

Batch ID: P372980

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	173	192	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P372898

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2130156	HF183-qPCR	110		P	50 - 175
2130207	HF183-qPCR	105		P	50 - 175
2130284	HF183-qPCR	97.8		P	50 - 175
2130285	HF183-qPCR	108		P	50 - 175
2130286	HF183-qPCR	97.8		P	50 - 175
2130342	HF183-qPCR	108		P	50 - 175
2130343	HF183-qPCR	103		P	50 - 175
2130344	HF183-qPCR	109		P	50 - 175
2130581	HF183-qPCR	95.0		P	50 - 175
2130582	HF183-qPCR	97.0		P	50 - 175
2130583	HF183-qPCR	101		P	50 - 175
2130632	HF183-qPCR	112		P	50 - 175

Reference Method: SOP-PCR-1.0

Batch ID: P372980

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2130633	HF183-qPCR	147		P	50 - 175
2130715	HF183-qPCR	167		P	50 - 175
2130716	HF183-qPCR	159		P	50 - 175
2130717	HF183-qPCR	145	152	P/P	50 - 175
2131069	HF183-qPCR	135		P	50 - 175
2131102	HF183-qPCR	160		P	50 - 175
2131105	HF183-qPCR	143		P	50 - 175
2131178	HF183-qPCR	137		P	50 - 175
2131179	HF183-qPCR	135		P	50 - 175
2131180	HF183-qPCR	141		P	50 - 175
2131513	HF183-qPCR	130		P	50 - 175
2131572	HF183-qPCR	163		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)

Batch ID: P373591

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2130622	Chlorophyll-a, Corrected	24.7	Sample	P	0 - 25
2130622	Chlorophyll-a, Uncorrected	28.5	Sample	F	0 - 25

Reference Method: SOP-PCR-1.0

Batch ID: P372980

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2130717	HF183-qPCR	4.76	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2130632
Field Sample ID: G2NE0005

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	118	P	50 - 300

Lab Sample ID: 2130633
Field Sample ID: 20030809

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	106	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	87.4			24.7	
	Chlorophyll-a, Uncorrected				28.5	
SOP-PCR-1.0	HF183-qPCR	152 79.3	110 105 97.8 108			
	HF183-qPCR	192 173	167 159 145 152			4.76

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
ASTM D650399 / E82502	Enterococci by Enterolert/QT by ALS in Jacksonville	2130627
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2130621, 2130622, 2130623, 2130624, 2130625
SM 9223 B Quanti-Tray / E82502	E. coli by Colilert/QT by ALS in Jacksonville	2130628, 2130629, 2130630, 2130631
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2130632, 2130633

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
ASTM D650399	10/22/2019	10/22/2019 15:02		10/23/2019 16:14	ALS Environmental, Jax	2130627
SM 10200 H (mod.)	10/23/2019	10/23/2019 14:18	Jessica Fetgatter	10/31/2019 16:02	Carina A. Tull	2130621, 2130622, 2130623, 2130624, 2130625
SM 9223 B Quanti-Tray	10/22/2019	10/22/2019 14:34		10/23/2019 14:47	ALS Environmental, Jax	2130628, 2130629, 2130630, 2130631
SOP-PCR-1.0	10/23/2019	10/23/2019 14:15	Angela Smith	11/12/2019 11:27	Lauren Campbell	2130632
	10/23/2019	10/23/2019 14:15	Angela Smith	11/13/2019 11:07	Lauren Campbell	2130633