

Log-in Checklist

RQ- 2019-01-21-29

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 01/29/2019 / 10:10

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
<u>1.9c</u>			<u>4</u>		<u>X</u>			

* HNO₃ and Formalin persevered samples do NOT have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No Date 1-29-19

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes X No **Containers intact? Yes No

**Sufficient Sample Volume: Yes X No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No — Init: **ABS**

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		
W-PFAS-MS					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

Acid Preserved Samples: pH ≤ 2.0? Yes X No NA Init: **ABS

W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: **ABS

Coolers Unpacked/Checked by: **ABS** Date: 01/29/2019 NCRs (Y/N)?

Event ID: 3 Forks / Sawgrass NCR #

CEN-DIST-2019-01-29-02 (SMP)

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	215517 EXP:06/01/2020
Chlorine Test Strips Lot #	7226 EXP:2020/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

3 Forks / Sawgrass

Central Laboratory Submittal Form

last revised Jan 25, 2018


Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Katie March

Project ID: SMP

Collected By: Leif BomanSampling Agency: 21FLCEN

Location	WIN ID / Field ID →				☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>1/28/19</u> Time <u>1136</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID	SJR at inlet to Little Lake Sawgrass (2893X1)				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen <u>8.77</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORET					Temp (C) <u>13.70</u>	pH <u>7.46</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>730</u>	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms		Salinity (ppt) <u>0.36</u>		Comments				
Location					☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID					Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #					Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments				
Location					☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID					Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #					Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments				
Location					☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID					Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
WIN/STORET #					Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments				

Relinquished By: K March

Date/Time

1/28/19 1600

Shipping Method

FedEx

Number of Coolers Shipped:

1Received By: AB

Date/Time

1-29-19 11:10

Group: A	Bottle Type: P-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
ALKALINITY					
TURBIDITY					
W-CL-IC					
W-COLOR					
W-F					
W-SO4-IC					
W-TDS					
W-TSS					
Group: A	Bottle Type: P-250ML-WI-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1 to ERD
CD-ERD-EC					
Group: A	Bottle Type: BP-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
CHLSUITE-W					
Group: A	Bottle Type: P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
W-NH3					
W-NO2NO3					
W-S-A-TP					
W-TKN					
W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1
W-PO4-F					

CUSTODY TRANSFERS				<u>Method of Shipment:</u>		Received In Cooler: ☒ Y ☐ N	
RELINQUISHED BY	RECEIVED BY	DATE	TIME	Delivered Directly to Lab: ☒ X	Cooler Temp. verification: ☐ °C ☒ F	Temp. Blank Provided ☐ Y ☒ N	pH Checked In Laboratory (< 2 s.u.): ☐ Y ☒ N
1. <i>[Signature]</i>	<i>[Signature]</i>	1/20/9	1353	Shipped By FedEx: _____ UPS: _____ Other: _____	Temperature Blank Cooler #1: _____ °C Temperature Blank Cooler #2: _____ °C Temperature Blank Cooler #3: _____ °C	Sulfuric Acid: Lot # _____ Chlorine Check (< 0.1 mg/l): ☐ Y ☒ N	
2.							

FORMS \ CHAIN OF CUSTODY (Rev January 2018)

Date of Request: 03-JAN-2019
 Created By: LINGER_M On: 03-JAN-2019
 Modified By: JASROTIA_P On: 07-JAN-2019
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: 3 Forks / Sawgrass

Send Coolers To:

Phone: 407-894-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 04-JAN-2019
 Biology Request Reviewed By: JASROTIA_P On: 07-JAN-2019
 Sampling Kit Required: YES Ship on: 15-JAN-2019
 Sampling Kit Shipped: YES On: 14-JAN-2019
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 21-JAN-2019
 Received By: SHAIK_A On: 29-JAN-2019

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 2 Samples:**

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: P-250ML-WI-THI	Number of Bottles: 2	Preserved With: ICE
CD-ERD-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method by ERD Laboratory
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

ORIGIN ID: TLHA (407) 884-7555
MIKE LINGER
FL DEP CENTRAL DISTRICT
3319 MAGUIRE BLVD STE 232
ORLANDO, FL 328033767
UNITED STATES US

SHIP DATE: 15 JAN 19
ACTWGT: 38.00 LB MAN
CAD: 0446870/CAPES211

TO JOHN WATTS

FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 245-8077

REF: 101

DEPT:

FedEx
Express




FedEx
4751 8775 6289

RETURNS MAIL - ERI
TUE - 29 JAN 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FID 5837366 26JAN19 ORLA 553C2/NE30/NC8A