

Log-in Checklist

RQ- 2019-01-28-38

Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 01/29/2019 / 10:10

Cooler- Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
				Present?		*Intact?		
	HNO ₃	Formalin		Yes	No	Yes	No	
2.4C			14		X			
1.1C			8		X			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes X No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes X No **Containers intact? Yes No

**Sufficient Sample Volume: Yes X No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: ABS

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		
W-PFAS-MS					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes X No NA Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: ABS

Coolers Unpacked/Checked by: ABS Date: 01/29/2019 NCRs (Y/N)?

Event ID: Ellen / Concord / Searcy / Noname NCR #
CEN-DIST-2019-01-29-03 (SMP)

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	215517 EXP:06/01/2020
Chlorine Test Strips Lot #	7226 EXP:2020/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Ellen / Concord / Searcy / Noname

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By:

Mike Drennan

Project ID: SMP

Collected By:

Liz Bates, Mike Drennan

Sampling Agency:

FDEP-CEROC

Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/28/19 Time 923	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
WIN ID / Field ID → Noname Lake @ Center	Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 8.64	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
G2CE0068	Temp (C) 15.4	pH 6.32	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 119.1
	☐ dd ☐ dms	Salinity (ppt) 0.06	Comments		
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/28/19 Time 1011	Eastern Central	Composite end Date Time	Bottle Group(s)
WIN ID / Field ID → Lake Searcy @ Center	Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 8.62	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
G2CE0137	Temp (C) 14.3	pH 6.63	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 133.6
	☐ dd ☐ dms	Salinity (ppt) 0.06	Comments		
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/28/19 Time 1048	Eastern Central	Composite end Date Time	Bottle Group(s)
WIN ID / Field ID → Lake Ellen @ Center	Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 7.05	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
G2CE0060	Temp (C) 15.8	pH 6.35	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 104.0
	☐ dd ☐ dms	Salinity (ppt) 0.05	Comments		
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/28/19 Time 1121	Eastern Central	Composite end Date Time	Bottle Group(s)
WIN ID / Field ID → Lake Concord at Center	Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 8.83	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
G2CE0059	Temp (C) 15.3	pH 7.47	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 192.2
	☐ dd ☐ dms	Salinity (ppt) 0.09	Comments		

Relinquished By:

Mike Drennan

Date/Time

1/28/19 1500

Shipping Method

FedEx

Number of Coolers Shipped:

2

Received By:

ABP

Date/Time

01-29-19/10:10

Group: A	Bottle Type:	P-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 4	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
				H2SO4			
				LOT# SA8197090			
				EXP: 07/16/2019			
Group: A	Bottle Type:	P-125ML	# of Bottles: 4	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	4
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: B	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						

Group: B

Bottle Type:

P-125ML

of Bottles: 2

Preservative:

FILTER-ICE

Enter Number of Bottles Sent to Lab

2

W-PO4-F

Ellen / Concord / Searcy / Noname

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Mike Drennon

Project ID: SMP

Collected By: Liz Bates, Mike Drennon

Sampling Agency: FDEP-CEROC

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/28/19 Time 1125	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID: G2CE0056_DUP WIN: G2CE0056 Location: Lake Concord at Center		Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	Sp. Conductance (umho/cm)	B
Temp (C)		pH	Sample Depth ☐ ft ☐ m			
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 1/28/19 Time 1139	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID: Blank_01282019 Location/DI Source: Washroom		Matrix (type, e.g., Salt, Fresh, etc) Field Blank	Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	Sp. Conductance (umho/cm)	B
Temp (C)		pH	Sample Depth ☐ ft ☐ m			
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	Sp. Conductance (umho/cm)	
WIN/STORET #		Temp (C)	pH	Sample Depth ☐ ft ☐ m		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	Sp. Conductance (umho/cm)	
WIN/STORET #		Temp (C)	pH	Sample Depth ☐ ft ☐ m		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: Mike Drennon	Date/Time: 1/28/19 1500	Shipping Method: FedEx	Number of Coolers Shipped: 2	Received By: [Signature]	Date/Time: 01-29-19/10:10
-------------------------------	-------------------------	------------------------	------------------------------	--------------------------	---------------------------

Field ID modified for Mike Linger by phone. AD
01-30-19

Group: A	Bottle Type: P-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
ALKALINITY					
TURBIDITY					
W-CL-IC					
W-COLOR					
W-F					
W-SO4-IC					
W-TDS					
W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
CHLSUITE-W					
Group: A	Bottle Type: P-500ML	# of Bottles: 4	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
W-NH3			H2SO4		
W-NO2NO3			LOT# 5A8197090		
W-S-A-TP			EXP: 07/16/2019		
W-TKN					
W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 4	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	4
W-PO4-F					
Group: B	Bottle Type: P-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
ALKALINITY					
TURBIDITY					
W-CL-IC					
W-COLOR					
W-F					
W-SO4-IC					
W-TDS					
W-TSS					
Group: B	Bottle Type: P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
W-NH3					
W-NO2NO3					
W-S-A-TP					
W-TKN					
W-TOC					

Group: B

Bottle Type:

P-125ML

of Bottles: 2

Preservative:

FILTER-ICE

Enter Number of Bottles Sent to Lab

2

W-PO4-F

Date of Request: 10-JAN-2019
 Created By: LINGER_M On: 10-JAN-2019
 Modified By: JASROTIA_P On: 14-JAN-2019
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Ellen / Concord / Searcy / Noname

Send Coolers To:

Phone: 407-894-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 11-JAN-2019
 Biology Request Reviewed By: JASROTIA_P On: 14-JAN-2019
 Sampling Kit Required: YES Ship on: 18-JAN-2019
 Sampling Kit Shipped: YES On: 16-JAN-2019
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 28-JAN-2019
 Received By: SHAIK_A On: 29-JAN-2019

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: A: Sites
 B: D&B

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-1L		Number of Bottles: 2	Preserved With: ICE
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm	
Color (true)			
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices	
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices	
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	
Bottle Type: P-500ML		Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-125ML		Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	

Cooler Packing Worksheet for Request: RQ-2019-01-28-38

Ellen / Concord / Searcy / Noname

Ship Cooler On: 1/17/2019

Customer/Project: CEN-DIST/SMP

Assigned To: SHAIK_A

Requester: Michael Linger

Priority: 3

407-894-4180
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767

Attn: Mike Linger

Comments:

No preservatives needed.

A: Sites

B: D&B

Requested Analyses:

Bottle Group: A

of Sites: 4

Container ID: P-1L

Qty: 4 Preservation: ICE

Lot # 55571991

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO₃/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 4 Preservation: ICE

Lot # 1238147

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-500ML

Qty: 4 Preservation: ICE And H2SO4

Lot # 00072877

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Description

Ammonia in aqueous matrices as mg N/L
Nitrite/Nitrate in aqueous matrices as mg N/L
Total Phosphorus in aqueous matrices as mg P/L
Total Kjeldahl Nitrogen in aqueous matrices
Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 4 Preservation: FILTER-ICE

Lot # 00072954

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B

of Sites: 2

Container ID: P-1L

Qty: 2 Preservation: ICE

Lot # 00071991

Description: Plastic Bottle 1L

Analysis

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L
Turbidity in aqueous matrices
Chloride in aqueous matrices
True Color measured at 450 nm
Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Sulfate in aqueous matrices
Total Dissolved Solids in aqueous matrices
Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: P-500ML

Qty: 2 Preservation: ICE And H2SO4

Lot # 00072877

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Description

Ammonia in aqueous matrices as mg N/L
Nitrite/Nitrate in aqueous matrices as mg N/L
Total Phosphorus in aqueous matrices as mg P/L
Total Kjeldahl Nitrogen in aqueous matrices
Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 2 Preservation: FILTER-ICE

Lot # 000 72954

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Cooler Packed By: AB Number of Coolers: 2 Date: 1-19

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☐ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☒ Acid Labels (sets of 24)

If Preservation Included:

ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____


PLEASE RETURN ALL COOLERS FOR RQ-2019-01-28-38

SHIP DATE: 16-JAN-19
ACTWGT: 38.00 LB MAN
CAD: 0446970/CAFE3211

551C2/P74C/104C

TALLAHASSEE FL 32399
WM 24E 2037

REF (000) 240 - 0011
INU:
PO:
RMA: III III III




FedEx.
TRK# 0221
4751 8775 6278

TUE - 29 JAN 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH




FID 5037366 28JAN19 ORLA 553C2/0E3D/0C8A

SHIP DATE: 14JAN19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

TALLAHASSEE FL 32399
501 245-8077

ALF: (860) 245-8077
IMU:
PO:

RNA: III III III




FedEx.
TRK# 4751 8775 5374
0221

TUE - 29 JAN 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FID 5037366 28JAN19 ORLA 553C2/0E3D/0C8A