

RO-2019-0325-29

Log-in Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 4-25-19/10:25

Cooler Temperature*	Samples Frozen YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
1.9				12		✓			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form. DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation. **An NCR still is required.**

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☐ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☒ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ☐ No ☐ Init:

Chlorine detected? (One container checked per Field ID) Yes ☐ No ☐ Init:

If "YES", list affected Field IDs and Test IDs below.

Field ID	List Test ID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples: pH ≤ 2.0?** Yes ☒ No ☐ NA ☐ Init: SR

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☐ NA ☒ Init: SR

Coolers Unpacked/Checked by: SR **Date:** 4-25-19 **NCRs (Y/N)?** N

Event ID: Whip / Coon / Center
CEN-DIST-2019-04-25-02 (SMP) **NCR #**

Log-in Checklist

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018 EXP:4-27-19
pH Test Strips 0 – 6 Lot #	213316VEXP:05-15-2019
pH Paper 0 – 3 Lot #	220416A EXP:07-30-20
pH Paper 0 – 13 Lot #	222516 EXP:08-15-2019
Chlorine Test Strips Lot #	8212 EXP:05-2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Whip / Coon / Center

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By:

Project ID: SMP

Collected By:

Mike Linger / Lawrence Orman

Sampling Agency:

FDEP CE-Roc

Location	WIN ID / Field ID → Lake Ellen @ Center	G2CE0060	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/24/19 Time 1056	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 7.17	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STC				Temp (C) 25.3	pH 6.85	Sample Depth 0.3	Sp. Conductance (umho/cm) 109.0
Latitude			☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	WIN ID / Field ID → Lake Concord at Center	G2CE0059	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/24/19 Time 1119	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 8.52	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STC				Temp (C) 25.7	pH 7.91	Sample Depth 0.3	Sp. Conductance (umho/cm) 218.6
Latitude			☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	WIN ID / Field ID → Lake Searcy @ center	G2CE0137	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 4/24/19 Time 1151	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 11.90	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STC				Temp (C) 26.0	pH 9.00	Sample Depth 0.3	Sp. Conductance (umho/cm) 154.9
Latitude			☐ dd ☐ dms	Salinity (ppt)	Comments		
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID				Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #				Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)
Latitude			☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
MKL	4/24/19 1600	FedEx	1	OK	4/25/19/10:25

Group: A	Bottle Type: P-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
ALKALINITY					
TURBIDITY					
W-CL-IC					
W-COLOR					
W-F					
W-SO4-IC					
W-TDS					
W-TSS					
Group: A	Bottle Type: BP-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3
CHLSUITE-W					
Group: A	Bottle Type: P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
W-NH3					
W-NO2NO3					
W-S-A-TP					
W-TKN					
W-TOC					
Group: A	Bottle Type: P-125ML	# of Bottles: 3	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	3
W-PO4-F					

H2SO4
Lot# S98344070
Exp: 12/10/2019

Printed: 4/25/2019 11:04:52 AM

Page 1 of 1

Date of Request: 07-MAR-2019
 Created By: LINGER_M On: 07-MAR-2019
 Modified By: JASROTIA_P On: 08-MAR-2019
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Whip / Coon / Center

Send Coolers To:

Phone: 407-894-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 08-MAR-2019
 Biology Request Reviewed By: JASROTIA_P On: 08-MAR-2019
 Sampling Kit Required: YES Ship on: 15-MAR-2019
 Sampling Kit Shipped: YES On: 11-MAR-2019
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 25-MAR-2019
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: A: Whip / Coon / Center

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L		Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97)	Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B)	True Color measured at 450 nm
Color (true)			
W-F	Template: DEFAULT	(SM 4500 F-C-97)	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97)	Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97)	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L		Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.))	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML		Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0)	Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00)	Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML		Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Do Not Lift Using This Tag

ORIGIN ID: TLHA (407) 894-7555
MIKE LINGER
FL DEP CENTRAL DISTRICT
3319 MAGUIRE BLVD STE 232

SHIP DATE: 11MAR19
ACTWGT: 10.00 LB MAN
CAD: 0446970/CAFE3211

ORLANDO, FL 328033767
UNITED STATES US

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(850) 245-8077

REF:

DEPT:

RMA: ||| ||| |||



FedEx
Express



J18111806050104

FedEx
TRACKING

0221 4751 8777 6350

RETURNS MON - FRI
THU - 25 APR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399

FL-US
TLH



RT **856**

1
10:30

B

6350
04.25

FII
FZ

Cooler Packing Worksheet for Request: RQ-2019-03-25-29

Whip / Coon / Center

Ship Cooler On: 3/15/2019

Customer/Project: CEN-DIST/SMP

Assigned To: KLUG_K

Requester: Michael Linger

Priority: 3

407-894-4180
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767

Attn: Mike Linger

Comments:

No preservatives needed.

A: Whip / Coon / Center

Requested Analyses:

Bottle Group: A

of Sites: 3

Container ID: P-1L

Qty: 3 Preservation: ICE

Lot # 00073319

Description: Plastic Bottle 1L

Analysis

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO₃/L
Turbidity in aqueous matrices
Chloride in aqueous matrices
True Color measured at 450 nm
Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Sulfate in aqueous matrices
Total Dissolved Solids in aqueous matrices
Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 3 Preservation: ICE

Lot # 1246281

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-500ML

Qty: 3 Preservation: ICE And H2SO4

Lot # 00072877

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 3 Preservation: FILTER-ICE

Lot # 00072954

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Cooler Packed By: KH

Number of Coolers: 1

Date: 3.11.19

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☐ Acid Labels (sets of 24)

If Preservation Included:

ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2019-03-25-29