

RQ- 2019-04-01-65

Log-in Checklist

Login Station ID: #4Shipping Method: FedEx | UPS | HD | GreyhoundDate/Time of Receipt: 04/04/2019 @ 10:20

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
	HNO ₃	Formalin		Present?		*Intact?		
				Yes	No	Yes	No	
<u>1.9°C</u>			<u>4</u>		<u>X</u>			<u>4751 8777 0617</u>

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes No X Init: TR

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		
W-PFAS-MS					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: TR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: TR

Coolers Unpacked/Checked by: Tyler Reynolds Date: 04/04/2019

NCRs (Y/N)? N

Event ID: Ruth
CEN-DIST-2019-04-04-01 (SMP)
 Date Received: 04-APR-2019 10:20
 Federal Express REF-4-6-2

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_04_2018
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	222516EXP:09/15/2019
Chlorine Test Strips Lot #	091417V EXP:09/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: CEN-DIST


Requester: Michael Linger

Field Report Prepared By: Kate March

Project ID: SMP

Collected By: Leif Roman

Sampling Agency: 21Fusion

Location		WIN ID / Field ID →				☐ Comp ☒ Grab		Collection (comp begin or grab)		☒ Eastern ☐ Central		Composite end		Bottle Group(s)					
Field ID		Fox Lake @ Center of West Lobe		G3CE0022		Date		4/3/19		Time		1105		Date		Time			
WIN/STORET						Matrix (type, e.g., Salt, Fresh, etc)				Diss. Oxygen		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Temp (C)		21.14		pH		6.82		Sample Depth		0.3	
Salinity (ppt)		0.42		Comments															
Location						☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central		Composite end		Bottle Group(s)					
Field ID						Date				Time				Date		Time			
WIN/STORET #						Matrix (type, e.g., Salt, Fresh, etc)				Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Temp (C)				pH				Sample Depth		☐ ft ☐ m	
Salinity (ppt)				Comments															
Location						☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central		Composite end		Bottle Group(s)					
Field ID						Date				Time				Date		Time			
WIN/STORET #						Matrix (type, e.g., Salt, Fresh, etc)				Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Temp (C)				pH				Sample Depth		☐ ft ☐ m	
Salinity (ppt)				Comments															
Location						☐ Comp ☐ Grab		Collection (comp begin or grab)		☐ Eastern ☐ Central		Composite end		Bottle Group(s)					
Field ID						Date				Time				Date		Time			
WIN/STORET #						Matrix (type, e.g., Salt, Fresh, etc)				Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)					
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Temp (C)				pH				Sample Depth		☐ ft ☐ m	
Salinity (ppt)				Comments															

Relinquished By: Kate March	Date/Time: 4/3/19 1400	Shipping Method: FedEx	Number of Coolers Shipped: 1	Received By: Tyler R.	Date/Time: 04/04/19 @ 10:00
-----------------------------	------------------------	------------------------	------------------------------	-----------------------	-----------------------------

Group: A	Bottle Type: P-1L	# of Bottles: <u>6</u>	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS				
Group: A	Bottle Type: BP-1L	# of Bottles: <u>6</u>	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
CHLSUITE-W				
Group: A	Bottle Type: P-500ML	# of Bottles: <u>6</u>	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>(</u>
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC				
Group: A	Bottle Type: P-125ML	# of Bottles: <u>6</u>	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>(</u>
W-PO4-F				

Date of Request: 02-APR-2019
 Created By: LINGER_M On: 02-APR-2019
 Modified By: JASROTIA_P On: 04-APR-2019
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Ruth

Send Coolers To:

Phone: 407-894-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 02-APR-2019
 Biology Request Reviewed By: JASROTIA_P On: 04-APR-2019
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 02-APR-2019
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 1 Samples:**

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

