

Chemical Analysis Report

CEN-DIST-2019-09-06-03

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Lk Ann / Asher**
Request ID: **RQ-2019-09-02-68**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 18-SEP-2019 15:32

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Ann @ Center

Collection Date/Time: 09/05/2019 09:33

Field ID: G2CE0097

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2116934	EPA 180.1 Rev. 2.0	Turbidity	3.8		NTU	P370295	
	EPA 300.0 Rev. 2.1	Chloride	16		mg Cl/L	P370545	
		Sulfate	11		mg SO4/L	P370548	
	SM 2120 B	Color (true)	53	A	PCU	P370309	
	SM 2320 B-97	Total Alkalinity	26		mg CaCO3/L	P370399	
	SM 2540 C-97	TDS	97		mg/L	P370733	
	SM 2540 D-97	TSS	4	I	mg/L	P370619	
	SM 4500 F-C-97	Fluoride	0.038	I	mg F/L	P370403	
2116935	EPA 350.1 Rev. 2.0	Ammonia-N	0.21		mg N/L	P370671	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.0	J	mg N/L	P370411	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.014		mg N/L	P370319	
	EPA 365.1 Rev. 2.0	Total-P	0.034		mg P/L	P370490	
	SM 5310 B-00	Organic Carbon	11		mg C/L	P370527	
2116936	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P370296	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 4500 F-C-97: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Refer to the narrative for an explanation of QC Codes.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P370295

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370545

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370548

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370671

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P370411

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P370319

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P370490

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P370296

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P370309

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report

Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P370399

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P370733

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P370619

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P370403

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P370527

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P370545

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P370548

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P370671

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	95.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P370411

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.7		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P370319

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P370490

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.8		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P370296

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.1		P	90 - 110

Reference Method: SM 2120 B
 Batch ID: P370309

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	85 - 115

Reference Method: SM 2320 B-97
 Batch ID: P370399

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	105		P	98 - 106

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P370403

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	96.5		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P370527

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	107		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370545

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116911	Chloride	101	103	P/P	90 - 110
2117231	Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370548

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116911	Sulfate	102	104	P/P	90 - 110
2117231	Sulfate	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370671

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116898	Ammonia-N	95.3	97.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P370411

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116935	Kjeldahl Nitrogen	93.8	88.5	P/F	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P370319

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116898	NO2NO3-N	96.0	96.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P370490

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116854	Total-P	95.9	96.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P370296

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116936	O-Phosphate-P	91.0	91.4	P/P	90 - 110

Reference Method: SM 5310 B-00
Batch ID: P370527

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2116909	Organic Carbon	104	106	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P370295

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116967	Turbidity	0.939	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370545

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116911	Chloride	1.10	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P370548

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116911	Sulfate	1.72	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P370671

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116898	Ammonia-N	1.47	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P370411

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116935	Kjeldahl Nitrogen	2.98	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P370319

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116898	NO2NO3-N	0.519	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P370490

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116854	Total-P	0.729	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P370296

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116936	O-Phosphate-P	0.439	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B
Batch ID: P370309

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116934	Color (true)	3.49	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P370399

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116620	Total Alkalinity	1.21	Sample	P	0 - 2.8

Reference Method: SM 2540 C-97
Batch ID: P370733

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116908	TDS	5.45	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P370403

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116620	Fluoride	0.471	Spike	P	0 - 2.5

Reference Method: SM 5310 B-00
Batch ID: P370527

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2116909	Organic Carbon	1.27	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A94042

Included Lab Sample IDs: 2116934

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	101	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A94044

Included Lab Sample IDs: 2116936

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.5	98.7	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A94055

Included Lab Sample IDs: 2116934

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	102	P/P	90 - 115

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A94057

Included Lab Sample IDs: 2116935

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	99.5	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A94093

Included Lab Sample IDs: 2116934

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	104	102	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A94093

Included Lab Sample IDs: 2116934

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.5	99.5	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A94151

Included Lab Sample IDs: 2116935

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	108	107	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A94153

Included Lab Sample IDs: 2116935

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	90.7	94.1	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A94159

Included Lab Sample IDs: 2116934

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	101	P/P	90 - 110
Sulfate	102	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A94199

Included Lab Sample IDs: 2116935

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A94214

Included Lab Sample IDs: 2116935

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.4	98.2	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity						0.939	
EPA 300.0 Rev. 2.1	Chloride	100	101	103	101			1.10
	Sulfate	101	102	104	102			1.72
EPA 350.1 Rev. 2.0	Ammonia-N	95.8	95.3	97.0				1.47
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	98.7	93.8	88.5				2.98
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	99.5	96.0	96.5				0.519
EPA 365.1 Rev. 2.0	Total-P	97.8	95.9	96.6				0.729
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.1	91.0	91.4				0.439
SM 2120 B	Color (true)	101					3.49	
SM 2320 B-97	Total Alkalinity	105					1.21	
SM 2540 C-97	TDS						5.45	
SM 4500 F-C-97	Fluoride	96.5						0.471
SM 5310 B-00	Organic Carbon	107	104	106				1.27

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2116934
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2116934
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2116934
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2116935
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2116935
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2116935
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2116935
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2116936
SM 2120 B / E31780	True Color measured at 450 nm	2116934
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2116934
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2116934
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2116934
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2116934
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2116935

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/06/2019			09/06/2019 16:35	Samantha Davila	2116934
EPA 300.0 Rev. 2.1	09/06/2019			09/11/2019 23:14	Jhamieka S. Greenwood	2116934
EPA 350.1 Rev. 2.0	09/06/2019			09/13/2019 12:01	Ping Hua	2116935
EPA 351.2 Rev. 2.0	09/06/2019	09/10/2019 13:06	Sima Feizi	09/11/2019 15:13	Julia Storbeck	2116935
EPA 353.2 Rev. 2.0	09/06/2019			09/09/2019 09:17	Beverly Y. Sanders	2116935
EPA 365.1 Rev. 2.0	09/06/2019	09/11/2019 10:25	Lipi Saha	09/13/2019 13:37	Rosalyn Ballman	2116935
EPA 365.1 Rev. 2.0 dissolved	09/06/2019			09/06/2019 16:05	Jhamieka S. Greenwood	2116936
SM 2120 B	09/06/2019			09/06/2019 17:09	Madeline Funaro	2116934
SM 2320 B-97	09/06/2019			09/09/2019 21:29	Dale L. Simmons	2116934
SM 2540 C-97	09/06/2019			09/10/2019 14:32	Yijie Li	2116934
SM 2540 D-97	09/06/2019			09/10/2019 14:32	Yijie Li	2116934
SM 4500 F-C-97	09/06/2019			09/09/2019 21:29	Dale L. Simmons	2116934
SM 5310 B-00	09/06/2019			09/11/2019 15:55	Madeline Funaro	2116935